



SHOOTING SPORTS

CATALOG



TABLE OF CONTENTS

VENTURE GEAR TACTICAL	7 - 10
HEARING PROTECTION	11 - 18
RANGE EYEWEAR	19 - 24
COMBO KITS	25 - 26
DUCKS UNLIMITED	27 - 28
IMPRINT PROGRAM	29
MERCHANDISING	30

PROTECTIVE EQUIPMENT FOR AN ACTIVE LIFESTYLE

No matter what job or activity you do, Pyramex's extensive line of PPE products will protect you. All of our products have been independently tested for various standards and certifications.

OUR BRANDS



LICENSE BRANDS



THE PYRAMEX PROMISE

At Pyramex, our promise to our customer is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customers' lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

WE ARE HERE TO HELP

PHONE 800-736-8673 // FAX 877-PYRAMEX

PyramexSafety.com

305 Keough Drive, Piperton, TN 38017

Live Web Chat available at PyramexSafety.com

help@pyramexsafety.com

@PyramexSafety @venturegearsafety @venturegear



PYRAMEX

PRECISION WITH A PURPOSE

70% of our awareness comes from sight, making vision the most critical of the five senses, especially in extreme conditions.

Source: Prevent Blindness America





EYEWEAR IMPACT STANDARDS

It is important to use the right eyewear for the task at hand. Make sure you understand the standards that apply to eyewear used on the range or jobsite.


ANSI Z87.1 // ANSI Z87.1+ HIGH IMPACT

In 2015, the American National Standards Institute revised the previous standard to the ANSI Z87.1-2015. The 2015 standard will have a (+) sign on the product to indicate it passes the high-mass and high-velocity tests. With the hazards one may experience on the worksite, the ANSI High Impact rated product (Z87.1+) should be a preferred choice. The sixth revision to the ANSI standard came in 2020. This revision emphasizes the need to wear the correct eye protection for the job being performed and the hazards that may be present. One area it addresses is anti-fog coatings, specifically the testing and performance of the coating and the marking criteria on lenses. Products with an anti-fog coating that pass will have an (X) on the lens. Not all anti-fog coated lenses pass the 2020 revision.

MIL-PRF-32432

The MIL-PRF-32432 is the current US military standard for protective eyewear. MIL-PRF is a Performance Specification. Performance Specifications outline the compliance requirements of products, as well as the criteria they should meet. Ballistic rated eyewear demonstrates a higher testing standard and protection needed from flying debris, or high-speed projectiles.

Your shooting glasses should be tested to the worst-case scenario, therefore passing the MIL-PRF-32432 spec and the ANSI Z87.1+ standard.



LENS TREATMENTS

POLYCARBONATE

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.

H2MAX ANTI-FOG COATING

The innovative technology behind the **H2MAX** creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g of weight. **H2MAX** passes ANSI Z87.1 standards for X and Canadian certification CAN/CSA Z94.3. H2MAX products can be cleaned with Pyramex lens cleaning towelettes. Do not use abrasive cleaning compounds, solvents, ammonia, or alkaline cleaners.

HOW TO CLEAN

1. Remove loose debris before cleaning
2. Rinse with water or a soap and water solution
3. Use the Pyramex CLEAN CLOTH or any soft cotton or microfiber cloth to gently pat lens dry

Or **H2MAX** products can be cleaned with Pyramex lens cleaning towelette or wipes

H2X ANTI-FOG COATING

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. **H2X** passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.



WATCH THE VIDEO

Vimeo.com/Pyramex/H2MAX

LENS COLORS

VISIBLE LIGHT TRANSMISSION

When light passes through a lens, some of it is absorbed and some of it is reflected back. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.




APPLICATIONS

Use our suggested lens color guide to help decide which lens is best for the task at hand.






SELECTION CHART



FEATURES



CERTIFICATIONS

ANSI Z87.1+ High Impact	ANSI
Cert. Mod. - CAN/CSA Z94.3-20 third-party certification	CSA
MIL-PRF-32432 High Velocity Impact Standards	MIL-PRF-32432

MIL-PRF Performance Specifications outline the compliance requirements of products, as well as the criteria they should meet. Ballistic rated eyewear demonstrate a higher testing standard and protection from flying debris, and ballistic hazards both in the blind and on the battlefield.

Semtex 2.0™ ANSI CSA MIL-PRF-32432



Adjustable rubber nosepiece // Straight-back flexible temples // Anti-fog scratch-resistant polycarbonate lens provides 99% UVA, UVB, and UVC protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a VGT clamshell and includes microfiber cleaning bag

Gun Metal Frame (clamshell)

Sold Individually | Case Qty: 60

- VGSGM1410T Clear Anti-fog
- VGSGM1418T Bronze Anti-fog
- VGSGM1422T Forest Gray Anti-fog

Tan Frame (clamshell)

Sold Individually | Case Qty: 60

- VGST1410T Clear Anti-fog
- VGST1418T Bronze Anti-fog
- VGST1422T Forest Gray Anti-fog



Includes microfiber cleaning bag

VGST1422T

Loadout™ ANSI MIL-PRF-32432



Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Integrated microfiber sleeve protects lens when not in use // Fits over prescription eyewear // **H2MAX** anti-fog scratch-resistant polycarbonate lens provides 99% UVA, UVB, and UVC protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a VGT box and includes canvas storage case with MOLLE compatible snap straps

Black Frame (box)

Sold Individually | Case Qty: 60

- VGGB1510STM Clear **H2MAX** Anti-fog

Loadout ballistic goggle shot with 12 gauge shotgun and 2 3/4 inch steel #6 at 25 yards.



Includes canvas storage case with MOLLE compatible snap straps

VGGB1510STM



Includes microfiber cleaning bag

VGST1322T

Howitzer™ ANSI CSA MIL-PRF-32432



Rubber nosepiece // Non-slip, flexible, co-injected temples // Anti-fog scratch-resistant polycarbonate lens provides 99% UVA, UVB, and UVC protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame (clamshell)**
Sold Individually | Case Qty: 60
- VGSB 1310T Clear Anti-fog
 - VGSB 1318T Bronze Anti-fog
 - VGSB 1322T Forest Gray Anti-fog
- Tan Frame (clamshell)**
Sold Individually | Case Qty: 60
- VGST1310T Clear Anti-fog
 - VGST1318T Bronze Anti-fog
 - VGST1322T Forest Gray Anti-fog



Includes microfiber cleaning bag

VGSB8320ST

Drone® ANSI MIL-PRF-32432



Half-frame design // Stylish, dual injected temples // Adjustable rubber nosepiece // Anti-fog, scratch-resistant, polycarbonate lens provides 99% UVA, UVB, and UVC protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame (clamshell)**
Sold Individually | Case Qty: 60
- VGSB8310ST Clear Anti-fog
 - VGSB8320ST Gray Anti-fog

Overwatch® ANSI MIL-PRF-32432



Soft nosepiece and rubber temple tips // Anti-fog scratch-resistant polycarbonate lens provides 99% UVA, UVB, and UVC protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a VGT clamshell and includes microfiber cleaning bag

- Black Frame (clamshell)**
Sold Individually | Case Qty: 60
- VGSB718T Bronze Anti-fog
 - VGSB722T Forest Gray Anti-fog
- OD Green Frame (clamshell)**
Sold Individually | Case Qty: 60
- VGSG718T Bronze Anti-fog
 - VGSG722T Forest Gray Anti-fog
- Urban Gray Frame (clamshell)**
Sold Individually | Case Qty: 60
- VGSUG710T Clear Anti-fog
 - VGSUG722T Forest Gray Anti-fog



Includes microfiber cleaning bag

VGSUG710T





HEARING PROTECTION

SELECTION CHART

● VGPM8010C	Gray	Descriptions
● VGPM8031C	Hi-vis Lime	
● VGPM8041C	Hi-vis Orange	
Colors / Patterns		Part Numbers

FEATURES



CERTIFICATIONS

ANSI S3.19

ANSI S3.19

NRR

Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

ELECTRONIC EARMUFFS



Electronic earmuff // Four microphones // Ergonomically arched, cushioned headband for superior comfort // Amplifies surrounding sounds // Compresses harmful sounds to safe levels // Compression feature works while bluetooth is enabled // Bluetooth for wireless listening and cell phone use // AUX input with 3.5 mm AUX jack cord included // Easy-adjust volume and ambient noise controls // Auto shut-off after four hours // Includes 2 AAA Batteries // Available in a VG capture clam

Black Headband (capture clam)
Sold by the box | Box Qty: 3 | Case Qty: 6 boxes

- VGPME30BT Black
- VGPME31BT Tan
- VGPME32BT Urban Gray



NRR
26dB

VGPM30BT

Clandestine™ ANSI



Electronic earmuff // Omni-directional microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // External access for easy battery replacement // 2 AAA batteries are included // Available in a VG capture clam

Black Headband (capture clam)
Sold by the box | Box Qty: 3 | Case Qty: 8 boxes

- VGPME10 Black
- VGPME17 Black Graphite Pattern



NRR
24dB

VGPM17

ELECTRONIC // PASSIVE EARMUFFS



NRR 26dB

VGPM20



Electronic earmuff // Front facing microphone // Amplifies hearing while suppressing harmful sounds and reducing them to a safe level // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

Black Headband (clamshell)
Sold Individually | Case Qty: 24

- VGPM20 Black
- VGPM26 Powder Blue
- i** Available for Imprint program see page 29



NRR 26dB

NRR 37dB when worn with earplugs

VGPM8011C



VG80 Series ANSI VG

Low-profile ear cup design // Height adjustable to fit most // Fold away, padded headband // Earmuffs (NRR 26dB) are packaged in a clamshell with free disposable earplugs (NRR 32dB) // Available in a VG clamshell

Black Headband (clamshell)
Sold Individually | Case Qty: 24

- VGPM8010C Gray
- VGPM8010PC Pink
- VGPM8011C Black
- VGPM8031C Hi-Vis Lime
- VGPM8041C Hi-Vis Orange
- VGPM8063C Teal
- VGPM8065C Purple

i Available for Imprint program see page 29



PASSIVE EARMUFFS



NRR 24dB

NRR 34dB when worn with earplugs

VGPM9022C



VG90 Series ANSI VG

Low-profile ear cup design // Height adjustable to fit most // Fold away, padded headband // Earmuffs (NRR 24dB) are packaged in a clamshell with free disposable earplugs (NRR 32dB) // Available in a VG clamshell

Black Headband (clamshell)
Sold Individually | Case Qty: 36

- VGPM9010C Gray
- VGPM9010PC Pink
- VGPM9022C OD Green
- VGPM9026C Powder Blue

i Available for Imprint program see page 29



PM2000 ANSI

Soft padded ear cups // Rotatable headband // Height adjustment to fit most // Available in Pyramex polybag

Black Headband (polybag)
Sold Individually | Case Qty: 40

- PM2000 Black



NRR 21dB

PM2000



PASSIVE EARMUFFS



**NRR
23dB**

PM2010



PM2010 ANSI

Height adjustment to fit most // Lightweight and comfortable // Durable nylon headband // Available in Pyramex polybag

Black Headband (polybag)
Sold Individually | Case Qty: 40

● PM2010 Navy

i Available for Imprint program see page 29



**NRR
27dB**

PM3010



PM3010 ANSI

Height adjustment to fit most // Fold-away padded headband // Available in Pyramex polybag

Black Headband (polybag)
Sold Individually | Case Qty: 60

● PM3010 Black

i Available for Imprint program see page 29



VGBH9010C ANSI



Behind the head earmuffs // Adjustable and durable neckband // Earcups tilt for optimum comfort and efficiency // Available in a VG capture clam

Black Neckband (capture clam)
Sold Individually | Case Qty: 24

● VGBH9010C Gray with Hi-Vis Green



MULTI-USE HEARING

**NRR
22dB**

VGBH9010C



BP3000 ANSI



REUSABLE
EARPLUG

Designed for environments with intermittent noise hazards // Flexible band can rest around neck when not in use // Conical shaped earplugs that require no roll down // Individually polybag in a Pyramex dispenser box

Sold by the box | Box Qty: 10 | Case Qty: 20 boxes
BP3000

**NRR
22dB**



SINGLE USE EARPLUGS

**NRR
32dB**



DP1000

**NRR
31dB**



DP1001



PD500



PD500R

DP1000 Series ANSI



DISPOSABLE
EARPLUG

Disposable // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up // Available in Pyramex box, blister card or bin

Disposable Earplugs (box)

Sold by the box | Box Qty: 200 pairs | Case Qty: 10 boxes

DP 1000 200 pair of uncorded earplugs

Sold by the box | Box Qty: 100 pairs | Case Qty: 10 boxes

DP 1001 100 pair of corded earplugs

Disposable Earplugs (blister card or bin)

Sold Individually | Box Qty: 50 blister cards | Case Qty: 4 boxes

PYDP 1000 5 pair of disposable uncorded earplugs in blister card

Sold Individually | Box Qty: 3 bins | Case Qty: 6 bins

PYDP 1000BN 100 pair of disposable uncorded earplugs in bin

Sold Individually | Box Qty: 12 blister cards | Case Qty: 18

PYDP 1000PC 5 pair of disposable uncorded earplugs with case in blister card



PYDP1000



PYDP1000PC



PYDP1000BN



DP1000 Series Box

PD500

Dispenser with twist knob and catch basin // 500 pair of disposable uncorded earplugs (included) // Can be wall mounted or used as freestanding display

Disposable Earplugs (Dispenser)

Sold by the box | Box Qty: 1 | Case Qty: 4 dispensers per case

PD 500 Earplug dispenser with DP1000

Sold Individually | Case Qty: 10 bags 500 pair of earplugs (uncorded) per bag

PD 500R Replacement 500 pair of DP1000

DP1200 Series ANSI



DISPOSABLE
EARPLUG

Disposable // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up // Available in Pyramex dispenser box

Disposable Earplugs (Box)

Sold by the box | Box Qty: 200 pairs | Case Qty: 10 boxes

DP 1200 200 pair of uncorded bell shaped earplugs

Sold by the box | Box Qty: 100 pairs | Case Qty: 10 boxes

DP 1201 100 pair of corded bell shaped earplugs



DP1200

DP1201

RP3001 Series ANSI



REUSABLE
EARPLUG

Three flexible rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water // Available in a Pyramex blister card or Pyramex dispenser box

Reusable Earplugs (Box)

Sold by the box | Box Qty: 50 pairs | Case Qty: 20 boxes

RP 3001 50 pair of Corded reusable earplug

Reusable Earplugs (Blister card)

Sold Individually | Box Qty: 12 blister cards | Case Qty: 18 boxes

PYRP 3001 Corded reusable earplug



**NRR
24dB**

RP3001




PYRP3001






RANGE EYEWEAR

SELECTION CHART



FEATURES



CERTIFICATIONS

ANSI Z87.1+ High Impact	ANSI
Cert. Mod. - CAN/CSA Z94.3-20 third-party certification	CSA
MIL-PRF-32432 High Velocity Impact Standards	MIL-PRF-32432

MIL-PRF Performance Specifications outline the compliance requirements of products, as well as the criteria they should meet. Ballistic rated eye-wear demonstrate a higher testing standard and protection from flying debris, and ballistic hazards both in the blind and on the battlefield.

Intruder® ANSI CSA

Integrated nosepiece // Lightweight frameless protection // Available in a Pyramex polybag

Lens & Temples (polybag)
Sold by the dozen | Case Qty: 300

- S4110S Clear
- S4110ST Clear Anti-fog
- S4130S Amber

i Available for Imprint program see page 29

Lens & Temples (polybag)
Sold Individually | Box Qty: 12 | Case Qty: 48

- PYS4110S4PK Clear | 4 pcs. per polybag



Intruder and Mini Intruder Multi-Colors ANSI CSA

Comes with six assorted temples colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary // Available in a Pyramex polybag

Lens & Temples (polybag)
Sold by the dozen | Case Qty: 300

- S4110SMP Clear | Intruder Multi-Color Temples
- S4110SNMP Clear | Mini-Intruder Multi-Color Temples

i Available for Imprint program see page 29



i Mini Intruder is about 8% smaller than the Intruder.



S2510S



Ztek® ANSI CSA



RUBBER NOSEPIECE

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit // **H2X** coating provides anti-fog, scratch, and anti-static protection // Available in a Pyramex polybag

Lens & Temples (polybag)
Sold by the dozen | Case Qty: 300

- S2510S Clear
- S2510ST Clear **H2X** Anti-fog

i Available for Imprint program see page 29



S7210ST



Provoq® ANSI CSA



RUBBER NOSEPIECE



RUBBER TIPS

Soft nosepiece // Rubber temples // Available in a Pyramex polybag

Lens & Temples (polybag)
Sold by the dozen | Case Qty: 300

- S7210S Clear
- S7210ST Clear Anti-fog

i Available for Imprint program see page 29

Ever-Lite® ANSI CSA



RUBBER NOSEPIECE



CO-INJECTED TEMPLES

Soft nosepiece for snug fit // Slim co-injected temples // Flexible frame // Lightweight spectacle – 22 gm // **H2MAX** premium anti-fog coating is durable, and ensures maximum clarity in the most extreme conditions // **H2X** coating provides anti-fog, scratch, and anti-static protection // Available in a Pyramex polybag and clamshell

Black Frame (polybag)
Sold by the dozen | Case Qty: 300

- SB8610D Clear
- SB8610DT Clear **H2X** Anti-fog
- SB8610DTM Clear **H2MAX** Anti-fog

Black Frame (clamshell)
Sold Individually | Case Qty: 100

- PYSB8610DT Clear **H2X** Anti-fog
- PYSB8620DT Gray **H2X** Anti-fog

i Available for Imprint program see page 29



"Flexible Frame"

Venture 3® ANSI CSA MIL-PRF-32432



VENTED FRAME



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



CO-INJECTED TEMPLES



MIL-PRF-32432

Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a Pyramex polybag and clamshell

Black Frame (polybag)
Sold by the dozen | Case Qty: 300

- SB5710D Clear
- SB5730D Amber

Black Frame (clamshell)
Sold Individually | Case Qty: 100

- PYSB5710D Clear
- PYSB5730D Amber

i Available for Imprint program see page 29



SB8610DT



PYSB5710D






PYSBG9610ST



Endeavor® Plus ANSI CSA



Built-in brow guard // Special dielectric hinge design // Curved co-injected temples // One-piece wraparound lens // Soft adjustable nosepiece // **H2X** coating provides anti-fog, scratch, and anti-static protection

Black and Gray Temples (clamshell)
Sold Individually | Case Qty: 100

PYSBG9610ST Clear **H2X** Anti-fog

PYSBG9620ST Gray **H2X** Anti-fog

Available for Imprint program see page 29



S9910ST



Capture™ ANSI CSA



Fits over prescription glasses // Temples extend from brow bar to avoid interference with prescription frame's temple // **H2X** coating provides anti-fog, scratch, and anti-static protection // Available in a Pyramex polybag and clamshell

Lens & Temples (polybag)
Sold by the dozen | Case Qty: 300

S9910ST Clear **H2X** Anti-fog

Lens & Temples (clamshell)
Sold Individually | Case Qty: 36

PYS9910ST Clear **H2X** Anti-fog

Available for Imprint program see page 29



Lens Cleaning Towelettes for Eyewear

Sold Individually | Case Qty: 10

LCT 100 100 individually packaged 5x8 cleaning towelettes



Cleaning Wipes for Hearing Protection

Sold Individually | Case Qty: 10

HCW100XL 100 individually packaged alcohol free hygienic XL wipes (8"x11")





COMBO KITS



Drop Zone® ANSI MIL-PRF-32432 VG



Removable temples, crush-resistant neoprene storage case, microfiber cleaning cloth, and four interchangeable lenses // H2X coating provides anti-fog, anti-scratch and anti-static protection even after repeated cleanings // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Available in a VG clamshell

Black Temples (clamshell)
Sold Individually | Case Qty: 20

VGSB88KIT

- Clear H2X Anti-fog
- Orange H2X Anti-fog
- Vermilion H2X Anti-fog
- Forest Gray H2X Anti-fog



VGSB88KIT

NRR 32dB



PYS2510SDP

Ztek® Combo Kits ANSI

Ztek or Mini Ztek eyewear paired with DP1000 earplugs // Available in Pyramex retail polybag



Lens & Earplugs (polybag)

- Sold Individually | Box Qty: 10 pair | Case Qty: 10 boxes per case
- PYS2510SDP Clear lens with clear temples with disposable uncorded earplugs
 - PYS2530SDP Amber lens with amber temples with disposable uncorded earplugs

Lens & Earplugs (polybag)


- Sold Individually | Box Qty: 10 pair | Case Qty: 10 boxes per case
- PYS2510SNDP Mini Ztek clear lens with clear temples with disposable uncorded earplugs
 - PYS2517SNDP Mini Ztek pink lens with pink temples with disposable uncorded earplugs
 - PYS2530SNDP Mini Ztek amber lens with amber temples with disposable uncorded earplugs



i Mini Ztek is about 6% smaller than the Ztek.

Ever-Lite® Range Kits ANSI VG

VGPM80 Series earmuff paired with Ever-Lite eyewear // Available in a VG clamshell



Lens & Earmuffs (clamshell)
Sold Individually | Case Qty: 24

- VGCOMB08610 Clear lens with black frame with gray ear cup with black headband
- VGCOMB08617 Pink lens with black frame with pink ear cup with black headband
- VGCOMB08630 Amber lens with black frame with gray ear cup with black headband

i Available for Imprint program see page 29




NRR 26dB

VGCOMB08617



SELECTION CHART



FEATURES



CERTIFICATIONS

ANSI Z87.1+ High Impact ANSI

MIL-PRF-32432 High Velocity Impact Standards MIL-PRF-32432

MIL-PRF Performance Specifications outline the compliance requirements of products, as well as the criteria they should meet. Ballistic rated eye-wear demonstrate a higher testing standard and protection from flying debris, and ballistic hazards both in the blind and on the battlefield.

DUCAB and DUCLAM1 ANSI MIL-PRF-32432



Ventilated, adjustable nose piece // Temples adjust to four different lengths // Ratcheting lens pitch adjustment // H2X coating provides anti-fog, anti-scratch and anti-static protection even after repeated cleanings // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and five interchangeable lenses // Available in a DU clamshell or box

Black Frame (box)
 DUCAB - Sold Individually | Case Qty: 100

Black Frame (clamshell)
 DUCLAM1 - Sold Individually | Case Qty: 72



DUCLAM1



DUCAB

DUCAB2 and DUCLAM 2 ANSI



Soft nosepiece // Lightweight spectacle – 22 gm // Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and four interchangeable lenses // Available in a DU clamshell or box

Black Frame (box)
 DUCAB2 - Sold Individually | Case Qty: 60

Black Frame (clamshell)
 DUCLAM2 - Sold Individually | Case Qty: 20



DUCLAM2



DUCAB2

IMPRINT PROGRAM



MERCHANDISING



VGDIS6
Venture Gear Tactical Counter Display - Holds up to 6 units // Also mounts to pegboard, slatwall & gridwire panels



DIS10
Counter Display - Holds up to 10 units



Imprint Program

Imprint your logo or your customer's logo on Pyramex eye protection and earmuffs. In order to start the process, we only need your artwork. Vectors artwork is preferred, but if unavailable, we can work from any files you provide. There may be an additional charge for re-drawing artwork to a vectored format. Contact your sales representative for further details.



Safety Glass Pad Printing

Minimum quantity to print is 96 safety glasses. Standard lead time is 15 business days from the time the artwork is approved.



Earmuff Pad Printing

Minimum quantity to print is 48 (one logo on each ear cup) ear muffs. Standard lead time is 15 business days from the time the artwork is approved.




END CAP PLANOGRAM



4' PLANOGRAM



PYRAMEX



PHONE: 800-736-8673 | FAX: 877-PYRAMEX
PYRAMEXSAFETY.COM