

Exceeding Expectations

WHITE WATER FISHING SUPPLY

631-650-0830

www.whitewaterfishingsupply.com

TRY OUR NEW
ORDER-AT-SEA PROGRAM

SEE BACK COVER FOR DETAILS

SALES POLICIES

PRICES

Please call for pricing. Prices & Terms are subject to change without notice. All orders will be invoiced using the Prices & Terms in effect at the time & date of your purchase. The purchaser is responsible for any and all applicable sales tax and shipping costs associated with the order.

SALES TAX EXEMPT CUSTOMERS

For orders shipped to or picked up at our FL warehouse we must have the applicable tax exempt form filled out and on file before we can invoice orders without collecting sales tax. For FL State commercial fishermen the applicable form is Rule IQA-1.064, F.A.C.

NEW CUSTOMERS

Please visit our website to download our new customer credit application form.
www.whitewaterfishingsupply.com

SHIPPING POLICIES

STANDARD SHIPMENTS:


All orders received daily, Monday-Friday, before 12:00 PM Eastern Standard Time (EST) via email, fax or phone will ship the same business day (excluding holidays). Please include your account name and Part Numbers when ordering to best recognize & expedite your orders.

WHITE WATER 2021 HOLIDAY SCHEDULE

Our office will be closed for the following holidays:

New Year's Day - January 1, 2021
 Easter Sunday - April 4, 2021
 Memorial Day - May 31, 2021
 Independence Day - July 4, 2021

Labor Day - September 6, 2021
 Thanksgiving Day - November 25, 2021
 Christmas Day - December 25, 2021
 New Year's Day - January 1, 2022



UNITED PARCEL SERVICE (UPS):

We send most of our domestic shipments via the UNITED PARCEL SERVICE (UPS). UPS offers Next Day, 2nd Day, 3rd Day select and Ground delivery services. We can utilize other carriers for special requests & circumstances, but we pass on applicable surcharges imposed by those freight carriers. All invoices include the UPS Tracking numbers for your convenience to track at www.ups.com

MOTOR FREIGHT CARRIERS (LTL): Due to size and/or weight limitations some shipments may require the use of a Truck Carrier.

FOUR WAYS TO ORDER

✉ sales@whitewaterfishingsupply.com ☎ (631) 650-0830 📦 Order-at-Sea 🌐 [whitewaterfishingsupply.com](http://www.whitewaterfishingsupply.com)





Max-Catch Monofilament™, designed by White Water Marine LLC, is manufactured specifically for commercial fishing, long-lining and big game sword and tuna fishing. Made using Japanese raw materials (Co-polymer PA6/66) this monofilament provides exceptional strength, clarity, abrasion resistance and softness.




MAX-CATCH MONOFILAMENT

Make-Up	Size in MM	LB. Test	Length
5lb Coil	1.8	365	2,650 FT
5lb Coil	2.05	445	2,650 FT
50lb Spool	1.8	365	26,500 FT
50lb Spool	2.05	445	26,500 FT
25lb Spool	1.8	365	13,250 FT

MAX-CATCH MAINLINE

Size in MM	LB. Test	Net Weight	Length
3.0	800	165 LBS	5NM
3.2	1000	112 LBS	3NM
3.2	1000	187 LBS	5NM
3.5	1200	134 LBS	3NM

* 5LB Coil, 50LB Spool Available in Clear & Light Blue
 * 25LB Spool Available in Black, Green & Red



LINDGREN-PITMAN MONOFILAMENT*

Length: 13,250 FT
 Net Weight: 25 LBS

Size in MM	LB. Test
1.8	300
2.0	400



MOMOI HI-CATCH MONOFILAMENT

Make-Up	Size in MM	LB. Test	Length
50lb Spool	1.8	365	26,500 FT
50lb Spool	2.05	445	26,500 FT

*Available in Clear & Smoke Blue



LINDGREN-PITMAN MAINLINE
 Length: 5NM

Size in MM	LB. Test	Net Weight
3.0	700	170 LBS
3.2	800	180 LBS
3.5	900	215 LBS

*Both Available in Clear, Dark Blue & Light Blue



TARRED LINE


Available in sizes #4 (1/8" dia.), #5 (5/32" dia.), #6 (3/16" dia.) and #7 (7/32" dia.)
 1000 feet per spool.



SNAP 148 - 3/8 Stainless Steel BL Swivel #2 (3/8"), QTY: 50pcs./bag, 0.148" Diameter Stainless Steel Wire, 3/16" Nose



SNAP 148 - 12/0 50 QTY/bag, 0.148 in diameter SS Wire



SNAP 148 - 8/0 Nickel-plated Brass, 8/0 Rosco Swivel, 50 QTY/bag, 0.148 in diameter SS Wire, 3/16" Nose



SNAP 120 - 6/0, 4/0 Nickel-plated Brass, 6/0 or 4/0 Rosco Swivel, 50 QTY/bag, 0.120 in diameter SS Wire, 3/16" Nose



MINI SNAP - 4/0 100 QTY/bag, 0.092 in diameter SS Wire 3/16" Nose, With a 4/0 Rosco Swivel

New!



SNAP - 148-8/0-ENDT Forefinger indent, nickel-plated brass 8/0 Rosco swivel, 50QTY/bag, 0.148in diameter SS wire, 3/16" nose



13/0 STAINLESS STEEL CIRCLE HOOK WITH S.S. SWIVEL
Offset: 10°, 100 QTY/box



12/0 STAINLESS STEEL CIRCLE HOOK WITH S.S. SWIVEL
Offset: 10° 100 QTY/box



12/0 STEEL HOOK
Non-Offset, Duratin Coated
Offset: 0°, 100 QTY/box



12/0 STEEL CIRCLE HOOK
Nickel Plated
Offset: 10°, 100 QTY/box



16/0 EAGLE CLAW CIRCLE HOOK
SeaGuard Finish
Offset: 0°, 1000 QTY/box
Part # L2048M-16/0



16/0 EAGLE CLAW WEAK CIRCLE HOOK
SeaGuard Finish
Offset: 0°
1000 QTY/box, Part# L2048LM-16/0

New!



MAX-CATCH 18/0 CIRCLE HOOK
Black Coated
Offset: 10°, 1000 pcs/box



MUSTAD® MODEL 39960D CIRCLE HOOK
2X strong wire, an inline-point, and ringed eye. Available in 8/0 - 20/0 sizes, 100pcs./box



8" WIDE BONING KNIFE
6/box



4.5" SLIMMING KNIFE
6/box



**3.125" SPEAR POINT PARING
SCALLOPED 4 KNIFE**
12/box



6" WIDE BONING KNIFE
6/box



**8" WIDE SANI-SAFE
FILLET KNIFE**
6/box



New!
**8" TIGER EDGE SLICER
BLACK COATED**
6/box



8" TIGER EDGE SLICER
6/box



12" STEEL BUTCHER SHARPENER
6/box




EZ EDGE SHARPENER
12/box



12" DIAMOND SHARPENER
Designed to remove steel from the blade to restore a super-sharp feather edge.

MADE IN THE USA

GEAR TRACKING EQUIPMENT



Radio Buoy (Kato KTR-18)

- 60-mile range
- Requires ADF to locate buoy
- Requires replacement d-cell batteries
- Available in 1900-2000KHz
- 10W Power Output
- 22.5V Battery Pack (36 d-cell batteries) 200 Hour Battery Life
- Buoy, Antenna, D-cell battery pack included
- Glass-fiber, 2-piece Antenna Pole
- FCC Approved (FCC ID: P5VKTR-18)

Satlink Solar powered GPS Longline Buoy (ELB3010 ILL+)


- Unlimited range
- Solar powered with no battery
- Compatible with DigitalGlobe's OrbMap software and Ocean Imaging's, SeaView software – allowing overlay on top of oceanographic maps
- Real-time buoy GPS positions, current and SST
- Low latency, buoy answers to on demand polls within 3 minutes
- Buoy requires no maintenance
- On-demand, high-intensity light for nighttime recovery
- Vessel owner can monitor buoy at home/office
- Water resistant to 11 Atmospheres.






ZERO IN ON THE RICHEST FISHING GROUNDS


Save Time, Cut Fuel Costs and Increase Production.




Marine weather



SST with currents



Ocean salinity



Plankton



DigitalGlobe's SeaStar Service
www.digitalglobe.com

- Sea surface temperatures
- Sea surface currents
- Sub-surface temperatures
- Sea surface anomalies (altimetry)
- Thermocline depth estimates
- Ocean salinity estimates
- Comprehensive marine weather forecasts



Manipulate, filter and sort data with the MasterCast tool

Display and interpret the ocean and weather conditions with OrbMap software, which includes:

- C-MAP nautical charts
- 3D oceanographic data views
- Oceanographic analysis and recommendations

Vessel owner can have home/office account

Works with
OBY-200 GPS drifting buoy



Contact us for more information.
 We'll provide coordination, software installation,
 training and technical support.



Works with both Digital Globe & Seaview

SeaView Fishing

Ocean Imaging's SeaView Service
www.seaviewfishing.com




- Unmatched detail, resolution and accuracy
- Cloud-free sea surface temperatures
- Sub surface temperatures
- Sea height
- Ocean plankton
- Salinity
- Ocean currents
- Weather

Oceanographic and weather data updated daily
 (up to 8 times per day in some areas)

SST imagery available as fast as 1 hour from
 satellite acquisition for some regions

Highly compressed data for fast downloads

Vessel owner can have home/office account



Fleet One Satellite Voice & Data

Satellite voice and data services at flexible and affordable rates

Coastal Plan Cost: \$189/mo.*

Unlimited data

Reliable "Always-On" connection

Download weather forecasts

Check emails, connect to WiFi and make crystal clear phone calls

ILL+ Solar Buoy & IDP Communicator

Solar-powered, satellite tracking, GPS buoy


Optional IDP Communicator for a dedicated two link between vessel and buoys

Immediate buoy GPS positions

Remote controlled flashing light (for retrieval)

Provides Sea Surface Temperature (SST)

Overlays on Satlink Oceanographic Service (SOS) Map



Satlink Oceanographic Service (SOS)

SOS works within Satlink's free ELB Program Manager Software

Price: \$325.00/mo.**

Now offering one month free trial

Includes sea surface temperature, currents, plankton, salinity, thermocline and more

Maps can be custom ordered by area and any day of the week

Overlay ILL+ Buoy positions and ocean conditions to provide valuable insight of fishing grounds

*Unlimited Americas AYCE plan. One time activation charge of \$30. First 60MB of data at full speed (up to 150kbps), then throttling to 32kbps and unlimited until the end of month. Contract term 12 months. Additional terms and conditions apply. Contact us for more information. **Prices subject to change. We are the appointed dealer and distributor for Satlink in the US East Coast and Gulf of Mexico territory.



POLYFORM BUOYS & FENDERS

LD-2, 11.5"x24", low drag available in orange
 LD-3, 13.5"x29", low drag available in orange



7"X14" BUOY

Tapered end orange marker buoy 16lb 2oz Buoyancy 7"x14" with 1" hole through the center. Available in orange in first and second quality floats.



HARD BALL

Hollow "Hard Ball" with rope loop and treads for screw in strobe light. Strobe sold separately. Available in red only. 300mm & 360mm Available. Manufactured in Taiwan



TURTLE DIP NET

Octagonal 35"X36" heavy-duty dip net. Aluminum 5/8" tubing (specially designed with additional 1/2" aluminum reinforcing tubing at the stress point). Super heavy 48" Deep 1-1/2" poly netting. Handle length available in 4', 6', 8' or 12'



KTR-18 D-CELL BATTERY CANISTER

Takes 36 D-Cell Batteries
 Male plug with 4 prongs, square type connector. Part # BT-2



FCC APPROVED KTR-18 RADIO BUOY

60 mile range available in 1900-2000KHz, 10W power output. FCC ID: P5VKTR-18. Buoy, Antenna and D-Cell battery pack included



**RYOKUEISHA 24 VOLT
DRY-CELL BATTERY**

Female plug with 4 holes, Y-type connector. Buoy series KTR-58, KTS-158, KTUS-1L. Part # FT-1



**RYOKUEISHA D-CELL
CANISTER**

Female plug with 4 holes, Y-type connector. Buoy series KTR-58, KTS-158, KTUS-1L. Part # BT-1



**TAIYO D-CELL BATTERY
CANISTER**

Female plug with 6 holes, round connector. Part # BT-1-6P



STROBE LIGHT MOUNT

Designed to clamp onto beeper buoy antenna



KS200L XENON

Picture shown with optional strobe light mount. Strobe light takes one D-Cell Battery.



OBY-200 REPLACEMENT BATTERY

Alkaline Battery: 28.5V (19xD, non-rechargeable) with Molex connector.



STAINLESS STEEL WIRE BRUSH

Available in two sizes; short (10") or long (14") handle.



We are a stocking distributor for Lindgren-Pitman, Inc., a company that has been synonymous with making and servicing high quality electric and hydraulic reels for the last 30 years. We offer additional LP products not shown in the catalog, such as hydraulic packages, leader and buoy carts, hook tubs, timers and counters, spare parts, repair kits and additional hauling gear. Contact us for a quote. Special pricing and flexible payment options available for large orders.

MADE IN THE USA



TWIN SUPER SPOOL III 40" X 80"

Designed specifically with mainline capacity in mind. Improved hydraulics, larger 22-inch spool core, aluminum construction, level wind with guard, stainless shaft, marine grade epoxy paint, solid cast aluminum end plates, heavy-duty formed tube stand.



S-1200 ELECTRIC REEL

The most rugged and ergonomically designed electric reel on the market. Available in 12V high/low speed, 12V variable speed, and 24V variable speed. LED depth counter and automatic stop at top retrieval. Completely sealed drive system for long reliable, maintenance free use. Gear driven level wind.



SUPER SPOOL III 48" X 80"

With a larger 30-inch spool core, this model evenly distributes the pressure on the mainline, lowering stress when the line is stored. Improved hydraulics, larger spool core, aluminum construction, level wind with guard, stainless shaft, marine grade epoxy paint, solid cast aluminum end plates, heavy-duty formed tube stand.



SUPER SPOOL III 40"

Available in 35", 48", 60" and 80" lengths.

Improved hydraulics, larger 22-inch spool core, aluminum construction, level wind with guard, stainless shaft, marine grade epoxy paint, solid cast aluminum end plates, heavy-duty formed tube stand.



SUPER MINI SPOOL 28"

Three diameter models are available, 28", 36" & 48".

Direct drive hydraulic motor with integrated cross port relief, stainless steel free spool ball valve, aluminum construction, level wind with guard, stainless shaft, drive coupling grease system, marine grade epoxy paint, solid cast aluminum end plates, heavy-duty formed tube stand.



LS-5 LINE SETTER

Designed to pull the mainline off the main spool at a rate equal to or faster than the vessel's speed. The line can be set with a predictable sag between floats for fishing baits both deep and shallow. Aluminum construction, hydraulic motor w/ stainless shaft, automatic main spool control, smooth quiet operation.



BUOY / LEADER CART 24" X T-STAND

Hand crank operation, changeable spools, all aluminum & stainless steel construction, marine grade epoxy paint, alternate wall mount configuration available.



HYDRAULIC PACKAGE

Hydraulic pump w/ electric clutch or bypass valve, aluminum tank, temperature gauge, remote control unit and 30' of cable, oil cooler assembly. Additional upgrades and options: available with wash down pump system. Optional 15 HP electric motor drive system



BUOY / LEADER CART 24" X 26"

Hand crank operation, changeable spools, all aluminum & stainless steel construction, marine grade epoxy paint, alternate wall mount configuration available.



HOOK TUB 50”L X 38”W X 33”H

Rugged polypropylene, stainless steel track, holds approx. 430 leaders, includes cover.



Made in the USA by Lindgren-Pitman. Spare parts and repair kits available for the shown blocks and fairleads.




4” ALUMINUM MONO BLOCK



4” COMPOSITE BLOCK



6” ALUMINUM CABLE BLOCK



LEVEL WIND LINK BELT

LP level wind link belt. Available in Type A or Type B, sold by the foot.



HEAVY DUTY MONO FAIRLEAD



MEDIUM DUTY MONO FAIRLEAD



HEAVY DUTY CABLE FAIRLEAD



HOOK & BUOY COUNTER

Automatically counts hooks and buoys. Hook time settable from 1 to 99 second interval. Buoy time settable from 1 to 999 second interval. 12-24 volts DC. Includes ABS plastic PA speaker horn. Impact and corrosive resistant enclosure.



MONO CUTTERS

Niko type "A" heavy duty stainless steel mono cutters



JAPANESE MAINLINE CRIMPER

With side cutter. 3 Crimping positions for 1200 lb. test & smaller.



JAPANESE HAND CRIMPER

Three crimping positions for 300 lb. test & smaller.



JAPANESE HAND CRIMPER

With side cutter. 3 crimping positions for 500 lb. test & smaller.



JANKAI BENCH CRIMPER

Made in Japan, wood base. (Jankai "E" & "D" dies sold separately)



JANKAI BENCH CRIMPER D DIE

JANKAI BENCH CRIMPER E DIE




LEADED SWIVEL

Brass polished, Nickerled, Available in 60 & 45 gram



NEW 6" SUPERCLIPS™



New!
Available in
Powder

Manufactured by World Plastics, maker of the widely used Chemilure®. This unique clip has been engineered (and proven) to hold tight, yet will not mar soft monofilament line. You will not lose light sticks, thus saving money and increasing catch rates! Available in green and blue, 1,000pcs/case.



MAX-CATCH LIGHT STICKS



New!
Improved
clip design

Designed and engineered for commercial fishing use. Available in Green, size 6", sold 1,600pcs./case



PRE-CUT CHAFE TUBE

28mm Luminous Vinyl chafe tubing, pre-cut pieces, 1000 pcs/bag
Colors: Green, Pink & Clear
Sizes: 1.8mm & 2.05mm



LUMINOUS BEADS
500 pcs/bag



GLOW FLOATS

Luminous hard plastic leader line float.
100 pcs/bag, 800 pcs/case



3M™ REFLECTIVE TAPE

2"X12" adhesive strips, highly visible at all angles. Sold individually or 100pcs/box



15 CM ARTIFICIAL SQUID BAITS

Sold 5 per pack, 100 pcs/box.
Available in Red, Green, Brown, Glow and Red/Gold

ALUMINUM AND COPPER SLEEVES



MAX-CATCH
500 pcs/bag

Size	Line Diameter	Material
D	2.0MM	Aluminum
E	1.8MM	Aluminum



MAX-CATCH MAINLINE SLEEVES
500 pcs/bag

Line Diameter	Material
3.2MM	Aluminum
3.5MM	Aluminum
3.2MM	Copper
3.5MM	Copper



ROSCO swivels are made in the USA from the highest quality brass, and are tougher than nails! ROSCO swivels have been a staple on commercial and sport fishing boats around the world for almost a century.



ROSCO 831 - 8/0
8/0 Nickel plated brass swivel, 500pcs./bag



ROSCO 801
Nickel plated brass swivel, available in:
1/0 - 5,000pcs./bag
2/0, 4/0 - 1,000pcs./bag



ROSCO 832 - 8/0
8/0 Black oxide plated brass swivel, 500pcs/bag




ROSCO 802
Black oxide plated brass swivel, available in:
1/0 - 5,000pcs./bag
2/0, 4/0 - 1,000pcs./bag

MADE IN THE USA



STAINLESS STEEL SUPER HOOK

Tuna / Swordfish Hook
24" x 3/4" Welded Eye



STAINLESS STEEL DRAG HOOKS



MUSTAD GAFF HEADS


Cast Steel. Sold individually or 10/case.




4" MEAT HOOK
Sold individually or 6/box



LEVEL WIND PAWL
Lindgren-Pitman recommends the 1/4" thick pawl (new) should be replaced when worn down to about 1/8" thickness



HARPOON ASSEMBLY



25" MEAT SAW BLADES

Replacement blades are 1/2" wide with 10 teeth per inch for smooth cuts. 12 per pack

*Blade size 25" is in stock. All other sizes are available on special order.

25" MEAT SAW

These sturdy hand saws are made in the U.S.A. Great for any size butcher operation. All sizes have stainless steel frames with durable molded plastic handles and stainless steel blades.

* Meat Saw 25" is in stock. All other sizes are available on special order.





ATLAS 490

Fully-Coated Triple-Dipped PVC, Insulated with Seamless Yellow Acrylic Liner. Oil Resistant, 11.8" Length Blue with Rough Grip. Sold by the pair. Sizes: L, XL

New!



ATLAS 341

Highly flexible, lightweight glove with an advanced grip latex coating. Breathable liner. Sold by the dozen. Sizes L, XL



ATLAS 620

Fully-Coated Double-Dipped PVC, Seamless Knitted Liner 12" Length Orange with Rough Grip, Machine Washable. Sold by the dozen. 72 pair/case. Sizes: M, L, XL, XXL



ATLAS 640

Double-Dipped PVC with Vinyl Sleeve, Seamless Knitted Liner 26" Length Orange with Rough Grip. Sold by the pair. Sizes: L, XL



ATLAS 660

Fully-Coated Triple-Dipped PVC, Seamless Knitted, Liner Oil Resistant 12" Length Blue with Rough Grip. Sold by the dozen. 72 pairs/case. Sizes: M, L, XL, XXL

New!



ATLAS 300

Cotton Polyester Liner, Palm-dipped Glove. Elastic Wrist Cuff, Breathable Back, and Outstanding Grip Wet or Dry. Sold by the dozen. 72 pair/case. Sizes: L, XL



8 MIL. SURGICAL GLOVES

Blue nitrile. Sizes L, XL 50/box



WHITE COTTON GLOVES

White cotton glove liners. One size fits all. Sold by the dozen. 300 pairs/case

New!



GRAY KNIT WORK GLOVE

Reversible heavy-weight, cotton/polyester blend, string-nit glove with color coded hem. Available in sizes; small (gold hem) and large (dark brown hem). Sold by the dozen.



BOSS WORK GLOVES

100% 2 ply cotton with double palm for added wear and durability. Nap in construction provides added comfort. Cut design with continuous thumb. Sold by the dozen, available in size XL.



CLIPPER 82 RAIN JACKET

Medium duty, hooded, button-up rain jacket. Available in sizes S-XXL.



WEATHER WATCH HOODED JACKET

Light duty waterproof rain jacket. Available in sizes S-XXL.



BRIGG 40 RAINJACKET

Heavy duty, hooded, button-up rain jacket. Available in sizes S-XXL.



CLIPPER 116 BIB PANT

Medium duty bib pants that feature a trimmer fit with a higher cut up the chest. Available in sizes S-XXL.



WEATHER WATCH WAIST PANT

Light duty, comfortable fitting, waterproof waist pant. Available in sizes S-XXL.



HERKULES 16 BIB PANT

Heavy duty bib pants. Available in sizes S-XXL.



XTRATUFF BOOTS

Legacy available in 12" non-insulated, 16" non-insulated and 16" insulated.

New!



GRUNDENS DECK BOSS BOOTS

All new 15" non-insulated boot, slip resistant, includes 1" durable silicon band and two part removable insole. Available in sizes 8-14.




VIKING GATOR BOOTS

13" tall natural rubber boot warm pile lining rated for -4 degree temperatures. Available in brown only. Sizes: 7-13



ORDER-AT-SEA

Introducing our easy to use, free, ordering software!*
 Designed to be used by the captain, at sea, to order tackle.



- 1 Sort by category
- 2 Add items to your "cart"
- 3 Choose pre-populated or custom shipping address
- 4 Enter vessel name
- 5 Enter delivery date
- 6 Generates a prepared list of items and quantities to be emailed.

*No payment required to order

*No internet required to use the software, orders are submitted via vessels email

Payment terms are Net30 for customers with an existing account.

CALL, TEXT, OR EMAIL US TO REQUEST THE SOFTWARE



Email
sales@whitewaterfishingsupply.com



Call or Text
 (631) 650-0830



Order-at-Sea
 call, text or email us for software



Online
whitewaterfishingsupply.com