

STEPS
1&2

YardSign Balloon KIT ASSEMBLY




Please inflate all balloons within 30 days of purchase to comply with Warranty Guidelines.

INFLATION/ASSEMBLY


1.1

Twist as you push the balloon opening down onto inflation port of valved cup. Make sure the balloon is seated all the way at the bottom of the valved cup.



Inflate using a pump or compressor compatible with a needle-style inflation tip. Moisten needle before inserting and slowly push while twisting into black valve. Inflate to a 8 1/2" diameter or 26.7" circumference. Place a finger next to the needle and threaded end of valved cup to prevent valve from coming out upon needle removal.


NOTE: Wear safety glasses during inflation.



STEM/ATTACHMENT


1.2

Attach stem to cup by placing the (optional) ribbon opening over the threaded end of the cup and threading tightly together until they click-lock securely in place.



1.3

NOTE: Additional balloons and hardware included with 3-Balloon and 4-Balloon Bouquet Kits. Repeat assembly, inflation and attachment process with the remaining balloons and hardware included.



2.1

Align the inflated balloon assembly with the top of the pole and slide bottom of stem into the adapter. Align adapter push-button so that it locks into place through the hole in the pole.



2.2

Press down on the bottom horizontal rod of the H stake to push it securely into the ground, making sure to keep it level.

2.3

Align the yard sign with the flutes vertical and slide the yard sign all the way down the H stake for the best stability.

NOTE: Signs that use more than one H Stake have small lines for recommended stake locations.

