





NAUTICAL STEEL

BALUSTRADE CABLE SYSTEMS






Option 2: Swage Socket to Stopper - Righthand Thread




thread size	M5/M6	М6	

Option 3: Woodscrew to Woodscrew



Option 4: Tensioner & Stud to Stopper




For cables longer than 6 metres, we recommend tensioners on both ends of each cable.



NAUTICAL STEEL

Option 5: Tensioner & Stud to Tensioner & Stud



STAINLESS STEEL CABLE GRADE 316



STIFF CABLE

not to be used around 90 degree bend




SFMI-FI FXIBI F

 7×7

can be used around 90 degree bend

STAIRCASES

Angled Post fittings are available in 34 degrees for 38mm round tube or for flat posts.



All fittings and cables are Grade 316 Stainless Steel.

If you have a staircase:

- > Angled Post fittings are required to help your fittings sit at the correct angles of the staircase.
- > Cable Holes can be drilled at stair angle and fittings will terminate at angle

BALUSTRADE TECHNICAL INFORMATION:

NAUTICAL STEEL ALSO SUPPLIES THE FOLLOWING CABLE SYSTEMS:

CONTACT

www.nauticalsteel.co.za sales@nsteel.co.za + 27 21 510 7935

14 Searle Street Woodstock Cape Town 7925

Front door entrance and parking on Chapel Street