



ALK-LS LEG STAND ASSEMBLY INSTRUCTIONS



FOR KAMADO GRILL MODEL: ALK-LG


COMPONENTS INCLUDED IN THIS KIT:			
ITEM	DESCRIPTION:	PART#	QTY:
Α	1/4-20 x 3/8" TRUSS HEAD SCREW	200-0086	16
В	1/4-20 x 5/8" HEX HEAD BOLT	200-0219	8
С	1/4" SPRING LOCK WASHER	200-0087	8
D	1/4" DOUBLE CHANFER NUT	200-0090	8
E	3" CASTER WITHOUT LOCK	290-0338	2
F	3" CASTER WITH LOCK	290-0337	2



ITEM NOT INCLUDED AND REQUIRED FOR ASSEMBLY OF THIS UNIT:

- # 2 PHILIPS SCREWDRIVER
- 7/16" OPEN OR CLOSED WRENCH

COMPONENTS DESCRIPTIONS:



ASSEMBLY PROCEDURE:

STEP 1:

Start by attaching the TOP and BOTTOM SHELVES to one of the LEG ASSEMBLIES (shown on Figure 2 of Page 2) with four 1/4"-20 x 3/8" Truss Head Screws.

NOTE: Turn the unit upside down or on it's side for this step and **DO NOT** tighten up the screws until you are told in this guide. Keep all screws and bolt lose until the end.

STEP 2:

Continue attaching the second LEG ASSEMBLY to the leg stand. First install the exterior 1/4"-20 x 3/8" Truss head screws to the TOP and BOTTOM SHELVES.

After the shelves have been attached, install 2 sets of bolts, lock washers and nuts between each leg assembly.

NOTE:

Continue installing the remaining two LEG ASSEMBLIES in the same fashion until all legs are assembled.

STEP 3:

With the entire unit UPSIDE DOWN, tighten up all the HEX HEAD BOLTS and HEX NUTS using the 7/16" wrench.


STEP 4:


Install the casters on the leg assemblies and turn the entire ALK-LS Leg Stand upright.


STEP 5:

With the Leg Stand upright (as shown on Figure 1) tighten up all the TRUSS HEAD SCREWS form the TOP and BOTTOM SHELVES with a # 2 Philips screwdriver.

The ALK-LS Leg Stand is now ready for use.









Alfresco™ Kamado Grill **ALK-LG** shown on top of **ALK-LS** Leg Stand. (Also shown, optional **ALK-SS** Side shelves)

 $\mathcal{A}lfresco^{\mathsf{TM}}$ ALK-LS Assembly Instructions $\mathcal{A}lfresco^{\mathsf{TM}}$ Grills All Rights Reserved • 03/2013