
GEESE RACE

Designed by Ariga Wilson for RK www.robertkaufman.com

Featuring Wishwell





Finished quilt measures: 55" x 63"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabri	c Name/\$KU	Yardage
	A	K001-1019 BLACK	2-1/4 yards		J	WELM-20895-110 HOT PINK	1/8 yard
****	В	WELM-20891-194 FIESTA	1/4 yard		K	WELM-20893-322 ORANGE SPICE	1/8 yard
	С	WELM-20892-351 CANDY PINK	1/4 yard		L	WELM-20895-148 PUMPKIN	1/8 yard
	D	WELM-20894-332 PERSIMMON	1/4 yard		M	WELM-20895-1 WHITE	1/8 yard
	Е	WELM-20892-285 EMBER	1/4 yard		N	WELM-20891-304 SHADOW	1/8 yard
E	F	WELM-20894-144 PEACH	1/4 yard		0	WELM-20893-293 SMOKE	1/8 yard
	G	WELM-20894-182 LICORICE	1/4 yard		Р	WELM-20893-419 GUMDROP	1/8 yard
	Н	WELM-20892-231 NIGHTFALL	1/4 yard		Binding*	WELM-20893-419 GUMDROP *Also used for Fabric P	5/8 yard
	I	WELM-20891-287 SWEET	1/4 yard		Va	uvill also pood	
Copyright 2021, Robert Kaufman				You will also need: 3-1/2 yards for backing			

For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

ten 3-1/2" x WOF strips. Subcut:

one hundred nineteen 3-1/2" squares

six 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 2-1/2" x 59-1/2" side outer borders

two 2-1/2" x 55-1/2" top/bottom outer borders

eighteen 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

fourteen 1-1/2" x 51-1/2" row sashing strips

From each of Fabrics B-I, cut:

two 3-1/2" x WOF strips. Sew together, end-to-end, then trim: one 3-1/2" x 51-1/2" strip

From each of Fabrics J-P, cut:

one 3-1/2" x WOF strip. Subcut: six 3-1/2" x 6-1/2" rectangles for the flying geese

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Flying Geese

Step 1: Place a 3-1/2" Fabric A square RST at one end of a Fabric J rectangle. Mark a diagonal line on the wrong side of the square, as shown. Sew on the marked line and trim away the excess fabric, leaving a 1/4" seam allowance. Press toward the triangle.







Step 2: Repeat Step 1 at the remaining end of the rectangle. The resulting flying geese block should measure 3-1/2" x 6-1/2".







Step 3: Repeat with all remaining Fabric J-P rectangles. You will have a total of six flying geese from each fabric.

Assemble the Pieced Rows

Step 4: Gather: six Fabric J flying geese five Fabric A squares

Arrange the units together, as shown, noting the orientation of the flying geese units. Sew together to form the row, pressing the seams toward the Fabric A squares.



Step 5: Pin and sew a 1-1/2" x 51-1/2" Fabric A strip to each long edge of the row. Press toward the Fabric A strips.

Step 6: Repeat Step 4 and 5 with all remaining groups of flying geese, to create a row from Fabric K, a row from Fabric L, etc. You will have a total of seven pieced rows.

Assemble the Quilt



Step 7: Arrange the pieced rows and Fabric B-I strips to form the quilt top. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 8: Sew the rows together to form the quilt center. Press the row seams open or toward the 1-1/2" Fabric A strips.

Step 9: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2021. All rights reserved.