

# SAFETY DATA SHEET FAM 30 [BPR]

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name FAM 30 [BPR]

Product number R067 EV

Internal identification Livestock

Synonyms; trade names BPR Authorisation numbers: UK: UK-2019-1179-02 / Ireland: IE/BPA 70448-02-001 /

Malta: 2019-09-24-B02

**UFI**: 1GRQ-8VWV-022E-65VT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant for materials and surfaces associated with the housing or transportation of

animals.

1.3. Details of the supplier of the safety data sheet

Supplier: UK Supplier: EU Supplier:

Evans Vanodine International plc Evans Vanodine Europe
Brierley Road, Evans Vanodine Europe
6-9 Trinity Street, Dublin 2.

Walton Summit, D02 EY47.

Preston. UK. PR5 8AH Republic of Ireland.

Tel: 01772 322 200

e-mail: productcompliance@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to

1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to

1.30pm

National emergency telephone For Health Care Professionals only -

**number** For use in UK: Contact the National Poisons Information Service for further advice.

For use in the Republic of Ireland: To report a poisoning incident contact The National

Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). .

For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police): 112

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Met. Corr. 1 - H290

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318

**Environmental hazards** Aquatic Chronic 2 - H411

2.2. Label elements

# FAM 30 [BPR]

#### Hazard pictograms





Signal word Danger

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P260 Do not breathe mist.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P273 Avoid release to the environment.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

Contains SULPHURIC ACID, PHOSPHORIC ACID

statements

**Supplementary precautionary** P501 Dispose of contents/ container in accordance with local regulations.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## ALCOHOL (C9-11) ETHOXYLATE (8EO)

20-25%

CAS number: 68439-46-3

Alternative CAS Nos 160875-66-1, 68439-45-2

#### Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

SULPHURIC ACID 5-10%

CAS number: 7664-93-9 EC number: 231-639-5

Spec Conc Limits :- Skin Corr. 1A (H314) ≥ 15 %, Skin Irrit.2 (H315) >5% <15 %, Eye Irrit. 2 (H319) >5%<15%

#### Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

# FAM 30 [BPR]

PHOSPHORIC ACID 5-10%

Spec Conc Limits :- Skin Corr. 1B (H314) ≥ 25%, Skin Irrit. 2 (H315) >10% <25%, Eye Irrit. 2 (H319) >10%

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318

IODINE 1-3%

CAS number: 7553-56-2 EC number: 231-442-4

M factor (Acute) = 1

BPR +H410, M factor (Chronic) =1

Classification

Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments Plus BPR imposed H & P statements.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Unlikely route of exposure as the product does not contain volatile substances. If spray/mist

has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and

at rest in a position comfortable for breathing.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get

medical attention immediately.

Skin contact Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Irritation of nose, throat and airway.

**Ingestion** May cause chemical burns in mouth and throat.

Skin contact Burning pain and severe corrosive skin damage. May cause serious chemical burns to the

skin.

Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue

damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

# FAM 30 [BPR]

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:

Irritating gases or vapours.

#### 5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see

Section 8.

#### 6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and

absorb spillage with sand, earth or other non-combustible material. Collect and place in

suitable waste disposal containers and seal securely.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see

Section 8.

Advice on general occupational hygiene

Cover feed and water troughs during product application.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep only in the original container in a cool, well-ventilated place. Store away from the

following materials: Oxidising materials. Alkalis. Keep away from food, drink and animal

feeding stuffs.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

Occupational exposure limits

**SULPHURIC ACID** 

# FAM 30 [BPR]

Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL

#### PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

#### IODINE

Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering

controls

This product must not be handled in a confined space without adequate ventilation.

Personal protection

The following recommendations are based on conditions specified in BPR Authorisation.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

To protect hands from chemicals, wear gloves that are proven to be impervious to the

chemical and resist degradation.

Other skin and body

protection

Wear protective clothing. (a protective coverall at least type 4, EN 14605).

Respiratory protection

Respiratory protection not required.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Clear. Dark brown.

Odour Faint surfactant / Faint lodine.

pH pH (concentrated solution): 0

Melting point -2°C

Initial boiling point and range 102°C @ 760 mm Hg

Flash point Boils without flashing.

Relative density 1.170 @ 20°C

Solubility(ies) Soluble in water.

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Reacts with alkalis and generates heat.

## 10.2. Chemical stability

# FAM 30 [BPR]

**Stability** No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Aluminium, Tin, Zinc and their alloys. Concentrated alkaline materials. Chlorine releasing

materials will liberate toxic chlorine gas. Oxidising agents as Iodine vapour may be evolved.

10.6. Hazardous decomposition products

Hazardous decomposition

products

When heated, vapours/gases hazardous to health may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Figures quoted below were from ATE (Acute Toxicity Estimate) Calculation Methods using

LD50 or ATE figures provided by the raw material manufacturer.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 2,310.88

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 50,179.99

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 387.35

Skin corrosion/irritation

Skin corrosion/irritation Not applicable.

Serious eye damage/irritation

Serious eye damage/irritation Not applicable.

Respiratory sensitisation

Respiratory sensitisation Not applicable.

Skin sensitisation

**Skin sensitisation** Not applicable.

Germ cell mutagenicity

Genotoxicity - in vitro Not applicable.

Carcinogenicity

Carcinogenicity Not applicable.

Reproductive toxicity

Reproductive toxicity - fertility Not applicable.

# FAM 30 [BPR]

Specific target organ toxicity - single exposure

STOT - single exposure Not applicable.

Aspiration hazard

Aspiration hazard Not relevant.

General information The "Not Applicable" assigned in this section is due to the fact that the Classification is done

by the "Calculation Method" and not by animal testing so have no figures to quote in this

section.

SECTION 12: Ecological information

**Ecotoxicity** BPR = Toxic to aquatic life with long lasting effects. The product may affect the acidity (pH) of

water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

**Toxicity** No Aquatic Toxicity Data for this product. Any data for ingredients with aquatic toxicity

provided by the raw material manufacturer can be made available on request.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended). and UK Regulation: SI 2020 No.

1617 "The Detergents (Amendment) (EU Exit) Regulations 2020".

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

**Mobility** Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

to the manure deposit depending on local requirements. Avoid release to an on-site waste

water treatment plant.

Dispose unused product and the packaging in accordance with local and/or national

requirements. Avoid release to an on-site waste-water treatment plant.

**SECTION 14: Transport information** 

14.1. UN number

UN No. (ADR/RID) 3264

UN No. (IMDG) 3264

UN No. (ICAO) 3264

14.2. UN proper shipping name

# FAM 30 [BPR]

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid

(ADR/RID) solution)

Proper shipping name (IMDG) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid

solution)

Proper shipping name (ICAO) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid

solution)

#### 14.3. Transport hazard class(es)

ADR/RID class Class 8 : Corrosive Substances.

ADR/RID label 8

IMDG class Class 8: Corrosive substances.

ICAO class/division Class 8: Corrosive substances.

Transport labels



#### 14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

EmS F-A, S-B

Tunnel restriction code (E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not relevant. for a packaged product. **Annex II of MARPOL 73/78** and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# FAM 30 [BPR]

#### **EU** legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

EU Reg: REGULATION (EU) No 528/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 May 2012 concerning the making available on the market and use of biocidal products. [BPR] & UK Reg: SI 2020 No. 1567 "The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020."

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

IMDG: International Maritime Dangerous Goods.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

GHS: Globally Harmonized System.

Spec Conc Limits = Specific Concentration Limits.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

**BPR: Biocidal Product Regulation** 

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity

Aquatic Acute = Hazardous to the aquatic environment (acute)

Eye Dam. = Serious eye damage

Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation

STOT SE = Specific target organ toxicity-single exposure

Key literature references and sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory

database.

Classification procedures according to SI 2019 No. 720

Calculation Method. Plus BPR imposed H & P statements.

Revision comments Is now a Marine Pollutant for Transport. (Changes made to sections 14+16)

Revision date 07/06/2022

Revision 3

# FAM 30 [BPR]

SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials

(Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard

Statements relating to this Product see Section 2.

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.