



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA20902005-002

Harvest/Lot ID: 050621

Batch#: 050621

Seed to Sale# N/A

Batch Date: 05/01/21

Sample Size Received: 90 ml

Total Batch Size: N/A

Retail Product Size: 90 gram

Ordered : 08/31/22

Sampled : 08/31/22

Completed: 09/07/22

Sampling Method: SOP.T.20.010.FL

**PASSED**

Page 1 of 5

Sep 07, 2022 | My Kind of Mode, Inc

1931 nw 150 ave

Pembroke Pines, FL, 33028, US

PRODUCT IMAGE




500 mg in 3oz

SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
NOT TESTED



Moisture  
NOT TESTED



Terpenes  
NOT TESTED

MISC.



**Cannabinoid**

**PASSED**



Total THC  
**0%**



Total CBD  
**0.608%**



Total Cannabinoids  
**0.657%**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.608	ND	ND	0.049	ND	<0.02	<0.02	<0.02	<0.02
mg/ml	ND	ND	6.08	ND	ND	0.49	ND	<0.2	<0.2	<0.2	<0.2
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3404, 3421, 1665

Weight:  
2.9389g

Extraction date:  
09/02/22 12:14:09

Extracted by:  
3421

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA049278POT  
Instrument Used : DA-LC-003 (Derivatives)  
Running on : 09/02/22 13:43:40

Reviewed On : 09/04/22 14:26:03  
Batch Date : 09/02/22 09:18:46

Dilution : 400  
Reagent : 083122.R08; 030322.03; 060922.02; 083122.R04; 022322.40  
Consumables : 239146; 280670723; CE0123; 61633-125C6-125E; R1KB45277  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO Accreditation # ISO/IEC  
17025:2017 Accreditation P/JLA-  
Testing 97164



Signature

09/07/22

Signed On



# Certificate of Analysis

**PASSED**

My Kind of Mode, Inc

 1931 nw 150 ave  
 Pembroke Pines, FL, 33028, US  
 Telephone: 3055255311  
 Email: mykindofmode@gmail.com

Sample : DA20902005-002

Harvest/Lot ID: 050621

Batch# : 050621

Sampled : 08/31/22

Ordered : 08/31/22

Sample Size Received : 90 ml

Total Batch Size : N/A

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
<b>TOTAL CONTAMINANT LOAD (PESTICIDES)</b>	0.01	PPM	30	PASS	ND	<b>OXAMYL</b>	0.01	ppm	0.5	PASS	ND		
<b>TOTAL DIMETHOMORPH</b>	0.01	PPM	3	PASS	ND	<b>PACLOBUTRAZOL</b>	0.01	ppm	0.1	PASS	ND		
<b>TOTAL PERMETHRIN</b>	0.01	ppm	1	PASS	ND	<b>PHOSMET</b>	0.01	ppm	0.2	PASS	ND		
<b>TOTAL PYRETHRINS</b>	0.01	ppm	1	PASS	ND	<b>PIPERONYL BUTOXIDE</b>	0.01	ppm	3	PASS	ND		
<b>TOTAL SPINETORAM</b>	0.01	PPM	3	PASS	ND	<b>PRALLETHRIN</b>	0.01	ppm	0.4	PASS	ND		
<b>TOTAL SPINOSAD</b>	0.01	ppm	3	PASS	ND	<b>PROPICONAZOLE</b>	0.01	ppm	1	PASS	ND		
<b>ABAMECTIN B1A</b>	0.01	ppm	0.3	PASS	ND	<b>PROPOXUR</b>	0.01	ppm	0.1	PASS	ND		
<b>ACEPHATE</b>	0.01	ppm	3	PASS	ND	<b>PYRIDABEN</b>	0.01	ppm	3	PASS	ND		
<b>ACEQUINOCYL</b>	0.01	ppm	2	PASS	ND	<b>SPIROMESIFEN</b>	0.01	ppm	3	PASS	ND		
<b>ACETAMIPRID</b>	0.01	ppm	3	PASS	ND	<b>SPIROTETRAMAT</b>	0.01	ppm	3	PASS	ND		
<b>ALDICARB</b>	0.01	ppm	0.1	PASS	ND	<b>SPIROXAMINE</b>	0.01	ppm	0.1	PASS	ND		
<b>AZOXYSTROBIN</b>	0.01	ppm	3	PASS	ND	<b>TEBUCONAZOLE</b>	0.01	ppm	1	PASS	ND		
<b>BIFENAZATE</b>	0.01	ppm	3	PASS	ND	<b>THIACLOPRID</b>	0.01	ppm	0.1	PASS	ND		
<b>BIFENTHRIN</b>	0.01	ppm	0.5	PASS	ND	<b>THIAMETHOXAM</b>	0.01	ppm	1	PASS	ND		
<b>BOSCALID</b>	0.01	PPM	3	PASS	ND	<b>TRIFLOXYSTROBIN</b>	0.01	ppm	3	PASS	ND		
<b>CARBARYL</b>	0.01	ppm	0.5	PASS	ND	<b>PENTACHLORONITROBENZENE (PCNB) *</b>	0.01	PPM	0.2	PASS	ND		
<b>CARBOFURAN</b>	0.01	ppm	0.1	PASS	ND	<b>PARATHION-METHYL *</b>	0.01	PPM	0.1	PASS	ND		
<b>CHLORANTRANILIPROLE</b>	0.01	ppm	3	PASS	ND	<b>CAPTAN *</b>	0.07	PPM	3	PASS	ND		
<b>CHLORMEQUAT CHLORIDE</b>	0.01	ppm	3	PASS	ND	<b>CHLORDANE *</b>	0.01	PPM	0.1	PASS	ND		
<b>CHLORPYRIFOS</b>	0.01	ppm	0.1	PASS	ND	<b>CHLORFENAPYR *</b>	0.01	PPM	0.1	PASS	ND		
<b>CLOFENTEZINE</b>	0.01	ppm	0.5	PASS	ND	<b>CYFLUTHRIN *</b>	0.05	PPM	1	PASS	ND		
<b>CUMAPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>CYPERMETHRIN *</b>	0.05	PPM	1	PASS	ND		
<b>DAMINOZIDE</b>	0.01	ppm	0.1	PASS	ND								
<b>DIAZINON</b>	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b>	<b>3404, 585, 3379</b>	<b>Weight:</b>	<b>0.2934g</b>	<b>Extraction date:</b>	<b>09/02/22 12:48:58</b>	<b>Extracted by:</b>	<b>585</b>
<b>DICHLORVOS</b>	0.01	ppm	0.1	PASS	ND	<b>Analysis Method :</b>	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL						
<b>DIMETHOATE</b>	0.01	ppm	0.1	PASS	ND	<b>Analytical Batch :</b>	DA049279PES						
<b>ETHOPROPHOS</b>	0.01	ppm	0.1	PASS	ND	<b>Instrument Used :</b>	DA-LCMS-003 (PES)						
<b>ETOFENPROX</b>	0.01	ppm	0.1	PASS	ND	<b>Running on :</b>	09/02/22 14:21:29						
<b>ETOXAZOLE</b>	0.01	ppm	1.5	PASS	ND	<b>Dilution :</b>	250						
<b>FENHEXAMID</b>	0.01	ppm	3	PASS	ND	<b>Reagent :</b>	082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59						
<b>FENOXICARB</b>	0.01	ppm	0.1	PASS	ND	<b>Consumables :</b>	6676024-02						
<b>FENPYROXIMATE</b>	0.01	ppm	2	PASS	ND	<b>Pipette :</b>	DA-093; DA-094; DA-219						
<b>FIPRONIL</b>	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
<b>FLONICAMID</b>	0.01	ppm	2	PASS	ND	<b>Analyzed by:</b>	<b>3404, 585, 450</b>	<b>Weight:</b>	<b>0.2934g</b>	<b>Extraction date:</b>	<b>09/02/22 12:49:01</b>	<b>Extracted by:</b>	<b>585</b>
<b>FLUDIOXONIL</b>	0.01	ppm	3	PASS	ND	<b>Analysis Method :</b>	SOP.T.30.060, SOP.T.40.060						
<b>HEXYTHIAZOX</b>	0.01	ppm	2	PASS	ND	<b>Analytical Batch :</b>	DA049281VOL						
<b>IMAZALIL</b>	0.01	ppm	0.1	PASS	ND	<b>Instrument Used :</b>	DA-GCMS-006						
<b>IMIDACLOPRID</b>	0.01	ppm	1	PASS	ND	<b>Running on :</b>	N/A						
<b>KRESOXIM-METHYL</b>	0.01	ppm	1	PASS	ND	<b>Dilution :</b>	25						
<b>MALATHION</b>	0.01	ppm	2	PASS	ND	<b>Reagent :</b>	082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59						
<b>METALAXYL</b>	0.01	ppm	3	PASS	ND	<b>Consumables :</b>	6676024-02						
<b>METHIOCARB</b>	0.01	ppm	0.1	PASS	ND	<b>Pipette :</b>	DA-093; DA-094; DA-219						
<b>METHOMYL</b>	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
<b>MEVINPHOS</b>	0.01	ppm	0.1	PASS	ND								
<b>MYCLOBUTANIL</b>	0.01	ppm	3	PASS	ND								
<b>NALED</b>	0.01	ppm	0.5	PASS	ND								



# Certificate of Analysis

**PASSED**

My Kind of Mode, Inc

 1931 nw 150 ave  
 Pembroke Pines, FL, 33028, US  
 Telephone: 3055255311  
 Email: mykindofmode@gmail.com

Sample : DA20902005-002

Harvest/Lot ID: 050621

Batch# : 050621

Sampled : 08/31/22

Ordered : 08/31/22

Sample Size Received : 90 ml

Total Batch Size : N/A

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm		TESTED	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: N/A	Weight: N/A	Extraction date: N/A	Extracted by: N/A
---------------------	----------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA049309SOL  
 Instrument Used : DA-GCMS-002  
 Running on : 09/06/22 11:57:59

 Reviewed On : 09/06/22 12:39:55  
 Batch Date : 09/02/22 16:29:27

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 27296; KF140  
 Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

My Kind of Mode, Inc

1931 nw 150 ave  
Pembroke Pines, FL, 33028, US  
Telephone: 3055255311  
Email: mykindofmode@gmail.com

Sample : DA20902005-002

Harvest/Lot ID: 050621

Batch# : 050621

Sampled : 08/31/22

Ordered : 08/31/22

Sample Size Received : 90 ml

Total Batch Size : N/A

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP Client Method

Page 4 of 5

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		<b>Analyzed by:</b> 3404, 585, 3379 <b>Weight:</b> g <b>Extraction date:</b> 09/02/22 14:04:11 <b>Extracted by:</b> 585 <b>Analysis Method :</b> SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL <b>Analytical Batch :</b> DA049280MYC <b>Reviewed On :</b> 09/05/22 20:11:16 <b>Instrument Used :</b> DA-LCMS-003 (MYC) <b>Batch Date :</b> 09/02/22 09:36:47 <b>Running on :</b> 09/02/22 14:22:00 <b>Dilution :</b> 10 <b>Reagent :</b> 082922.R01; 081522.R04; 083022.R29; 083122.R01; 092820.59 <b>Consumables :</b> 6676024-02 <b>Pipette :</b> DA-093; DA-094; DA-219					
STAPHYLOCOCCUS AUREUS			Not Present	PASS		<b>Analyzed by:</b> 3404, 1022, 585 <b>Weight:</b> 0.2504g <b>Extraction date:</b> 09/02/22 11:33:47 <b>Extracted by:</b> 1022 <b>Analysis Method :</b> SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA049295HEA <b>Reviewed On :</b> 09/04/22 14:37:26 <b>Instrument Used :</b> DA-ICPMS-003 <b>Batch Date :</b> 09/02/22 10:29:27 <b>Running on :</b> 09/02/22 14:11:51 <b>Dilution :</b> 100 <b>Reagent :</b> 082422.R03; 081922.R19; 080222.R36; 083122.R55; 082622.R23; 083122.R54; 082622.R24; 082622.R22; 080922.R23; 080922.R22 <b>Consumables :</b> 179436; 210508058; 12265-115CC <b>Pipette :</b> DA-216; DA-261					
LISTERIA MONOCYTOGENES			Not Present	PASS		<b>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
<b>Analyzed by:</b> 3404, 3621, 3390, 3336, 585 <b>Weight:</b> 1.1465g <b>Extraction date:</b> 09/02/22 12:36:05 <b>Extracted by:</b> 3390 <b>Analysis Method :</b> SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA049286MIC <b>Reviewed On :</b> 09/07/22 11:52:32 <b>Instrument Used :</b> PathogenDx Scanner DA-111 <b>Batch Date :</b> 09/02/22 09:42:03 <b>Running on :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 051922.29; 052422.04 <b>Consumables :</b> N/A <b>Pipette :</b> N/A											

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	PPM	ND	PASS	5
ARSENIC	0.02	PPM	ND	PASS	1.5
CADMIUM	0.02	PPM	ND	PASS	0.5
MERCURY	0.02	PPM	ND	PASS	3
LEAD	0.05	PPM	ND	PASS	0.5
<b>Analyzed by:</b> 3404, 1022, 585 <b>Weight:</b> 0.2504g <b>Extraction date:</b> 09/02/22 11:33:47 <b>Extracted by:</b> 1022 <b>Analysis Method :</b> SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA049295HEA <b>Reviewed On :</b> 09/04/22 14:37:26 <b>Instrument Used :</b> DA-ICPMS-003 <b>Batch Date :</b> 09/02/22 10:29:27 <b>Running on :</b> 09/02/22 14:11:51 <b>Dilution :</b> 100 <b>Reagent :</b> 082422.R03; 081922.R19; 080222.R36; 083122.R55; 082622.R23; 083122.R54; 082622.R24; 082622.R22; 080922.R23; 080922.R22 <b>Consumables :</b> 179436; 210508058; 12265-115CC <b>Pipette :</b> DA-216; DA-261					
<b>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					



# Certificate of Analysis

**PASSED**

My Kind of Mode, Inc

1931 nw 150 ave  
Pembroke Pines, FL, 33028, US  
Telephone: 3055255311  
Email: mykindofmode@gmail.com

Sample : DA20902005-002

Harvest/Lot ID: 050621

Batch# : 050621

Sampled : 08/31/22

Ordered : 08/31/22

Sample Size Received : 90 ml

Total Batch Size : N/A

Completed : 09/07/22 Expires: 09/07/23

Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : SOP.T.30.074, SOP.T.40.074

Analytical Batch : DA049300FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 09/02/22 23:13:19

Reviewed On : 09/02/22 23:36:38

Batch Date : 09/02/22 11:50:49

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.