

Kaycha Labs

CBD Broad Spectrum Oil

Matrix: Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30825018-002

Batch#: 105 bottles

Batch Date: 02/10/22 Sample Size Received: 30 ml

Total Amount: 30 ml

Retail Product Size: 30 gram

Sample Density: 1.0 g/mL

Ordered: 08/24/23

Sampled: 08/24/23 Completed: 08/29/23

Sampling Method: SOP.T.20.010.FL

Aug 29, 2023 | My Kind of Mode, Inc

Pembroke Pines, FL, 33028, US



Pages 1 of 5

PASSED

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



Heavy Metals PASSED



Microbials PASSED



Mycotoxins PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity

ND

%

0.001



Moisture **NOT TESTED**



MISC.

NOT TESTED

PASSED

ND

%

0.001



Cannabinoid

Total THC

Total THC/Container: 0.00 mg

THCA

ND

ND

%

0.001



CBDA

ND

ND

%

0.001

Total CBD .592%

CBG

ND

ND

%

0.001

Total CBD/Container: 477.60 mg



CBN

ND

ND

%

0.001

CBGA

ND

ND

%

Reviewed On: 08/29/23 12:17:21 Batch Date: 08/28/23 07:02:57

0.001

Total Cannabinoids

Total Cannabinoids/Container: 480.60

mg CBDV CBC THCV ND ND 0.010

0.10

0.001

%

% Extracted by: 08/28/23 12:29:44

D8-THC

ND

ND

0.001

Analysis Method: SOP T 40 031 SOP T 30 031

D9-THC

ND

ND

%

0.001

Analytical Batch: DA063788POT Instrument Used: DA-LC-007 Analyzed Date: 08/28/23 12:32:13

mg/ml

LOD

Reagent: 080123.02; 081523.R02; 070122.11; 061623.02; 080123.R02 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

1.592

15.92

0.001

%

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

CBD Broad Spectrum Oil

N/A





PASSED

ertificate of Analysis

My Kind of Mode, Inc

1931 nw 150 ave Pembroke Pines, FL, 33028, US Telephone: 3055255311 Email: mvkindofmode@gmail.com Sample : DA30825018-002

Batch#:105 bottles Sampled: 08/24/23 Ordered: 08/24/23

Sample Size Received : 30 ml

Total Amount : 30 ml Completed : 08/29/23 Expires: 08/29/24 Sample Method: SOP.T.20.010.FL

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)		ppm	30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH		ppm	3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN		ppm	1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS		ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM		ppm	3	PASS	ND	PRALLETHRIN			ppm	0.4	PASS	ND
OTAL SPINOSAD		ppm	3	PASS	ND				ppm	1	PASS	ND
BAMECTIN B1A		ppm	0.3	PASS	ND	PROPICONAZOLE						
CEPHATE		ppm	3	PASS	ND	PROPOXUR			ppm	0.1	PASS	ND
CEQUINOCYL		ppm	2	PASS	ND	PYRETHRIN I			ppm	1	PASS	ND
CETAMIPRID		ppm	3	PASS	ND	PYRETHRIN II		0.010	ppm	1	PASS	ND
LDICARB		ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	3	PASS	ND
ZOXYSTROBIN		ppm	3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
FENAZATE	0.010	ppm	3	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
IFENTHRIN	0.010	ppm	0.5	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
OSCALID		ppm	3	PASS	ND	TEBUCONAZOLE			ppm	1	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND				ppm	0.1	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	THIACLOPRID						
HLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	THIAMETHOXAM			ppm	1	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN			ppm	3	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *	0.010	PPM	0.2	PASS	ND
OFENTEZINE	0.010	ppm	0.5	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
DUMAPHOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	3	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
AZINON	0.010	ppm	3	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND			0.050		1	PASS	ND
METHOATE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *				_		
THOPROPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
TOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
TOXAZOLE	0.010	ppm	1.5	PASS	ND	3379, 585, 1440	0.2206g		3 15:38:57		450,3379	
NHEXAMID	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.	.101.FL (Gainesville)	, SOP.T.30.10	2.FL (Davie)	, SOP.T.40.101	FL (Gainesville	2),
NOXYCARB	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA06377	6DES		Paviowad	On:08/29/23	16-11-05	
NPYROXIMATE	0.010	ppm	2	PASS	ND	Instrument Used : DA-LCMS				:08/27/23 16		
PRONIL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 08/28/23 15				,,		
LONICAMID		ppm	2	PASS	ND	Dilution: 250						
LUDIOXONIL	0.010	ppm	3	PASS	ND	Reagent: 081523.R04; 040	521.11; 082023.R01	; 082323.R33	; 082423.R0	1; 072523.R14	; 082323.R01	
EXYTHIAZOX		ppm	2	PASS	ND	Consumables: 326250IW						
AZALIL		ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; D						
IIDACLOPRID		ppm	3	PASS	ND	Testing for agricultural agents accordance with F.S. Rule 64E		g Liquid Chron	natography T	rıple-Quadrupo	ie Mass Spectro	metry in
RESOXIM-METHYL		ppm	1	PASS	ND			Evitan chi -	n data.		Evelun et	****
ALATHION		ppm	2	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2206a	08/28/23			450,3379	Jy.
ETALAXYL		ppm	3	PASS	ND	Analysis Method : SOP.T.30.) SOPT 40 15		
ETHIOCARB		ppm	0.1	PASS	ND	Analytical Batch : DA06377				:08/29/23 16:0		
ETHOMYL		ppm	0.1	PASS	ND	Instrument Used : DA-GCMS				08/27/23 16:09		
EVINPHOS		ppm	0.1	PASS	ND	Analyzed Date: 08/29/23 10	0:51:42					
YCLOBUTANIL		ppm	3	PASS	ND	Dilution: 250						
ALED		ppm	0.5	PASS	ND	Reagent: 081523.R04; 040 Consumables: 326250IW; 1 Pipette: DA-080; DA-146; D	14725401	; 080723.R27				
						Testing for agricultural agents accordance with F.S. Rule 64E	is performed utilizing	g Gas Chroma	tography Trip	ole-Quadrupole	Mass Spectrom	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

CBD Broad Spectrum Oil

N/A

Matrix : Edible Type: HEMP/CBD Florida - Food - Hemp rules for all products other than

topical, flower, and suppositories.



PASSED

Certificate of Analysis My Kind of Mode, Inc

1931 nw 150 ave Pembroke Pines, FL, 33028, US Telephone: 3055255311 Email: mvkindofmode@gmail.com Sample : DA30825018-002

Batch#:105 bottles Sampled: 08/24/23 Ordered: 08/24/23

Sample Size Received : 30 ml

Total Amount : 30 ml Completed : 08/29/23 Expires: 08/29/24 Sample Method: SOP.T.20.010.FL

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	410	PASS	ND	
BENZENE	0.100	ppm	2	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND	
CHLOROFORM	0.200	ppm	60	PASS	ND	
DICHLOROMETHANE	12.500	ppm	600	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	5000	PASS	ND	
ETHYL ETHER	50.000	ppm	5000	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	3000	PASS	ND	
N-HEXANE	25.000	ppm	290	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND	
PROPANE	500.000	ppm	2100	PASS	ND	
TOLUENE	15.000	ppm	890	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND	
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND	
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND	
Analyzed by:	Weight:	Extraction date:		F	xtracted by:	

Weight Extraction date: Extracted by: Analyzed by: 850, 585, 1440 0.0283a 08/28/23 18:02:08

Analysis Method: SOP.T.40.041.FL Analytical Batch : DA063746SOL Instrument Used : DA-GCMS-003 Analyzed Date: 08/28/23 22:22:13

Reagent: 030420.09 Consumables : R2017.167; KF140

Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 08/29/23 10:02:21 Batch Date: 08/26/23 13:07:20

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

CBD Broad Spectrum Oil

N/A Matrix : Edible

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

ertificate of Analysis

PASSED

My Kind of Mode, Inc

1931 nw 150 ave Pembroke Pines, FL, 33028, US Telephone: 3055255311 Email: mvkindofmode@amail.com Sample : DA30825018-002

13.19.56

Batch Date : 08/26/23

Batch#:105 bottles Sampled: 08/24/23 Ordered: 08/24/23

Sample Size Received: 30 ml Total Amount : 30 ml Completed : 08/29/23 Expires: 08/29/24

Sample Method: SOP.T.20.010.FL

Page 4 of 5

Units

LOD

Reagent: 081523.R04; 040521.11; 082023.R01; 082323.R33; 082423.R01; 072523.R14;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in



Microbial



Mycotoxins

.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA063778MYC

Analyzed Date: 08/28/23 15:54:08

Pipette: DA-093; DA-094; DA-219

accordance with F.S. Rule 64ER20-39

Consumables : 326250IW

Dilution: 250

082323 R01

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Result

Reviewed On: 08/29/23 10:23:25

Batch Date: 08/27/23 16:09:26

Analyte	LOI	D Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fai
SALMONELLA SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER TOTAL YEAST AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2206g	Extraction dat 08/28/23 15:3			xtrac 150,33
Analyzed by:	Weight:	Extraction d	late:	Extracted	l by:	Analysis Method : SOF	P.T.30.101.FL (Ga	inesville), SOP.T.	40.101.FL	_ (Gainesv	ille),

Extraction date: Weight: Extracted by: Analyzed by: 1.0877g 3963, 3621, 585, 1440 08/26/23 15:27:05 3621.3963

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 08/29/23

Analytical Batch: DA063734MIC

Instrument Used: PathogenDx Scanner DA-111, Applied

Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021

Analyzed Date: 08/28/23 10:56:37

Dilution: N/A

Reagent: 062123.12; 080923.R15; 071023.06; 092122.09

Consumables: 7565002008 Pipette: N/A

Analyzed by: 3336, 3963, 585, 1440	Weight: 1.0877g	Extraction date: 08/26/23 15:27:05	Extracted by: 3621,3963

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch: DA063752TYM Reviewe

Reviewed On: 08/29/23 12:17:17 Instrument Used: Incubator (25-27C) DA-096 Batch Date: 08/26/23 15:27:23

Analyzed Date: 08/26/23 17:01:51

Dilution: 10

Reagent: 062123.12; 081523.R08

Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	- Г	
ted by:		lнc
20.62		

Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: Weight: Extraction date: Extracted by: 0.2142g 1022, 585, 1440 08/26/23 13:02:46

Analysis Method: SOP T 30 082 FL SOP T 40 082 FL

Reviewed On: 08/29/23 14:12:22 Analytical Batch : DA063738HEA Instrument Used : DA-ICPMS-003 Batch Date: 08/26/23 10:04:43 Analyzed Date: 08/28/23 18:10:23

Reagent: 082323.R34; 082523.R05; 081823.R19; 082523.R03; 082523.R04; 072523.R11;

080823.01; 072523.R10

Consumables: 179436; 2209282; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

CBD Broad Spectrum Oil

N/A

Matrix : Edible Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.



Certificate of Analysis

PASSED

My Kind of Mode, Inc

1931 nw 150 ave Pembroke Pines, FL, 33028, US Telephone: 3055255311 Email: mvkindofmode@gmail.com Sample : DA30825018-002

Batch#:105 bottles Sampled: 08/24/23 Ordered: 08/24/23

Sample Size Received : 30 ml Total Amount : 30 ml Completed : 08/29/23 Expires: 08/29/24

Sample Method: SOP.T.20.010.FL

Page 5 of 5

Filth/Foreign **Material**

Analyte Filth and Foreign	Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA	Ex N	ctraction o	late:	Extra N/A	cted by:
Analysis Method : SC Analytical Batch : DA				Reviewer	I On • 08/26	5/23 19:16:42
Instrument Used : Fi		ial Micro	scope			3 10:16:59

Analyzed Date: 08/26/23 19:11:32

Dilution: N/A Reagent: N/A Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

