

Echo Pillow (D-023B) by Kristy Daum

Difficulty Level: Intermediate Finished Size: 20" x 20"



Fabric requirements



Fabric A: 85102108 03 Fat Eighth



Fabric B: 85102101 03 1/4 yard



Fabric C: 85102104 02 1/4 yard



Fabric D: 2142-0032 1/4 yard




Fabric E: 85102103 03 1/4 yard



Fabric F: 21007-0043 1/4 yard



Fabric G: 85102107 02 1/4 yard





Backing & Binding: 214-0017 1 yard



Exclusive Pillow Design by Kristy Daum for Camelot Fabrics
The direction of the fabrics in the digital imagery may not be accurate to the final product.

© Disney



Backing for quilted pillow front: 21007-0043 2/3 yard

OTHER TOOLS & SUPPLIES

- 2/3 yard of quilt batting (58" wide)
- 20" square pillow form
- sewing machine & coordinating thread
- rotary cutter & fabric shears
- straight edge ruler & measuring tape
- straight pins
- fabric marker or pencil

NOTES

- For best results, read through all instructions before beginning.
- WOF = width of fabric (42")
- RST = right sides together
- Unless otherwise directed, sew all seams with a scant 1/4" seam allowance, and press seams open as you go.
- Please wash, dry & iron your fabric before beginning, and trim selvages.

CUTTING

Fabric A Fabric F

Cut (1) 5" x WOF strip
- sub-cut (1) 5" x WOF strip
- sub-cut (1) 5" square.

- sub-cut (1) 5" square.

Fabric B Fabric G

Cut (1) 5" x WOF strip
- sub-cut (3) 5" squares.

Cut (1) 5" x WOF strip
- sub-cut (2) 5" squares.

Fabric C Fabric H

Cut (1) 5" x WOF strip Cut (2) 5" x WOF strips

- sub-cut (2) 5" squares. - sub-cut (14) 5" squares & (1) 4-1/2" square.

Fabric D Fabric I

Cut (1) 5" x WOF strip Cut (1) 23" square for the backing

- sub-cut (2) 5" squares. of the quilted pillow front.

Fabric E

Cut (1) 5" x WOF strip - sub-cut (3) 5" squares.

Back & Binding

Cut (1) 26-1/2" x WOF strip - sub-cut (2) 21" x 26-1/2" rectangles for the Back.

Cut (2) 2-1/2" x WOF strips for the Binding.




PIECING THE BLOCKS - MAKING HSTS


1. Take (1) Fabric H 5" square and (1) Fabric A 5" square, and place them RST.




2. With a pencil, mark a diagonal line between opposite corners.





3. Sew a scant 1/4" away from the pencil line on both sides.



4. Cut on the line, separating the two halves; this creates (2) HST units.







5. Repeat the process above using the following fabric combinations to yield all the HST units you need for this pillow. Note: each pair of squares yields (2) HST units, so you'll have an extra unit in cases where the pillow needs an odd number of them.

Make (2) A/H units.

Make (6) B/H units.

Make (4) C/H units.

Make (4) D/H units.

Make (6) E/H units.

Make (4) G/H units.

6. Trim all HST units to 4-1/2" square.



MAKING THE PILLOW FRONT

- 1. Sew your HST units together in rows, referring to the illustration on Page 1.
- 2. Sew the rows together.
- 3. Layer the Fabric I square, batting & pillow front, with the fabrics' Right Sides facing out. Baste & quilt as desired.

FINISHING THE PILLOW

- 1. Fold each 21" x 26-1/2" Backing rectangle in half, Wrong Sides Together, to create (2) 13-1/4" x 21" rectangles.
- 2. Topstitch (2) seams, 1/2" and 1" from the rectangles' folded edges, for a decorative finish.
- 3. Trim the Backing rectangles to match the width of the Pillow Top.
- 4. Place the Pillow Top face down on your work surface.
- 5. Line up the Backing rectangles with the outer edges of the Pillow so that their folded edges overlap at the center of the pillow.
- 6. Baste the Backing rectangles to the Pillow Top, around all (4) edges.
- 7. Join your Binding strips end-to-end and use to bind your pillow.
- 8. Insert the 20" square pillow form and relax!

