


**FREE
PATTERN**

Freshly Made to bring your ideas to life.




Heart Quilt/ Wall Hanging (Q-036) by Camelot Design Studio

Difficulty Level: Intermediate
Finished Size: 40" x 40"



Fabric requirements



Fabric A: 85240405 02
1-1/4 yards



Fabric B: 2143-0043
7/8 yard
(including binding)



Fabric C: 85240402 03
1/4 yard



Suggested Backing:
85240403-02
1-1/4 yards

Exclusive Quilt Design by Camelot Design Studio
The direction of the fabrics in the digital imagery may not be accurate
to the final product.
© Disney



camelotfabrics.com
info@camelotfabrics.com

COLLECTION
Disney Stitch Blogger

OTHER TOOLS & SUPPLIES

- needle and coordinating thread
- sewing machine
- iron & pressing surface
- rotary cutter and mat
- fabric shears
- straight pins

NOTES

- For best results, read through all instructions before starting.
- Please wash, dry & iron your fabrics before beginning, and trim selvages.
- Unless otherwise indicated, sew all seams with a 1/4" seam allowance.
- Press your seams open as you go.
- WOF = width of fabric

CUTTING

Fabric A

Cut (1) 11-1/2" x WOF strip. Trim to 40-1/2" long. This will be referred to as piece (a).

Cut (1) 7-1/2" x WOF strip. Trim to 40-1/2" long. This will be referred to as piece (b).

Cut (1) 22-1/2" x WOF strip. Sub-cut:

-(1) 11-1/2 x 22-1/2" rectangle. This will be referred to as piece (c).

-(1) 7-1/2" x 22-1/2" rectangle. This will be referred to as piece (d).

NOTE: for pieces (c) & (d) make sure that the direction of the print is oriented vertically.

Fabric B

Cut (2) 5-1/2" x WOF strips. Sub-cut:

-(2) 12-1/2 x 5-1/2" rectangles. These will be referred to as piece (e).

-(2) 5-1/2" x 22-1/2" rectangles. These will be referred to as piece (f).

Cut (1) 6-1/2" x WOF strip. Sub-cut:

-(2) 6-1/2" x 6-1/2" squares. These will be referred to as piece (g).

-Sub-cut remaining strip to 3-1/2". Sub-cut:

-(4) 3-1/2" x 3-1/2" squares. These will be referred to as piece (h).

Cut (5) 2-1/2" x WOF strips. Set aside for binding.

Fabric C


Cut (1) 6-1/2" x WOF strip. Sub-cut:

-(2) 6-1/2" x 12-1/2" rectangles. These will be referred to as piece (i).

PIECING (NOTE: refer to the Assembly Layout on p.5 for fabric placement)


Making the Heart

1. Mark a diagonal line corner-to-corner on the Wrong Side of each of the (g) & (h) pieces.




2. Place (1) piece (h) on the upper left hand corner of (1) piece (i), Right Sides Facing. Sew the (2) pieces together along the marked line.

3. Trim the excess fabric 1/4" outside of the stitch line and press the seam open.




4. Repeat Steps 2-3 with a second piece (h), this time sewing it to the top right-hand corner of piece (i). Repeat to make a second unit.




5. Repeat Steps 2-3 to sew a piece (g) to the lower left-hand corner of one of the pieces created in Step 4.


6. Trim the excess fabric 1/4" outside of the stitch line and press the seam open.



7. Repeat Step 5 to sew a piece (g) to the lower right-hand corner of the second piece created in Step 4.




8. Sew the two rectangles created in Steps 6 & 7 to gether to make the heart. Press seams open.




ASSEMBLY


9. Sew one piece (e) to the top of the heart unit and one to the bottom, as shown.




10. Sew one piece (f) to either side of the unit created in Step 9, as shown.



11. Sew piece (c) to the left hand side of the unit created in Step 10 and piece (d) to the right hand side, as shown.



12. Sew piece (a) to the top of the unit created in Step 11 and piece (b) to the bottom, as shown. This completes the quilt top.



FINISHING

13. Layer the quilt top with batting and backing. Baste and quilt as desired.

14. Sew the Fabric B binding strips together end-to-end and press seams open. Bind the quilt using your favorite method.

ASSEMBLY LAYOUT

