

**FREE
PATTERN**


Freshly Made to bring your ideas to life.



Best Wishes Quilt (Q-046) by Camelot Design Studio

Difficulty Level: Beginner
Finished Size: 72" x 72"

INDIANA JONES




Fabric requirements



Fabric A: 74740104 01
1-5/8 yards



Fabric B: 74740107 01
1-5/8 yards



Fabric C: 21009-0044
5-1/2 yards



Suggested Backing:
74740103 02
4-1/2 yards

Exclusive Quilt Design by Camelot Design Studio
The direction of the fabrics in the digital imagery may not be accurate to the final product.
© & ™ Lucasfilm Ltd.



camelotfabrics.com
info@camelotfabrics.com

COLLECTION
Indiana Jones

OTHER TOOLS & SUPPLIES

- sewing machine & coordinating thread
- rotary cutter & fabric shears
- straight edge ruler & measuring tape
- straight pins
- fabric marker or pencil

NOTES

- WOF = width of fabric
- Unless otherwise directed, sew all seams with a 1/4" seam allowance.
- Please wash, dry & iron your fabric before beginning, and trim selvages.

CUTTING

Fabrics A & B

Cut (10) 5-1/2" x WOF strips
Sub-cut (64) 5-1/2" x 5-1/2" squares


Fabric C

Cut (16) 8-1/2" x WOF strips
Sub-cut (64) 8-1/2" x 8-1/2" squares

Cut (8) 4-1/2" x WOF strips. Set aside for borders.

Cut (8) 2-1/2" X WOF strips. Set aside for binding.


BLOCK ASSEMBLY




1. Mark a diagonal line corner-to-corner on the *Wrong Side* of (32) of your Fabric A & Fabric B squares, as shown.

NOTE : If working with directional prints, make sure that the direction of the print is oriented sideways towards the left.

2. Place (1) Fabric A square on the lower left hand corner of (1) Fabric C square, Right Sides facing. Sew the (2) squares together along the diagonal line marked on the Fabric A square.
3. Trim the excess fabric 1/4" outside of the stitch line and press the seam open.




4. Repeat Steps 2-3 with a Fabric B square, this time sewing it to the upper right-hand corner of the Fabric C square.



If working with a directional print, repeat Steps 2-4 to make 32 blocks. These will be referred to as Block (a). Proceed with Steps 5-8 to make 32 more Blocks.


If working with a non-directional or tossed print, repeat Steps 2-4 to make 64 blocks. Skip to Step 9.




5. Mark a diagonal line corner-to-corner on the *Wrong Side* of the remaining (32) Fabric A & Fabric B squares. Note: The direction of the print is oriented in the same manner as before, BUT the diagonal line is drawn in the opposite direction.

6.. Place (1) Fabric A square on the upper left hand corner of (1) Fabric C square, Right Sides facing. Sew the (2) squares together along the diagonal line marked on the Fabric A square.

7. Trim the excess fabric 1/4" outside of the stitch line and press the seam open.




8.. Repeat Steps 6-7 with a Fabric B square, this time sewing it to the lower right-hand corner of the Fabric C square.




Repeat Steps 6-8 to make 32 blocks. These will be referred to as Block (b).


You should now have (64) blocks.




9. Referring to the assembly layout below, sew one block from the top row to one block from the bottom row, as shown, making sure to align all seams. NOTE the orientation of each block in each row.




10. Sew all columns together from left to right, as shown, making sure to align all seams.



11. This completes one row of "X's".
Repeat Steps 9-10 to make 4 rows of "X's" in total.




12. Sew all rows together making sure to align all seams.
This completes the quilt center.




ADDING THE BORDERS

13. Sew together end-to-end two of the Fabric C strips set aside for the borders.
Repeat to make 4 long strips. Trim two to 64-1/2" and two to 72-1/2".

14. Sew one 64-1/2 Fabric C border to each side of the quilt center.



14. Sew one 72-1/2 Fabric C border to top of the quilt center and one to the bottom. This completes the quilt top.



FINISHING

15. Following your preferred method, use the 2-1/2" Fabric B strips to make the binding.

16. Layer the table runner top, batting & backing. Baste, quilt & bind as desired.