


LED SURFACE MOUNT SLIM SERIES - 5 COLOR SELECTABLE 5", 7", 9", 12" - ROUND & SQUARE



9" LR23535

7" LR23533

5" LR23531



12" LR23536

9" LR23534

7" LR23532

5" LR23530



COLOR SELECTABLE

2700K 3000K 3500K 4000K 5000K

DIMMABLE

TRIAC

120V



5
YEAR
WARRANTY

ELECTRICAL

		MODEL	DESCRIPTION	POWER	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR
5"	ROUND	LR23530	LED10/SLIM5/5CCT/W/RD2	10	120V	82	50,000	\$ 1.20
	SQUARE	LR23531	LED10/SLIM5/5CCT/W/SQ2	10	120V	82	50,000	\$ 1.20
7"	ROUND	LR23532	LED14/SLIM7/5CCT/W/RD2	14	120V	82	50,000	\$ 1.68
	SQUARE	LR23533	LED14/SLIM7/5CCT/W/SQ2	14	120V	82	50,000	\$ 1.68
9"	ROUND	LR23534	LED18/SLIM9/5CCT/W/RD2	18	120V	82	50,000	\$ 2.16
	SQUARE	LR23535	LED18/SLIM9/5CCT/W/SQ2	18	120V	82	50,000	\$ 2.16
12"	ROUND	LR23536	LED22/SLIM12/5CCT/W/RD2	22	120V	82	50,000	\$ 2.64

PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	FLOOD	CRI	UL	TITLE 24	ENERGY STAR
LR23530	LED10/SLIM5/5CCT/W/RD2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	820	110°	90	YES	YES	YES
LR23531	LED10/SLIM5/5CCT/W/SQ2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	820	110°	90	YES	YES	YES
LR23532	LED14/SLIM7/5CCT/W/RD2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1150	110°	90	YES	YES	YES
LR23533	LED14/SLIM7/5CCT/W/SQ2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1150	110°	90	YES	YES	YES
LR23534	LED18/SLIM9/5CCT/W/RD2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1480	110°	90	YES	YES	YES
LR23535	LED18/SLIM9/5CCT/W/SQ2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1480	110°	90	YES	YES	YES
LR23536	LED22/SLIM12/5CCT/W/RD2	2700K/3000K/3500K/4000K/5000K	CCT SELECT	1650	110°	90	YES	YES	

TRIM REPLACEMENT OPTIONS FOR 9" (LR23534 & LR23535)

*SOLD SEPARATELY



BLACK
FINISH

BRASS
FINISH

BRUSHED
NICKEL FINISH



BLACK
FINISH

BRASS
FINISH

BRUSHED
NICKEL FINISH

		MODEL	DESCRIPTION	FINISH
9"	RD	LR23686	LED18/SLIM9/RD/TRIM/BK	BLACK
		LR23687	LED18/SLIM9/RD/TRIM/BRS	BRASS
		LR23688	LED18/SLIM9/RD/TRIM/BN	BRUSHED NICKEL
	SQ	LR23689	LED18/SLIM9/SQ/TRIM/BK	BLACK
		LR23690	LED18/SLIM9/SQ/TRIM/BRS	BRASS
		LR23691	LED18/SLIM9/SQ/TRIM/BN	BRUSHED NICKEL

DIMENSIONS

