





## LED LINEAR STRIP SLIM - HIGH OUTPUT 48", 96" - CCT & WATTAGE SELECTABLE



CCT & WATTAGE SELECT SWITCH ON THE SIDE





## ELECTRICAL

MODEL	DESCRIPTION	POWER	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR
48"	LR25185	34	120-277V	3500K - 139	50,000	\$ 5.42
				4000K - 140		
				5000K - 141		
		38		3500K - 136		
				4000K - 137		
				5000K - 138		
		45		3500K - 133		
				4000K - 134		
				5000K - 138		
96"	LR25187	65	120-277V	3500K - 139	50,000	\$ 10.84
				4000K - 140		
				5000K - 141		
		75		3500K - 136		
				4000K - 137		
				5000K - 138		
		90		3500K - 133		
				4000K - 134		
				5000K - 135		

## PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	CRI	UL LISTED	DLC
LR25185	LED48/LINEAR/3CCT/3WO/UNV/D/HO	3500K/4000K/5000K	CCT SELECT	3500K - 4726	82	YES	YES
				4000K - 4760			
				5000K - 4794			
				3500K - 5168			
				4000K - 5206			
				5000K - 5244			

## PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	CRI	UL LISTED	DLC
LR25187	LED96/LINEAR/3CCT/3WO/UNV/D/HO	3500K/4000K/5000K	CCT SELECT	3500K - 5985	82	YES	YES
				4000K - 6030			
				5000K - 6075			
				3500K - 9035			
				4000K - 9100			
				5000K - 9165			
				3500K - 10200			
				4000K - 10275			
				5000K - 10350			
				3500K - 11970			
4000K - 12060							
5000K - 12150							

COMPATIBLE WITH:

**LR35120**  
**LR35121**  
Emergency LED Driver



**LR25176**  
SLIM LINEAR  
PENDANT



**LR25178**  
SLIM LINEAR  
SUSPENSION KIT

