



LED LINEAR STRIP WIDE - HIGH OUTPUT 48", 96" - CCT & WATTAGE SELECTABLE



CCT & WATTAGE SELECT SWITCH ON THE SIDE


CRI 82


COLOR SELECTABLE
3500K 4000K 5000K

DIMMABLE
0-10V

DAMP LOCATION RATED

5 YEAR WARRANTY





ELECTRICAL

MODEL	DESCRIPTION	POWER	INPUT VOLTS	EFFICACY	LIFETIME	COST/YR
48"	LR25195	34	120-277V	3500K - 141	50,000	\$ 5.42
				4000K - 142		
				5000K - 143		
		38		3500K - 138		
				4000K - 139		
				5000K - 140		
		45		3500K - 135		
				4000K - 136		
				5000K - 137		
96"	LR25197	65	120-277V	3500K - 141	50,000	\$ 10.84
				4000K - 142		
				5000K - 143		
		75		3500K - 138		
				4000K - 139		
				5000K - 140		
		90		3500K - 135		
				4000K - 136		
				5000K - 137		

PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	CRI	UL LISTED	DLC
LR25195	LED48/WLINEAR/3CCT/3WO/UNV/D/HO	3500K/4000K/5000K	CCT SELECT	3500K - 4794	82	YES	YES
				4000K - 4828			
				5000K - 4862			
				3500K - 5244			
				4000K - 5282			
				5000K - 5320			

PHOTOMETRIC

MODEL	DESCRIPTION	COLOR (CCT)	TEMP	LUMEN	CRI	UL LISTED	DLC
				3500K - 6075			
				4000K - 6120			
				5000K - 6165			
				3500K - 9165			
				4000K - 9230			
				5000K - 9295			
				3500K - 10350			
LR25197	LED96/WLINEAR/3CCT/3WO/UNV/D/HO	3500K/4000K/5000K	CCT SELECT	4000K - 10425	82	YES	YES
				5000K - 10500			
				3500K - 12150			
				4000K - 12240			
				5000K - 12330			

COMPATIBLE WITH:

<p>LR35120 LR35121 Emergency LED Driver</p> 	<p>LR25177 LINEAR PENDANT</p> 	<p>LR25179 LINEAR SUSPENSION KIT</p> 
---	---	---