QOB215

Mini circuit breaker, QO, 15A, 2 pole, 120/240VAC, 10kA, bolt on mount





Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	15 A
Voltage Rating	120/240 V AC 120 V AC
Mounting Type	Bolt-on
Number of Poles	2P
Circuit Breaker Type	Standard
Ratings	HACR rated
Electrical Connection	Pressure plate

Complementary

Complementary		
Interrupt Rating	10 KA 120/240 V AC 50/60 Hz 10 kA 120 V AC 50/60 Hz	
Number of Panel Spaces	2	
Wire Size	AWG 14AWG 8 copper or aluminium	
Tightening Torque	44.25 lbf.in (5 N.m) 0.020.04 in² (1025 mm²) (AWG 8AWG 2)	
Height	2.99 in (76 mm)	
Width	1.50 in (38 mm)	
Depth	2.91 in (74 mm)	
Product Weight	0.60 lb(US) (0.272 kg)	

Environment

Certifications	UL Listed CSA	
Ambient Rating	104 °F (40 °C)	

Ordering and shipping details

Category	00015-QOB CIRCUIT BREAKERS
Discount Schedule	DE2
GTIN	785901416821
Returnability	Yes
Country of origin	MX

Packing Units

PCE	
1	
1.50 in (3.81 cm)	
3.30 in (8.382 cm)	
3.40 in (8.636 cm)	
9.59 oz (272.0 g)	
BB1	
5	
3.60 in (9.144 cm)	
3.30 in (8.382 cm)	
	1 1.50 in (3.81 cm) 3.30 in (8.382 cm) 3.40 in (8.636 cm) 9.59 oz (272.0 g) BB1 5 3.60 in (9.144 cm)

Package 2 Length	7.90 in (20.066 cm)	
Package 2 Weight	2.80 lb(US) (1.27 kg)	
Unit Type of Package 3	CAR	
Number of Units in Package 3	50	
Package 3 Height	8.60 in (21.844 cm)	
Package 3 Width	8.30 in (21.082 cm)	
Package 3 Length	17.20 in (43.688 cm)	
Package 3 Weight	28.55 lb(US) (12.95 kg)	

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	[™] China RoHS Declaration
RoHS exemption information	€Yes
Halogen content performance	Halogen free product

Contractual warranty

Contraction Warranty	
Warranty	18 months