



Shown with standard packaging



Shown with optional Silver bag

PRODUCT DESCRIPTION


Expedite your banner stand setup time while adding lavish appeal with our newest EZ Tube fabric display - the EZ Extend! Customize a single-sided (choose white or black back fabric) or double-sided dye-sublimated stretch fabric print. To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down the frame to swiftly drape with the pillowcase graphic. Using the industrial-sized zipper, zip underneath the bottom support pole, maximizing fabric tension.

25.5	5"W x 102"H	
26"\	W x 102"H	
GRAPHIC MATERIAL		
Stretch fabric		
GRAPHIC FINISHING		
Sewn on left, right, and top with a zipper at the bottom		
DISPLAY CONSTRUCTION		
Steel base with aluminum tube frame (1.125" / 28.5mm dia.)		
SHIPPING WEIGHTS & DIMENSIONS		
	bs (stand only) bs (with graphic)	
31"L x 11"W x 4"H		
LARGE QUANTITY FREIGHT		
60 boxes per 48"L x 40"W x 40"H skid		
816 lbs (frame only) 936 lbs (frame and graphic)		
GRAPHIC TURN AROUND TIME		
3 business days after proof approval		
AVAILABLE ACCESSORIES		
Bag	EZ Tube LED Light - Black or Silver	
тү		
	26"\ with N be f MEI 13 II 15 II 31"L 31"L 60 E 816 936 D TI of ap	



EZ Tube LED Light - Black or Silver








SET UP INSTRUCTIONS


48″

48"x90"











Connect numbered tubes together.



Snap tubes together.



Screw base to tube with threaded bottom.



Cover frame with fabric graphic.

To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down **EZ**EXTEND to swiftly drape with the pillowcase graphic. Using the industrial-size zipper, zip underneath the bottom support pole, maximizing fabric tension.



