13.28″ width including bleed | 13.28″ width including bleed | 51.125″ width including bleed | 13.28″ width including bleed | 51.125″ width including bleed | 13.28″ width including bleed | 13.28″ width including bleed

12.28″ width | 12.28″ width | 47.125″ visual width | 12.28″ width | 47.125″ visual width | 12.28″ width | 12.28″ width

Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 05

UV Graphic Panels A, B, D, E, G, H
Total Graphic Area: 13.28″w x 44.28″h
Finished Graphic Area: 12.28″w x 43.28″h
Please note that graphics A, B, G, and H will be double sided printed.

Dye Sub Graphic Panel C, F
Total Graphic Area: 51.125″w x 98.375″h
Finished Graphic Area: 47.125″w x 94.375″h

Please be sure to include a 2″ bleed around the perimeter of panel C and F.

Please be sure to include a 5″ bleed around the perimeter of panels A, B, D, E, G, H.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 100-120 ppi
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

PANEL A OUTSIDE

PANEL A INSIDE

PANEL B OUTSIDE

PANEL B INSIDE

PANEL C

PANEL D

PANEL E

PANEL F

bleed area
trim line
safe zone

PANEL G INSIDE

PANEL G OUTSIDE

PANEL H INSIDE

PANEL H OUTSIDE

bleed area
trim line

43.28″ visual height (Panels A, D, G)

44.28″ height including bleed (Panels A, D, G)

43.28″ visual height (Panels B, E, H)

44.28″ height including bleed (Panels B, E, H)

94.375″ visual height (Panel C and F)

98.375″ visual height including bleed (Panel C and F)

1.5″gap between panels when mounted to hardware

no space between panels once mounted

no space between panels once mounted

1.5″gap between panels when mounted to hardware

Hybrid Pro Modular Kit:
Hybrid Pro Modular Kit 05



UV Graphic Panels A, B, D, E, G, H

Total Graphic Area: 13.28”w x 44.28”h
Finished Graphic Area: 12.28”w x 43.28”h
Please note that graphics A, B, G and H will be double sided printed.

Dye Sub Graphic Panel C , F
Total Graphic Area: 51.125 x 98.375”h
Finished Graphic Area: 47.125”w x 94.375”h

Please be sure to include a 2” bleed around the perimeter of panel C and F.

Please be sure to include a .5” bleed around the perimeter of panels A, B, D, E, G, H.

Please consider obstructions and spaces created by the extrusions when designing your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 100-120 ppi
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A
OUTSIDE

PANEL A
INSIDE

PANEL B
OUTSIDE

PANEL B
INSIDE

PANEL C

PANEL D

PANEL E

PANEL F

bleed area
trim line
safe zone

PANEL G
INSIDE

PANEL G
OUTSIDE

PANEL H
INSIDE

PANEL H
OUTSIDE

bleed area
trim line