

Hybrid Pro Modular Kit:

Hybrid Pro Modular Kit 16



File @ 25% of actual size

UV Graphic Panel A, B, D, E, F, G, H, I, J, K, L, M, N, O, Q, R

Total Graphic Area: 13.28" w x 44.28" h

Finished Graphic Area: 12.28" w x 43.28" h

Dye Sub Graphic Panels C and P

Total Graphic Area: 51.125 x 98.375" h

Finished Graphic Area: 47.125" w x 94.375" h

Please consider obstructions and spaces created by the extrusions when designing your graphics.

Please include 2" of bleed around the perimeter of all dyesub panels C and P.

Please include .5 of bleed around the perimeter of panels A, B, D, E, F, G, H, I, J, K, L, M, N, O, Q, R

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 400-480 ppi at quarter scale, 100-120 ppi at full scale
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A

PANEL B



**REPRESENTS
OBSTRUCTION ONLY**

PANEL C



REPRESENTS
OBSTRUCTION ONLY

Use separate template for
hybrid counter 07 graphic.
This panel only
represents placement
to show the
obstructed area.

PANEL D

PANEL E

PANEL F

PANEL G

PANEL H

PANEL I

REF
OBSTRU

Use separ
hybrid co
This
represent
to
obst

PANEL J

PANEL K

MENTS
N ONLY

emplate for
07 graphic.
el only
lacement
/ the
d area.

PANEL L

PANEL M

PANEL N

PANEL 0

**REPRESENTS
OBSTRUCTION ONLY**

PANEL P

REPRESENTS
OBSTRUCTION ONLY

Use separate template for
hybrid counter 07 graphic.
This panel only
represents placement
to show the
obstructed area.

bleed area
trim line
safe zone

PANEL Q

PANEL R