REPRESENTS
OBSTRUCTION
ONLY

Hybrid Pro Modular Kit 32



TEMPLATE @ 1/2 SIZE
Dye Sub Graphic Panels A, B, C and D
Total Graphic Area: 63”w x 98.375”h
Finished Graphic Area: 59”w x 94.375”h

Dye Sub Graphic Panels E1, E4, F1 and F4
Total Graphic Area: 33.4375”w x 90.5”h
Finished Graphic Area: 29.4375”w x 86.5”h

UV Graphic Panels E2, E3, E5, E6,
F2, F3, F5 and F6
Total Graphic Area: 12.8125”w x 41.375”h
Finished Graphic Area: 11.8125”w x 40.375”h

Dye Sub Graphic Panel D
(2) Prints to make (1) Structure
Total Graphic Area: 306”w x 46”h
Finished Graphic Area: 296”w x 36”h

Please be sure to include a 2” bleed
around the perimeter of the dye sub graphics.

Please be sure to include a .5” bleed
around the perimeter of the UV graphics.

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @ 1/2 size, 100-120 ppi @ full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

PANEL A

PANEL B

PANEL C

REPRESENTS
OBSTRUCTION
ONLY

PANEL D

PANEL E1

PANEL E2

PANEL E3

PANEL E4

PANEL E5

PANEL E6

PANEL F1

PANEL F2

PANEL F3

PANEL F4

bleed area
trim line
safe zone

PANEL F5

PANEL F6

PANEL G OUTSIDE (front side of display)

PANEL G OUTSIDE (back side of display)