



SLIMLINE LED5 STRIPLIGHT

Have a Question?

Please contact support@tradeshowplus.com

ITEM: LUM-LED5 | LUM-LED5-EXT

Incorporate modern, bright LED light into your display and draw attention to your brand and message with elegance. With a contemporary profile, you can modernize your display, set the stage, and better communicate a clear message.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

FEATURES & BENEFITS

- Projects cool white light
- Low voltage 12 watt
- LED rated for 20,000 continuous hours
- Includes 30mm clip
- Straight arm with adjustable head
- 1 meter long cord from outlet to transformer
- 3.2 meter long cord from transformer to lamp arm
- One year limited warranty / UL Approved

AVAILABLE KITS

LUM-LED-5 Two Light Kit Includes:

Two striplights
One transformer that can hold up to five lights
Two 30mm universal light clamp kits

LUM-LED-5-EXT Single Light Extension Kit Includes:

One striplight
One 30mm universal light clamp kit

*Note: The single light extension kit does not contain a transformer.

DIMENSIONS

Assembled Dimensions:

16.4"L x 12.63"W

Shipping Dimensions:

Set of 2: 24"l x 12"h x 3"d / 4 lbs
Extension: 24"l x 5"h x 2"d / 2 lbs

ADDITIONAL INFORMATION

Lighting:

Dual Voltage (100-240v)
12 Watt
1200 Lumens
5500 Kelvins

CAUTION!


- To reduce the risk of fire, electric shock or injury to persons:
- Protect the fixture from impact, scratching or abrasions.
 - If the cord-set becomes damaged, replace the cord-set before using fixture.
 - Turn off, unplug fixture and allow to cool before storing.

ASSEMBLY

Have a Question?


Please contact support@tradeshowplus.com

Connect the Power Supply




Plug the power supply into the back of the light (either socket can be used). 1

Link Lights




Plug the link cable into the back of the light to link lights.




A maximum of five lights can be linked from one power supply. 1

Attach Light to Dovetail




Slide light onto dovetail. 1

Attach Light to Extrusion




Use the height extension for extra clearance over graphics. 1




Hook into channel profile.

Position Light



1



Fine adjustments can be made on the head of the light. 1

Connect Power



Plug into the power supply there is no switch so the light will come on once plugged in. 1

Exhibit Lighting

Have a Question?

Please contact support@tradeshowplus.com

Visit: tradeshowplus.com







Image	Name	Description	Includes
	<p>Lumina 200 LED Floodlight Black / Silver</p>	<p>LED version of the Lumina 200 LED rated for 20,000 continuous hours 1400-1550 Lumens / 5200-5600K Kelvins 19" long from end to end</p>	<p>Includes 110 volt UL approved transformer, universal fittings kit, and 30mm clip</p>
	<p>Slimline LED Banner Stand Spotlight</p>	<p>Low voltage 5 watt Straight arm with adjustable head 500 Lumens / 5500K Kelvins 17.18" long from end to end</p>	<p>Dual voltage (100-240V) UL approved transformer, re-usable packaging</p>
	<p>Slimline LED Floodlight</p>	<p>Low voltage 12 watt Straight arm with adjustable head 1200 Lumens / 5500K Kelvins 7.16" long from end to end</p>	<p>Dual voltage (100-240V) UL approved transformer, re-usable packaging, and 30mm clip</p>
	<p>Slimline LED Striplight</p>	<p>Low voltage 12 watt Straight arm with adjustable head 1200 Lumens / 5500K Kelvins 16.1" long from end to end</p>	<p>Dual voltage (100-240V) UL approved transformer, re-usable packaging, and 30mm clip</p>
	<p>Slimline LED Exhibition Display Light</p>	<p>Low voltage 12 watt Straight arm with adjustable head 1200 Lumens / 5500K Kelvins 17.13" long from end to end</p>	<p>Dual voltage (100-240V) UL approved transformer, re-usable packaging</p>
	<p>LED Economy Floodlight</p>	<p>Low voltage 12 watt Straight arm with adjustable head 1300 Lumens / 5500K Kelvins 17" long from end to end</p>	<p>Dual voltage (100-240V) UL approved transformer, re-usable packaging, and 30mm clip</p>

Exhibit Lighting Accessories

Have a Question?

Please contact support@tradeshowplus.com

Visit: tradeshowplus.com

UNIVERSAL LIGHT CLAMP KIT

The Lumina Universal Mounting Kit includes all the parts needed to expand the use of Lumina lights to virtually all types of displays. Clamp expands to 30mm. Optional 50mm expansion clamp.



LED LIGHT BATTERY PACK

The LED Light Battery Pack is a portable, high-quality rechargeable power pack that provides electricity for hours! It is perfect for events, trade show and outdoor use where outlets may not be available or desired.



SPOTLIGHT CASE

The Lumina SPT Spotlight Case is an EVA semi-rigid, lighting case that holds two Lumina 200 LED lights and power supplies. The case features foam-lined, padded compartments that safely store contents during transport.

