



Safety Data Sheet



Section 1: Chemical Product and Company Information

Product Name:

**Sinful E-Liquids
Tropical Burst**

Contact Information:

Vapor Stockroom, LLC
2428 Palumbo Drive
Suite 110
Lexington, KY 40517
1-859-317-5885

Online: www.vaporstockroom.com

**EMERGENCY: If swallowed
contact your Poison Control
Center immediately:
1-800-222-1222**

Section 2: Composition and Information on Ingredients

Primary Hazardous Component:

Nicotine

Other Ingredients:

Vegetable Glycerin, Propylene Glycol, Natural and Artificial Flavors, Menthol (when noted on bottle), Ethyl Alcohol (when noted on bottle)

Mixture:

Bottles contain less than or equal to the concentration printed on the label by volume. (Main ingredients are Propylene Glycol, abbreviated PG, and (Vegetable) Glycerin, abbreviated VG. Propylene Glycol and Glycerin are both inert and generally recognized as safe by the USFDA.

Nicotine Content by Concentration
mg/ml

0mg	0.0% by volume
3mg	0.3% by volume
6mg	0.6% by volume
12mg	1.2% by volume
18mg	1.8% by volume

Section 3: Hazards Identification

Emergency Overview:

Harmful in case of ingestion, of skin contact, of eye contact.

Potential Chronic Health Effects:

Carcinogenic Effects: Not available

Mutagenic Effects: Not available

Teratogenic Effects: Not available

Section 4: First Aid

Eyes:

Immediately flush the eyes with water or eye wash solution for 15 minutes, lifting lower and upper eyelids occasionally. Seek medical attention if needed.

Skin:

Remove contaminated clothing and wash the affected area immediately with soap and cold water. Seek medical attention if needed.

Inhalation:

If overexposed by inhalation, move the affected persons to fresh air and keep rested. E-Liquid over 30mg/mL is not recommended for inhalation. Seek medical attention if needed.

Ingestion:

Rinse mouth thoroughly. Contact Poison Control Center number at the top of this data sheet. Seek medical attention if needed.

Symptoms:

The most common symptoms of Nicotine over exposure are nausea, vomiting, rapid heart rate, pale skin, headache, dizziness, and confusion. Skin and eye exposure symptoms also include irritation and redness. Seek medical attention if needed.

Section 5: Firefighting Measures

Fire Fighting Media and Instructions:

Wear full protective equipment and self-contained breathing apparatus with independent air circulation if a large amount of material is exposed to fire. Containers exposed to fire or high temperatures may release toxic fumes.

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of according to local, state, and federal regulations.

Large Spill:

Stop leak if without risk. Do not touch spilled material. Use a light water spray to reduce vapors. Prevent entry into sewers, basements or confined areas. Eliminate all ignition sources. Mop up while diluting with water, or absorb with an inert dry material such as sand, cat litter, Diatomite, sawdust, etc. Collect and place in bags and dispose of according to local, state, and federal regulations.

Section 7: Handling and Storage

Keep out of reach of children. Keep in manufacturing container. Do not tamper with the manufacturing label. Avoid contact with skin and eyes.

Section 8: Exposure Controls / Personal Protections

Use appropriate protective coverings if handling large quantities.

Eye/Face Protection:

Wear protective glasses.

Skin Protection:

Wear rubber or protective gloves and liquid resistant clothing.

Section 9: Physical and Chemical Properties

Physical State and Appearance:

Oily Liquid.

Odor:

Varies by flavor. Generally smells like the flavor on the manufacturing label. Can smell like natural and artificial flavoring.

Taste:

Acrid.

Color:

Varies by flavor. Generally colorless to slightly colored, though can be much darker and non-transparent.

Section 10: Stability and Reactivity

Chemical Stability:

This product is stable under normal conditions.

Conditions of Instability:

Heat, Fire, or other ignition sources, incompatible materials.

Incompatible Materials:

Reacts with oxidizing agents and acids.

Section 11: Toxicology Information

Routes of Entry:

Absorbed through skin, inhaled, ingested, eye contact.

Toxicity to Animals:

Nicotine: Acute toxicity (LD50) in rats (50 mg/kg) and mice (3 mg/kg). Propylene Glycol: Acute oral toxicity (LD50) in rats (8-46 g/kg), mice (25-32 g/kg), and guinea pigs (18-20g/kg).

Section 12: Ecological Information

Environmental exposure controls:

Should not be allowed to reach large quantities of ground water, sewage, waste water or soil.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transportation Information

Liquids contain Nicotine: Handle with care.

Section 15: Regulatory Information

Not currently regulated by the USFDA.

The USFDA intends to regulate E-Liquid in the future

Section 16: Other Information

Acrid Taste. Unpleasant flavor, Nicotine gives a burning sensation when ingested or placed on the tongue.

E-Liquid with Nicotine content over 36mg/mL is not recommended for inhalation.

SDS created March 21, 2019

Vapor Stockroom, LLC

Matthew Williams, Lab Manager
859-317-5885