kca **KCA** Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Status

Tested

Client

USA

Date Tested

10/24/2023

Arvida Labs

1291 NW 65th PL Unit B

Fort Lauderdale, FL 33309

1 of 2

MF Classic 510 1ML D10 Purple Punch Sample ID: SA-231011-28197 Batch: 23093202010106 Received: 10/13/2023 Type: Finished Product - Inhalable Completed: 10/24/2023 Matrix: Concentrate - Distillate Unit Mass (g): Summary Test MELLOW FELLOW Cannabinoids DELTA OTHC



ND	71.9 %	94.2 %	Not Tested	Not Tested	Yes
Total ∆9-THC	Δ8-ТНС	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
СВС	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.155	1.55
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172 <	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371 <	ND	ND
CBN	0.0056	0.0169	1.86	18.6
CBNA	0.006	0.0181	ND	ND
СВТ	0.018	0.054 <	ND	ND
∆4,8-iso-THC	0.0067	0.02	0.0393	0.393
∆6a,10a-THC	0.0067	0.02	ND	ND
Δ8-iso-THC	0.0067	0.02	0.0978	0.978
∆8-THC	0.0104	0.0312	71.9	719
∆8-THCV	0.0067	0.02 <	0.0424	0.424
∆9-THC	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
(6aR,9R)-∆10-THC	0.0067	0.02	17.2	172
(6aR,9S)-∆10-THC	0.0067	0.02	2.94	29.4
exo-THC	0.0067	0.02	ND	ND
Total ∆9-THC			ND	ND
Total			94.2	942

ilac-MR/ Luco Generated By: Ryan Bellone Tested By: Scott Caudill Testi CCO Laboratory Manager ISO/IEC 17025:2017 Accredited Accreditation #108651 Date: 10/24/2023 Date: 10/24/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.




KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

2 of 2

MF Classic 510 1ML D10 Purple Punch



Generated By: Ryan Bellone CCO Date: 10/24/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.