Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration # B1020147 Declaration Date 10/22/2020

Tested Item # 8124B3DQCM FT-One FBH 3D Standard Non-Belted, Medium, QC Legs and Chest, Back Adj

Additional Items Conforming Under this Declaration:

8124B3DQCXS 8124B3DQCS 8124B3DQCL 8124B3DQCXL 8124B3DQC2X 8124B3DQC3X

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

ANSI Z359.11-2014

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1 Level 2 X Level 3

Level 1: FallTech Lab
Outside the Scope of
ISO/IEC Standard 17025:2005

Level 2: FallTech Lab Within the Scope of ISO/IEC Standard 17025:2005 Level 3: Independent 3rd Party Lab accredited to ISO/IEC Standard 17025:2005

Supporting PC-Documentation

PC-2043

Authorized Signature

Name Zachary Winters Title Engineering Manager Date 10/22/2020

ACCREDITED

International Accreditation Service, Inc 3060 Saturn St, Ste 100

Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594 ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech





	Fal	ITech Te	st Repo	ort			
Test Report No.	PC-2043	Rpt. Date 10/22/2020 Rpt. Rev Rev Date			Rev Date		
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.11-2014 4.3.5, 4.3.3, 4.3.4,			
Part No.	8124B3DQCM			Part No. Re	vision	Α	
Part Description	FT-One Full Body Harnes	s 3D Standard	l Non-Belted,	Medium, QC	Legs and (Chest	
Test Request No.	PC-2043		Date Comp	lete	10/21/2020		
Test Operator(s)	Yesbet Sierra / Jay Sponh	nolz					

	Material/Sample Identification
Sample ID	Description
5575853	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575858	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575854	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575856	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575859	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575852	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575856	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575855	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575852	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575857	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575859	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest
5575860	FT-One Full Body Harness 3D Standard Non-Belted, Medium, QC Legs and Chest

		Test Summary		
Test Specification	Test	Criteria Test Result Pass/		
	Static Strength (Dorsal D-ring)	3600 Lbf ≥ 1 Minute	3663.0 Lbf	Pass
ANSI Z359.11-2014	Static Strength (Dorsal D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass
4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.35"	Pass
4.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass
	Static Strength (Dorsal D-ring)	3600 Lbf ≥ 1 Minute	3643.0 Lbf	Pass
ANCI 7250 44 2044	Static Strength (Dorsal D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	.32"	Pass
4.3.3	Tear Distance (Buckle) Shall Not 1" or Adja		Did Not Tear Through	Pass
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass





	Fal	ITech Te	st Repo	rt			
Test Report No.	PC-2043	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specific	cation(s)	ANSI Z359. 4.3.5, 4.3.3			
Part No.	8124B3DQCM			Part No. Re	evision	Α	
Part Description	FT-One Full Body Harnes	s 3D Standard	d Non-Belted,	Medium, Q0	C Legs and (Chest	
Test Request No.	PC-2043			Date Comp	lete	10/21/2020	

	Te	est Summary (Continued)				
Test Specification	Test	Criteria	Test Result Pass/Fail				
	Static Strength (Dorsal D-ring)	3600 Lbf ≥ 1 Minute	3636.4 Lbf	Pass			
	Static Strength (Dorsal D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass			
ANSI Z359.11-2014	Adjuster Slippage	Slippage <u><</u> 1"	0.33"	Pass			
4.3.5	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass			
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass			
	Static Strength (Side D-rings)	3600 Lbf ≥ 1 Minute	3665.5 Lbf	Pass			
	Static Strength (Side D-rings)	Harness Shall Not Release Test Torso	Did Not Release	Pass			
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.0"	Pass			
4.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass			
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass			
	Static Strength (Side D-rings)	3600 Lbf ≥ 1 Minute	3650.3 Lbf	Pass			
	Static Strength (Side D-rings)	Harness Shall Not Release Test Torso	Did Not Release	Pass			
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.0"	Pass			
4.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass			
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass			
	Static Strength (Side D-rings)	3600 Lbf ≥ 1 Minute	3636.4 Lbf	Pass			
	Static Strength (Side D-rings)	Harness Shall Not Release Test Torso	Did Not Release	Pass			
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.0"	Pass			
7.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass			
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass			





	Fal	ITech Te	st Repo	rt			
Test Report No.	PC-2043	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specific	cation(s)	ANSI Z359. 4.3.5, 4.3.3			
Part No.	8124B3DQCM			Part No. Re	evision	Α	
Part Description	FT-One Full Body Harnes	s 3D Standard	d Non-Belted,	Medium, Q0	C Legs and (Chest	
Test Request No.	PC-2043			Date Comp	lete	10/21/2020	

	Те	st Summary (Continued	1)		
Test Specification	Test	Criteria	Test Result Pass/Fail		
	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load ≥ 3600 Lbf	4673.0 Lbf	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Shall Not Release Test Torso	Did Not Release	Pass	
ANSI Z359.11-2014 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass	
4.5.5	Dynamic Performance Dorsal D-ring (Feet First)	Angle at Rest ≤ 30°	1.2°	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Stretch Shall Not Exceed 18"	12.5"	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load ≥ 3600 Lbf	4860.8 Lbf	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Shall Not Release Test Torso	Did Not Release	Pass	
ANSI Z359.11-2014 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Remain Suspended for <u>></u> 5 Minutes	5 Minutes	Pass	
4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Angle at Rest ≤ 30°	1.9°	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Stretch Shall Not Exceed 18"	12.0"	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load ≥ 3600 Lbf	3823.4 Lbf	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Shall Not Release Test Torso	Did Not Release	Pass	
ANSI Z359.11-2014 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Remain Suspended for <u>></u> 5 Minutes	5 Minutes	Pass	
4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Angle at Rest ≤ 30°	3.9°	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass	
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Stretch Shall Not Exceed 18"	14.9"	Pass	





	Fall	Tech Te	st Repo	ort			
Test Report No.	PC-2043	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specific	ration(s)	ANSI Z359. 4.3.5, 4.3.3			
Part No.	8124B3DQCM			Part No. Re	evision	Α	
Part Description	FT-One Full Body Harnes	s 3D Standard	l Non-Belted,	Medium, Q0	C Legs and (Chest	
Test Request No.	PC-2043			Date Comp	lete	10/21/2020	

	Те	st Summary (Continued	l)	
Test Specification	Test	Criteria	Test Result	Pass/Fail
	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact Load ≥ 3,600 Lbf	1952.8 Lbf	*
ANGL 7250 44 2044	Dynamic Performance Dorsal D-ring (Head First)	Harness Shall Not Release Test Torso	Did Not Release	Pass
ANSI Z359.11-2014 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass
	Dynamic Performance Dorsal D-ring (Head First)	Angle at Rest ≤ 30°	3.9°	Pass
	Dynamic Performance Dorsal D-ring (Head First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact Load ≥ 3,600 Lbf	2239.4 Lbf	*
ANSI Z359.11-2014	Dynamic Performance Dorsal D-ring (Head First)	Harness Shall Not Release Test Torso	Did Not Release	Pass
4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Remain Suspended for <u>></u> 5 Minutes	5 Minutes	Pass
	Dynamic Performance Dorsal D-ring (Head First)	Angle at Rest ≤ 30°	2.5°	Pass
	Dynamic Performance Dorsal D-ring (Head First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass
	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact Load ≥ 3,600 Lbf	1872.9 Lbf	*
ANGL 7250 44 2044	Dynamic Performance Dorsal D-ring (Head First)	Harness Shall Not Release Test Torso	Did Not Release	Pass
ANSI Z359.11-2014 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass
	Dynamic Performance Dorsal D-ring (Head First)	Angle at Rest ≤ 30°	3.5°	Pass
	Dynamic Performance Dorsal D-ring (Head First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass





FallTech Testing Laboratory

1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

	Fal	ITech Te	st Repo	rt			
Test Report No.	PC-2043	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Dan Redden	Test Specific	ration(e)	ANSI Z359. 4.3.5, 4.3.3,			
Part No.	8124B3DQCM			Part No. Re	vision	Α	
Part Description	FT-One Full Body Harnes	s 3D Standard	Non-Belted,	Medium, QC	Legs and (Chest	
Test Request No.	PC-2043	_	_	Date Comp	lete	10/21/2020	

	Tes	st Summary (Continued)	
Test Specification	Test (Criteria	Test Result	Pass/Fail
ANSI Z359.11-2014 4.3.7	,	Disengagement Load ≤ 120 Lbf	Previously Tested and Passed under PC-1897	Pass

Conclusion
Based upon the samples provided to the Lab:
FallTech P/N 8124B3DQCM Rev. A meets the requirements of ANSI Z359.11-2014

Test Exceptions

* Harness has been dynamically tested and subjected to forces of 5,000 Lbs. or more. Energy absorbing properties inherent to the harness prevented residual force readings equal to or greater than the 3,600 Lbs. required by the standard.

Report Signatories and Approval			
Lab Quality Manager	Jay Sponholz	Date	10/22/2020
Witnessed by	Not Required	Date	N/A