Declaration of Conformity

In Accordance with ANSI/ISEA 125-2014 and ANSI/ASSP Z359.7-2019



Alexander Andrew, Inc. 1306 S. Alameda St Compton, CA 90221 (800) 719-4619

Declaration #

B1020148

Declaration Date

10/22/2020

Tested Item #

8128B3DM

FT-One FBH 3D Standard Non-Belted, Medium, TB Legs/QC Chest, Back Adj

Additional Items Conforming Under this Declaration:

8128B3DXS 812

8128B3DS

8128B3DL

8128B3DXL

8128B3D2X

8128B3D3X

Alexander Andrew, Inc. declares that the product(s) listed above is in conformity with the requirements of the following product standard(s):

ANSI Z359.11-2014

Conformity Assessment Method in accordance with ANSI/ISEA 125-2014

Level 1

Level 2

Х

Level 3

Level 1: FallTech Lab Outside the Scope of ISO/IEC Standard 17025:2005 **Level 2**: FallTech Lab Within the Scope of ISO/IEC Standard 17025:2005 Level 3: Independent 3rd Party Lab accredited to ISO/IEC Standard 17025:2005

Supporting Documentation

PC-2044

Authorized Signature

Zachary Winters

Title

Engineering Manager

Date

10/22/2020



International Accreditation Service, Inc 3060 Saturn St, Ste 100

Brea, CA 92821 +1 562-364-8201

FallTech Lab - TL-594

ISO/IEC 17025:2017

Alexander Andrew Inc dba FallTech





FallTech Test Report						
Test Report No.	PC-2044	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date
Report Prepared For	FallTech	allTech				
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.11-2014 4.3.5, 4.3.3, 4.3.4,		
Part No.	8128B3DM			Part No. Re	vision	А
Part Description	FT-One Full Body Harnes	s 3D Standard	d Non-Belted,	Medium, TB	Legs / QC	Chest
Test Request No.	PC-2044		Date Comp	lete	10/21/2020	
Test Operator(s)	Yesbet Sierra / Jay Sponh	olz				

	Material/Sample Identification				
Sample ID	Description				
5575843	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575847	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575848	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575846	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575850	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575845	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575846	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575850	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575845	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575844	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575849	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				
5575851	FT-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest				

Test Summary						
Test Specification	Test	Criteria	Test Result	Pass/Fail		
	Static Strength (Dorsal D-ring)	3600 Lbf ≥ 1 Minute	3636.7 Lbf	Pass		
ANSI Z359.11-2014	Static Strength (Dorsal D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.37"	Pass		
4.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass		
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass		
	Static Strength (Dorsal D-ring)	3600 Lbf ≥ 1 Minute	3651.2 Lbf	Pass		
ANCI 7250 44 2044	Static Strength (Dorsal D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	.30"	Pass		
4.3.5	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass		
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass		





FallTech Test Report							
Test Report No.	PC-2044	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech	allTech					
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.11-2014 4.3.5, 4.3.3, 4.3.4,			
Part No.	8128B3DM			Part No. Re	evision	Α	
Part Description	FT-One Full Body Harnes	T-One Full Body Harness 3D Standard Non-Belted, Medium, TB Legs / QC Chest					
Test Request No.	PC-2044			Date Comp	lete	10/21/2020	

Test Summary (Continued)						
Test Specification	Tes	t Criteria	Test Result	Pass/Fail		
	Static Strength (Dorsal D-ring)	3600 Lbf ≥ 1 Minute	3636.0 Lbf	Pass		
ANSI Z359.11-2014	Static Strength (Dorsal D-ring)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
	Adjuster Slippage	Slippage ≤ 1"	0.36"	Pass		
4.3.5	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass		
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass		
	Static Strength (Side D-rings)	3600 Lbf ≥ 1 Minute	3649.2 Lbf	Pass		
	Static Strength (Side D-rings)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.0"	Pass		
4.3.5	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass		
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass		
	Static Strength (Side D-rings)	3600 Lbf ≥ 1 Minute	3678.1 Lbf	Pass		
	Static Strength (Side D-rings)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage <u><</u> 1"	0.0"	Pass		
4.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass		
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass		
	Static Strength (Side D-rings)	3600 Lbf ≥ 1 Minute	3652.5 Lbf	Pass		
	Static Strength (Side D-rings)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.5	Adjuster Slippage	Slippage ≤ 1"	0.0"	Pass		
7.3.3	Tear Distance (Buckle)	Shall Not Tear a Distance > 1" or Adjacent Eyelet	Did Not Tear Through	Pass		
	Tearing	Straps Shall Not Show Any Signs of Tearing	Did Not Tear	Pass		





FallTech Test Report							
Test Report No.	PC-2044	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech	allTech					
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.11-2014 4.3.5, 4.3.3, 4.3.4,			
Part No.	8128B3DM			Part No. Re	evision	А	
Part Description	FT-One Full Body Harnes	FT-One Full Body Harness 3D Standard Non-Belted			d, Medium, TB Legs / QC Chest		
Test Request No.	PC-2044			Date Comp	lete	10/21/2020	

Test Summary (Continued)						
Test Specification	Test	Criteria	Test Result	Pass/Fail		
	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load ≥ 3600 Lbf	4565.5 Lbf	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass		
4.5.5	Dynamic Performance Dorsal D-ring (Feet First)	Angle at Rest ≤ 30°	2.7°	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Stretch Shall Not Exceed 18"	11.0"	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load ≥ 3600 Lbf	4704.0 Lbf	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Remain Suspended for <u>></u> 5 Minutes	5 Minutes	Pass		
4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Angle at Rest ≤ 30°	4.1°	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Stretch Shall Not Exceed 18"	11.7"	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Peak Impact Load ≥ 3600 Lbf	4432.1 Lbf	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Remain Suspended for <u>></u> 5 Minutes	5 Minutes	Pass		
4.3.3	Dynamic Performance Dorsal D-ring (Feet First)	Angle at Rest ≤ 30°	3.3°	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass		
	Dynamic Performance Dorsal D-ring (Feet First)	Harness Stretch Shall Not Exceed 18"	11.9"	Pass		





FallTech Test Report						
Test Report No.	PC-2044	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date
Report Prepared For	FallTech					
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.11-2014 4.3.5, 4.3.3, 4.3.4,		
Part No.	8128B3DM			Part No. Re	evision	А
Part Description	FT-One Full Body Harnes	FT-One Full Body Harness 3D Standard Non-Belted			Legs / QC	Chest
Test Request No.	PC-2044			Date Comp	lete	10/21/2020

Test Summary (Continued)						
Test Specification	Test	Criteria	Test Result	Pass/Fail		
	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact Load ≥ 3,600 Lbf	2007.5 Lbf	*		
ANG 7050 44 0044	Dynamic Performance Dorsal D-ring (Head First)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	Angle at Rest ≤ 30°	5.2°	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact Load ≥ 3,600 Lbf	2024.2 Lbf	*		
ANSI Z359.11-2014	Dynamic Performance Dorsal D-ring (Head First)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	Angle at Rest ≤ 30°	5.6°	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	Peak Impact Load ≥ 3,600 Lbf	1688.0 Lbf	*		
ANGL 7250 44 2044	Dynamic Performance Dorsal D-ring (Head First)	Harness Shall Not Release Test Torso	Did Not Release	Pass		
ANSI Z359.11-2014 4.3.4	Dynamic Performance Dorsal D-ring (Head First)	Remain Suspended for ≥ 5 Minutes	5 Minutes	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	Angle at Rest ≤ 30°	18.3°	Pass		
	Dynamic Performance Dorsal D-ring (Head First)	At Least One Fall Arrest Indicator Shall Deploy	Visibly and Permanently Deployed	Pass		





FallTech Testing Laboratory

1306 S. Alameda Street, Compton, CA 90221-4803 Tel: (323) 752-0060 www.falltech.com

FallTech Test Report							
Test Report No.	PC-2044	Rpt. Date	10/22/2020	Rpt. Rev		Rev Date	
Report Prepared For	FallTech	FallTech					
Initiated By	Dan Redden	Test Specification(s)		ANSI Z359.11-2014 4.3.5, 4.3.3, 4.3.4,			
Part No.	8128B3DM			Part No. Re	vision	Α	
Part Description	FT-One Full Body Harness 3D Standard Non-Belted, Med			Medium, TB	Legs / QC	Chest	·
Test Request No.	PC-2044			Date Comp	lete	10/21/2020	

	Test Summary (Continued)						
Test Specification	Test (Criteria	Test Result	Pass/Fail			
ANSI Z359.11-2014 4.3.7	Lanyard Parking Attachment Element	Disengagement Load ≤ 120 Lbf	Previously Tested and Passed under PC-1897	Pass			

Conclusion Based upon the samples provided to the Lab: FallTech P/N 8128B3DM Rev. A meets the requirements of ANSI Z359.11-2014

Test Exceptions

* Harness has been dynamically tested and subjected to forces of 5,000 Lbs. or more. Energy absorbing properties inherent to the harness prevented residual force readings equal to or greater than the 3,600 Lbs. required by the standard.

Report Signatories and Approval						
Lab Quality Manager	Jay Sponholz	Date	10/22/2020			
Witnessed by	Not Required	Date	N/A			