



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 4/17/2020

Description: Self Retracting Device

SRL511311 15 ft. Retractable galvanized cable, swivel top plastic housing, 3/4" load indicator hook, 1/2" carabiner and 15ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10150-5

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 4/17/2020

Description: Self Retracting Device

SRL511311 15 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 15ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10150-5

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 4/17/2020

Description: Self Retracting Device

SRL511311 15 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 15ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10150-5

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 4/17/2020

Description: Self Retracting Device

SRL511311 15 ft. Retractable galvanized cable, swivel top plastic housing, $\frac{3}{4}$ " load indicator hook, $\frac{1}{2}$ " carabiner and 15ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10150-5

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 4/17/2020

Description: Self Retracting Device

SRL511311 15 ft. Retractable galvanized cable, swivel top plastic housing, 3/4" load indicator hook, 1/2" carabiner and 15ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10150-5

Configuration: 36 In Dynamic



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 4/17/2020

Description: Self Retracting Device

SRL511311 15 ft. Retractable galvanized cable, swivel top plastic housing, 3/4" load indicator hook, 1/2" carabiner and 15ft. tagline included. Blue housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10150-5

Configuration: 4' Free Fall



www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

Declaration of Conformance

Model No: SRL511311

Test Date 8/23/2018

Description: Self Retracting Device

SRD - SRL 511311, Cable, 15 ft., Class B, Small Load
Indicating Hook



Scott Rousseau
Qualified PFAS Technician

www.palmersafetyus.com // info@palmersafetyus.com // 504-733-1808