



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL611311

Test Date: 9/20/2021

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing,  $\frac{3}{4}$ " load indicator hook,  $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2



Palmer Safety 6000 Jefferson Hwy. Harahan, La 70123  
[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL611311

Test Date 4/17/2020

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing, 3/4" load indicator hook, 1/2" carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2

Configuration: 36 In Dynamic



[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL611311

Test Date 4/17/2020

Description: Self Retracting Device

SRL611311 20 ft. Retractable galvanized cable, swivel top plastic housing,  $\frac{3}{4}$ " load indicator hook,  $\frac{1}{2}$ " carabiner and 20ft. tagline included. Black housing. Min breaking strength 3000lbs. Meets or Exceeds ANSI Z359.14-2014 Class B. 007-00829-10151-2

Configuration: 4' Free Fall



[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808



# PALMER SAFETY

• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL611311

Test Date 8/21/2018

Description: Self Retracting Device

SRD - SRL 611311, Cable, 20 ft., Class B, Integral Energy Absorption, 3/4" Load Indicating Connector Element



**Scott Rousseau**  
Qualified PFAS Technician

[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808



• Fall Protection • Competent Training • Netting • PPE

## Declaration of Conformance

Model No: SRL 611311

Test Date 12/12/2018

Description: Self Retracting Device

SRD - SRL 611311, Cable, 20 ft., Class B, Integral Energy Absorption, 3/4" Load Indicating Connector Element

Configuration: 4' Free Fall



**Scott Rousseau**  
Qualified PFAS Technician

[www.palmersafetyus.com](http://www.palmersafetyus.com) // [info@palmersafetyus.com](mailto:info@palmersafetyus.com) // 504-733-1808