Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	Brilliant					
Supplier's address: Customer Se	ervice, Brilliantstraß	e 1, 27442 Gnarrenburg	, DE			
Model identifier: G93764/20						
Type of light source:						
Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	/					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
	Product para	meters				
Parameter	Value	Parameter	Value			
	General product p	parameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	51	Energy efficiency class	Е			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	6 200 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to	3 000			

On-mode pow pressed in W	ver (P _{on}), ex-	51,0	the nearest 100 K, that can be set Standby power (P _{sb}), expressed in W and rounded to the sec-	0,00
			ond decimal	
Networked st (P _{net}) for CLS, e and rounded to imal	•	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82
Outer dimen-	Height	1	Spectral power dis-	See image
sions without	Width	20	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	20	range 250 nm to 800 nm, at full-load	
				Page 1 /

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	372			
		Chromaticity coordi-	0,434			
		nates (x and y)	0,403			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	4	Survival factor	0,96			
the lumen maintenance factor	0,97					

(a)'-': not applicable; (b)'-': not applicable;

