Product fiche

Model identifier(a):T328514MLW					
Parameter	Value		Parameter	Value	
Rated capacity (kg)	Rated capacity (b) Rated washing	5,0 8,0	Dimensions in cm (a),(d)	Height Width	85 60
Energy Efficiency Index	capacity (b) EEIw (a) EEIwp (b)	69,0 82,0	Energy efficiency class	Depth EEIw (°)	52 C E
Washing efficiency index	Iw (a) Jw (b)	1,031 1,031	Rinsing effectiveness (g/kg dry textile)	EEIwd (b) IR (a) IR (b)	5,0 5,0
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is	0.062		Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used	0.651	
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	-		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water.	79	
Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer- dryer, using the eco 40-60	Rated capacity Half	35 30	Maximum temperature inside the treated textile (°C) for the washing cycle of the household washer-dryer,	Rated capacity	30.00
Spin speed (rpm)(b)	Quarter Rated washing capacity Half Quarter	30 1400 1400 1400	using the wash and dry cycle. Weighted remaining moisture content(%)(b)	Half 30.00	
Eco 40-60 Programme duration (h:min)	Rated washing capacity Half Quarter	3:35 2:48 2:48	Spin-drying efficiency class (b)	C(e)	
Airborne acoustical noise emis sions in the spinning phase for the eco 40-60 washing cycle at rated	76	Wash and dry cyc		Rated capacity	7:00
washing capacity (dB(A) re 1 pW) Type	free-standing		Airborne acoustical noise emission class for the eco 40-60 programme at rated washing capacity	Half 5:00	
Off-mode (W) (if applicable)	0,50		Standby mode (W) (if pplicable)	0,50	
Delay start (W) (if applicable)	4,00		Networked standby (W) (if applicable)	-	
Minimum duration of the guarantee o	ffered by the supplier ([a),(d):			
This product has been designed to release silver ions during the washing cycle			NO		

- (d) changes to this item shall not be considered relevant for the purposes of paragraph 4 of Article 4 of Regulation (EU) 2017/1369.

 (e) if the product database automatically generates the definitive content of this cell, the supplier shall not enter these data.