

JC-LGL Adjustable LED High Bay Light offers selectable wattage options(100%-80%-60%), allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation. This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC/ETL/cETL are approval, as a testament to its exceptional quality, it comes with a generous 5-year.















## **SPECIFICATION**

Max. Delivered Lumens: 15,000lm

Input Power: Selectable 100W (100%)

- 80W(80%) - 60W(60%)

• Input Voltage: AC100-277V

Dimmable: 0-10V

• 150 LPW

• CRI: ≥ 70

 Operating Temperature Range: -31°F to 122°F (-35°C to 50°C)

• Estimated L70 Lifetime @ 25°C (77°F): >70,000

• Power Factor: >0.9 at full load

• Total Harmonic Distortion: <20% at full load

Waterproof Rating: IP65

Limited Warranty: 5-Year

## RECOMMENDED USE

Auto Dealerships

Manufacturing

Commercial

Storage Facilities

Gymnasiums

Warehouses

Industrial

# DIMENSION 230mm/9 06" "80.7/mm081 100W(80W/60W)

#### JC-LGL LIGHTING

10647 W. Airport Blvd, Suite 200, Stafford TX 77477 USA

Tel: +1 (715)440-5721

E-mail: sales@jc-lgl.com



CA RESIDENTS WARNING: Cancer and Reproductive Harm www.p65warnings.ca.gov



JC-LGL Adjustable LED High Bay Light offers selectable wattage options(100%-80%-60%), allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation. This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC/ETL/cETL are approval, as a testament to its exceptional quality, it comes with a generous 5-year.















## **SPECIFICATION**

- Max. Delivered Lumens: 22,500lm
- Input Power: Selectable 150W (100%)
- 120W(80%) 90W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70

- Operating Temperature Range: -31°F to 122°F
- (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

### RECOMMENDED USE

- Auto Dealerships
- Manufacturing
- Commercial
- Storage Facilities
- Gymnasiums
- Warehouses
- Industrial

# DIMENSION 275mm/10 82" 194mm/7.63" 150W(120W/90W)

#### JC-LGL LIGHTING

10647 W. Airport Blvd, Suite 200, Stafford TX 77477 USA

Tel: +1 (715)440-5721

E-mail: sales@jc-lgl.com



CA RESIDENTS WARNING: Cancer and Reproductive Harm www.p65warnings.ca.gov



JC-LGL Adjustable LED High Bay Light offers selectable wattage options(100%-80%-60%), allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation. This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC/ETL/cETL are approval, as a testament to its exceptional quality, it comes with a generous 5-year.















## **SPECIFICATION**

- Max. Delivered Lumens: 30,000lm
- Input Power: Selectable 200W (100%)
- 160W(80%) 120W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70

- Operating Temperature Range: -31°F to 122°F
- (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

### RECOMMENDED USE

- Auto Dealerships
- Manufacturing
- Commercial
- Storage Facilities
- Gymnasiums
- Warehouses
- Industrial

# DIMENSION 320mm/12 59' 203mm/7.99" 200W(160W/120W)

#### JC-LGL LIGHTING

10647 W. Airport Blvd, Suite 200, Stafford TX 77477 USA

Tel: +1 (715)440-5721

E-mail: sales@jc-lgl.com



CA RESIDENTS WARNING: Cancer and Reproductive Harm www.p65warnings.ca.gov



JC-LGL Adjustable LED High Bay Light offers selectable wattage options(100%-80%-60%), allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation. This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC/ETL/cETL are approval, as a testament to its exceptional quality, it comes with a generous 5-year.













## **SPECIFICATION**

Max. Delivered Lumens: 36,000lm

Input Power: Selectable 240W (100%)

- 190W(80%) - 140W(60%)

• Input Voltage: AC100-277V

• Dimmable: 0-10V

• 150 LPW

• CRI: ≥ 70

 Operating Temperature Range: -31°F to 122°F (-35°C to 50°C)

• Estimated L70 Lifetime @ 25°C (77°F): >70,000

Power Factor: >0.9 at full load

• Total Harmonic Distortion: <20% at full load

Waterproof Rating: IP65

Limited Warranty: 5-Year

### RECOMMENDED USE

Auto Dealerships

Manufacturing

Commercial

Storage Facilities

Gymnasiums

Warehouses

Industrial

# DIMENSION 320mm/12 59' 203mm/7.99" 240W(190W/140W)

#### JC-LGL LIGHTING

10647 W. Airport Blvd, Suite 200, Stafford TX 77477 USA

Tel: +1 (715)440-5721

E-mail: sales@jc-lgl.com



CA RESIDENTS WARNING: Cancer and Reproductive Harm www.p65warnings.ca.gov



JC-LGL Adjustable LED High Bay Light offers selectable wattage options(100%-80%-60%), allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation. This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. ETL/cETL are approval, as a testament to its exceptional quality, it comes with a generous 5-year.















## **SPECIFICATION**

- Max. Delivered Lumens: 45,000lm
- Input Power: Selectable 300W (100%)
- 240W(80%) 180W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70

- Operating Temperature Range: -31°F to 122°F
- (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

### RECOMMENDED USE

- Auto Dealerships
- Manufacturing
- Commercial
- Storage Facilities
- Gymnasiums
- Warehouses
- Industrial

# DIMENSION 320mm/12 59' 203mm/7.99" 300W(240W/180W)

#### JC-LGL LIGHTING

10647 W. Airport Blvd, Suite 200, Stafford TX 77477 USA

Tel: +1 (715)440-5721

E-mail: sales@jc-lgl.com



CA RESIDENTS WARNING: Cancer and Reproductive Harm www.p65warnings.ca.gov



JC-LGL Adjustable LED High Bay Light offers selectable wattage options(100%-80%-60%), allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation. This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. ETL/cETL are approval, as a testament to its exceptional quality, it comes with a generous 5-year.















## **SPECIFICATION**

Max. Delivered Lumens: 60,000lm

Input Power: Selectable 400W

Input Voltage: AC100-277V

• Dimmable: 0-10V

• 150 LPW

• CRI: ≥ 70

- Operating Temperature Range: -31°F to 122°F (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): >70,000

Power Factor: >0.9 at full load


• Total Harmonic Distortion: <20% at full load

Waterproof Rating: IP65

Limited Warranty: 5-Year

## RECOMMENDED USE

- Auto Dealerships
- Manufacturing
- Commercial
- Storage Facilities
- Gymnasiums
- Warehouses
- Industrial



#### JC-LGL LIGHTING

10647 W. Airport Blvd, Suite 200, Stafford TX 77477 USA

Tel: +1 (715)440-5721

E-mail: sales@jc-lgl.com



CA RESIDENTS WARNING: Cancer and Reproductive Harm www.p65warnings.ca.gov