babybee

ROVER3 BASSINET

PRODUCT MANUAL

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE

The Babybee ROVER3 is designed and tested to comply with:
Consumer Protection Notice No. 8 of 2007, AS 2088:2022 & AS/NZS ISO 8124-3

CONTENTS

If you haven't already, please set up your ROVER3 stroller and read your stroller manual cover to cover before moving on to the bassinet.

If you've already done this, then let's get started!

Read all instructions before assembling and using the product

WHAT'S IN THE BOX?

Please check that you have all the correct parts before getting started.

1.
2.
3.
4.

| **1.** Bassinet | **3.** Bassinet canopy |
| **2.** Bassinet mattress | **4.** Bassinet cover |

SAFETY FIRST

⚠ WARNING

- FOLLOW THE MANUFACTURER'S INSTRUCTIONS.

- PUT ON ALL THE BRAKES WHENEVER YOU PARK THE STROLLER.

- DO NOT LEAVE CHILDREN UNATTENDED.

- DO NOT CARRY EXTRA BAGS ON THIS STROLLER.

- MAKE SURE CHILDREN ARE CLEAR OF ANY MOVING PARTS IF YOU ADJUST THE STROLLER OTHERWISE THEY MAY BE INJURED.

- Approved for use with the Babybee ROVER range only.
- Maximum weight that can be carried in the bassinet is 9kg.
- Do not use or leave the bassinet near open fire or exposed flame.
- Never leave rain covers or blankets on or over the stroller indoors, in a hot climate or near a heat source. Always supervise whilst covered.

SETTING UP YOUR BASSINET

Setting up the base

1 Using the fabric straps, pull the frame support rods towards the ends of the bassinet until they lock under the plastic clips.

2 Zip the bassinet fabric onto the frame as shown.

**3** Insert the bassinet mattress.

Attaching the canopy

1 Starting from the left side of the bassinet, zip the canopy onto the frame. (**Tip:** the canopy end is the end with the thick zip)

2 Attach the plastic connectors onto the frame. The connectors attach over the round guides on the frame. (**Tip:** first attach the top half then press the bottom panel into place)

SETTING UP YOUR BASSINET

Attaching the cover & belly bar

1 Starting from the right side when standing at the foot end of the bassinet, zip the foot cover onto the opposite end to the canopy.

2 Using the belly bar from your stroller seat, insert it into the sockets. Always give the bar a firm tug to ensure it's secure.
To remove from one side or both, press the button on the side you want to release and pull the belly bar out.

NOTE: To reduce the risk of SIDS, paediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.

⚠ WARNING

- DO NOT USE THIS BASSINET ONCE THE CHILD CAN SIT UP UNAIDED.
- DO NOT USE FOR UNSUPERVISED SLEEPING.
- DO NOT ADD AN ADDITIONAL MATTRESS OR PADDING INSIDE THE BASSINET.
- THE BASSINET IS NOT DESIGNED TO BE CARRIED BY THE BELLY BAR WITH YOUR CHILD INSIDE.

USING YOUR BASSINET

## Attaching & releasing the bassinet to the frame

Attach the bassinet onto the central connectors of the frame.
To release, lift the bassinet release buttons upwards and lift the bassinet up. The bassinet can face either direction.

Using the ventilation panel

The head end of the bassinet fabric can be unzipped to expose a mesh panel, allowing additional air flow.

Using the sun visor

The bassinet has an inbuilt sun visor. Please be gentle when pulling this out to avoid the rod weakening over time.

Rain cover (compatible with seat and bassinet) - included in the stroller box

Pull the rain cover and elastic over the top of the canopy and then over the end of the seat/bassinet. Please ensure the air vents are located on either side so that air can pass through.

Designer Style. Unbeatable Value.

babybee

babybeeonline.com