



Churchill 5 Convection Dual Control Logstore



The Churchill 5 Convection Logstore Dual Control also features contemporary curved convection panels which lower the distance to combustibles, and the handy addition of a Logstore below the stove, which lifts the fire up into your room for an even better viewing experience.

Dimensions

H x W x D

780 x 549 x 388

Features

- Curved door
- Cast iron grates
- Air cooled handle Closed combustion
- Single air control
- Convection Stove

Information

- 4.3 kW output range
- 75% Efficiency
- 80mm \varnothing Closed combustion outlet
- 110kg Weight
- 125mm Flue Outlet Size

Class Key



Churchill 5 Dual Control



The Churchill 5 Dual Control features a beautiful cast iron curved door, skillfully crafted to perfectly fit the body of the stove. Its large glass area and impressive efficiency figures make it the ideal modern stove for your home.

With new dual air controls, you can even more precisely control the amount of air coming into the fire chamber to allow you to operate it most effectively.

Dimensions

H x W x D

614 x 549 x 388


Features

- Curved door
- Cast iron grates
- Air cooled handle
- Closed combustion
- Single air control

Information

- 4.3 kW output range
- 75% Efficiency
- 80mm \varnothing Closed combustion outlet
- 100kg Weight
- 125mm Flue Outlet Size

Class Key



Loxton 5 Standard



The new 4.3kW Dual Control (DC) model further evolves the concept behind the Loxton, with a carefully crafted cast iron door, turn to open handle and new larger glass area the Loxton 5 DC sits perfectly in both contemporary and traditional homes.

Keeping many of the traits of the rest of the range such as pre-heated secondary air wash to keep the glass clean and free of deposits feeding the air directly back into the heart of the fire.

Dimensions H x W x D

614 x 505 x 332

Features

- Cast iron door
- Cast iron grates
- Closed combustion
- Single air control
- Milled stainless steel handle

Information

- 4.3 kW output range
- 75% Efficiency
- 80mm \varnothing Closed combustion outlet
- 71kg Weight
- 125mm Flue Outlet Size

Class Key



Churchill 5 Convection Dual Control



The Churchill 5 Dual Control features a beautiful cast iron curved door, skillfully crafted to perfectly fit the body of the stove. Its large glass area and impressive efficiency figures make it the ideal modern stove for your home.

With new dual air controls, you can even more precisely control the amount of air coming into the fire chamber to allow you to operate it most effectively.

Dimensions

H x W x D

614 x 549 x 388

Features

- Curved door
- Cast iron grates
- Air cooled handle Closed combustion
- Single air control
- Convection Stove

Information

- 4.3 kW output range
- 75% Efficiency
- 80mm \varnothing Closed combustion outlet
- 100kg Weight
- 125mm Flue Outlet Size

Class Key





Proudly Distributed by **PAUL AGNEW** | DESIGNS



Mendip Stoves Ltd
Unit H1
Mendip Industrial Estate
Mendip Road
Rooksbridge
Somerset
BS26 2UG

5 Year Extended Warranty



Mendip Stoves have an extended 5 Year Warranty when your stove is bought and installed by a registered retailer and installer (terms and conditions apply). The extended Warranty covers the steel body & door castings but does not cover damage caused by faulty operation such as overheating of the stove. The Guarantee does not cover replacement consumable parts such as glass, grates, ropes seals or firebricks. Stoves purchased from a non-registered retailer are covered by a 12 month warranty. For full information please consult our website.

Your Australian Dealer