

SAFETY DATA SHEET CDIW - STENCIL, SQUEEGEE and MISPRINT CLEANER PRESATURATED WIPES

1. Identification	
Product identifier Product name	
	CDIW - STENCIL, SQUEEGEE and MISPRINT CLEANER PRESATURATED WIPES
Product number	MCC-CDIW, MCC-CDIWR
Synonyms; Common Names	CDIW-ScreenClean Solvent Presaturated Wipes"; "CDIWR-ScreenClean Solvent Presaturated Wipes, Refill"
Recommended use of the che	mical and restrictions on use
Restriction on use	Cleaning agent.
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the sa	afety data sheet
Supplier	MICROCARE LLC
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: +1 800-638-0125, +1 860-827-0626 techsupport@microcare.com
Emergency telephone number	
Emergency telephone	INFOTRAC 1-800-535-5053 (CANADA and U.S.A.) 1-352-323-3500 (from anywhere in the world)
2. Hazard identification	
Classification of the substance	e or mixture
Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2A - H319
Label elements	
Hazard pictograms	
Signal word	Warning
Hazard statements	H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.
Supplemental label information	Safety data sheet available on request. For use in industrial installations only.

Other hazards

This product contains a substance classified as PBT.

3. Composition/information on ingredients

Mixtures 1-propoxypropan-2-ol 60-100% CAS number: 1569-01-3

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

D.I. WATER

CAS number: 7732-18-5

Classification

Not Classified

ETHYL ACETATE

CAS number: 141-78-6

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

PROPAN-2-OL

CAS number: 67-63-0

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Composition comments Not applicable.

Composition

1-5%

30-60%

1-5%

4. First-aid measures		
Description of first aid measur	es	
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.	
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.	
Skin contact	Rinse with water.	
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
Most important symptoms and	l effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Pain or irritation. Intoxication. Narcotic effect. Muscle weakness. Nausea, vomiting.	
Ingestion	A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. May cause severe internal injury.	
Skin contact	A single exposure may cause the following adverse effects: Pain.	
Eye contact	Irritating to eyes.	
Indication of any immediate m	edical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the hazardous product		
Specific hazards	Materials such as cleaning rags and paper wipes that are contaminated with flammable liquids may self-ignite after use and should be stored in designated fireproof containers with tight-fitting, self-closing lids.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
Advice for firefighters		

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable.
6. Accidental release measures Personal precautions, protective equipment and emergency procedures	
Personal procedutions	Wear protective elething as described in Section 8 of this safety data sheat. No action shall be

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate.

Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep away from oxidizing materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Flammable liquid storage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
Reference to other sections.	Store away from incompatible materials (see Section 10).
8. Exposure controls/Personal protection	

Control parameters

Occupational exposure limits

ETHYL ACETATE

Long-term exposure limit (8-hour TWA): ACGIH 400 ppm 1440 mg/m³

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m³ Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m³ A4

ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen.

Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Full face mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work. SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work. SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work. SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Colourless.	
Odour	Alcoholic.	
Odour threshold	No information available.	
рН	No information available.	
Melting point	Not applicable.	
Initial boiling point and range	120°C/249°F @ 101.3 kPa	
Flash point	48.9°C/120°F Tag closed cup.	
Evaporation rate	No information available.	
Evaporation factor	No information available.	
Flammability (solid, gas)	No information available.	
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: N/D Upper flammable/explosive limit: N/D	
Other flammability	No information available.	
Vapour pressure	0.23 kPa @ 25°C	
Vapour density	4.0	
Relative density	0.97	
Bulk density	Not applicable.	
Solubility(ies)	Soluble in water.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
Viscosity	Not applicable.	
Explosive properties	No information available.	

6/11

Animal data

CDIW - STENCIL, SQUEEGEE and MISPRINT CLEANER PRESATURATED WIPES

Oxidising properties	There are no chemical groups present in the product that are associated with oxidizing properties.
Comments	Information given is applicable to the major ingredient.
Global Warming Potential (GWP)	
Surface tension	
Refractive index	Not applicable.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	100%
Saturation concentration	No information available.
Critical temperature	Not applicable.
Volatile organic compound	This product contains a maximum VOC content of 785 g/l.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	l
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidizing agents.
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
Materials to avoid	Oxidizing materials. Acids - oxidizing.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
11. Toxicological information	
Information on toxicological ef	fects
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
Skin corrosion/irritation	

Based on available data the classification criteria are not met.

Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
-	Dased on available data the classification chiena are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness. STOT SE 2 - H371 May cause damage to organs .
Target organs	Central nervous system
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Pain or irritation. Intoxication. Narcotic effect. Muscle weakness. Nausea, vomiting.
Ingestion	A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. May cause severe internal injury.
Skin contact	A single exposure may cause the following adverse effects: Pain.
Eye contact	Irritating to eyes.
Acute and chronic health hazards	Keep out of the reach of children.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	Central nervous system
Toxicological information on ir	naredients

PROPAN-2-OL

	Carcinogenicity	
	IARC carcinogen	icity IARC Group 3 Not classifiable as to its carcinogenicity to humans.
	NTP carcinogeni	city Not listed.
12. Ecologi	cal information	
Ecotoxicity		Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
Toxicity		Based on available data the classification criteria are not met.
Ecological i	nformation on ingre	edients
		PROPAN-2-OL
	Acute aquatic to	<u>kicity</u>
	Acute toxicity - fis	sh LC₅₀, 96 hours: 9,640 mg/l, Fish
	Acute toxicity - ad invertebrates	quatic EC₅₀, 48 hours: 5102 mg/l, Daphnia magna
	Acute toxicity - a plants	quatic IC₅₀, 72 hours: >2,000 mg/l, Algae
Persistence	and degradability	
Persistence	and degradability	The degradability of the product is not known.
Bioaccumu	lative potential	
Bioaccumu	lative potential	No data available on bioaccumulation.
Partition co	efficient	No information available.
Ecological i	nformation on ingre	edients
		PROPAN-2-OL
	Partition coefficie	ent : 0.05
Mobility in s	soil	
Mobility		No data available.
Other adve	rse effects	
Other adve	rse effects	None known.
13. Disposa	al considerations	
Waste treat	ment methods	
General infe	ormation	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
14. Transport information	
General	Requirements for marking and labeling of package varies depending on mode of transport. If uncertain of proper markings and labeling, call MicroCare for assistance. As supplied, this product is consigned under the Limited Quantities provisions.
Air transport notes	Forbidden for passenger and cargo aircraft.
DOT transport notes	As supplied, this product is consigned under the Limited Quantities provisions.
UN number	
UN No. (IMDG)	UN3175
UN No. (ICAO)	ID8000
UN proper shipping name	
Proper shipping name (TDG)	LIMITED QUANTITY
Proper shipping name (IMDG)	UN3175, Solids Containing Flammable Liquid, N.O.S. (Glycol Ethers, Isopropanol), 4.1, PGII, Limited Quantity
Proper shipping name (ICAO)	ID8000, Consumer Commodity, 9, Limited Quantity
Proper shipping name (DOT)	LIMITED QUANTITY
Transport hazard class(es)	
IMDG class	4.1
ICAO class/division	ID8000, Consumer Commodity, 9, Limited Quantity
Packing group	
IMDG packing group	11
Environmental hazards	
Environmentally hazardous su No.	bstance/marine pollutant
Special precautions for user	
EmS	F-A, S-I
15. Regulatory information	
Inventories US - TSCA Yes	
16. Other information	
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Eye Irrit. = Eye irritation STOT SE = Specific target organ toxicity-single exposure

Training advice	Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	2021-06-03
Revision	26
Supersedes date	2020-09-09
SDS number	PRESAT - CDIW
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.