



q-optics.com


Specifications

All Q-Optics Flip Style Loupes come standard with our exclusive E-Hinge[™] for maximum ergonomic placement of the loupes. Traditional flip-style loupes are designed with a double hinge that places an optic in front of the eye without considering proper ergonomic position. Our E-Hinge[™] features an incredibly long vertical adjustment bar that allows for the loupes to be placed at a steep ergonomic angle and adjusted separately for proper height. Unlike traditional designs, the unique offset optics ensure the loupes can set deep on the face without the bridge of the nose interfering with the hinge.

Q-Optics Available Loupe Styles

High Resolution Flip Style Loupes

Q-Optics High Resolution Flip Style loupes feature an extra dense optical system. Multiple lenses and glass types combine to create increased image clarity. Weight was not ignored as these loupes still weigh an average of 25 grams less than standard optical systems. The hinge system features a direct vertical adjustment that improves line of sight viewing and maximizes the viewing area by keeping the loupes close to the eye. Flip style loupes come in black with a choice of frame styles and colors.



POWER	MODEL #	WORKING DISTANCE	FIELD OF VIEW	WEIGHT		
High Resolution						
2.5X	F-2.5 S	10"-14"	7 cm	55.0g (1.9oz)		
2.5X	F-2.5 R	13"-17"	7 cm	55.0g (1.9oz)		
2.5X	F-2.5 L	15"-19"	7 cm	55.0g (1.9oz)		
2.5X	F-2.5 XL	17"-22"	10 cm	55.0g (1.9oz)		



Micro Weight Flip Style Loupes

Q-Optics Micro Weight Flip Style loupes feature a special lens spacing technique that uses glass type and distance to help eliminate optical aberrations and bring an extreme reduction in weight. The hinge system features a direct vertical adjustment that improves line of sight viewing and maximizes the viewing area by keeping the loupes close to the eye. Flip style loupes come in black with a choice of frame styles and colors.



POWER	MODEL #	WORKING DISTANCE	FIELD OF VIEW	WEIGHT			
Micro Weight							
2.5X	M-2.5 S	10"-14"	7 cm	48.0g (1.7oz)			
2.5X	M-2.5 R	13"-17"	7 cm	48.0g (1.7oz)			
2.5X	M-2.5 L	15"-19"	7 cm	48.0g (1.7oz)			
2.5X	M-2.5 XL	17"-22"	10 cm	48.0g (1.7oz)			
3.0X	M-3.0 XS	11"-14"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 S	12"-15"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 R	13"-16"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 L	14"-17"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 XL	15"-18"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 XXL	16"-19"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 XXXL	17"-20"	5 cm	46.0g (1.6oz)			
3.0X	M-3.0 XXXXL	18"-22"	8 cm	46.0g (1.6oz)			
3.5X	M-3.5 XS	12"-14"	3 cm	46.0g (1.6oz)			
3.5X	M-3.5 S	13"-15"	5 cm	46.0g (1.6oz)			
3.5X	M-3.5 R	14"-16"	5 cm	46.0g (1.6oz)			
3.5X	M-3.5 L	15"-17"	5 cm	46.0g (1.6oz)			
3.5X	M-3.5 XL	16"-18"	5 cm	46.0g (1.6oz)			
3.5X	M-3.5 XXL	17"-19"	4 cm	46.0g (1.6oz)			

_OUPes

E-Hinge: Merging Ergonomics and Optics



- Quick change connect
- Light weight
- Direct vertical adjustment allows for maximum ergonomic adjustment
- Precision glass telescopes
- Waterproof
- Precision torque set hinges
- Premium titanium frames
- Military grade anti-scratch coating

Correct Ergonomic Posture and Optical Alignment

E-HINGE[™]





Deep Ergonomic Placement and Excellent line of sight The E-Hinge[™] allows for deep ergonomic placement of the loupes without sacrificing optical line of sight.

Technology

Poor Ergonomic Posture Poor Optical Alignment

TRADITIONAL DOUBLE HINGE LOUPES

Ergonomic Compromise



Good Optical alignment = Poor Ergonomic Body position When the optics are aligned to the eye the neck must be bent downward more to see the operative site.

Optical Compromise





Ergonomic Body Position = Poor Optical Alignment When loupes are angled to take stress off the neck the optics are tilted out of adjustment to the eye. Poor optical quality is the result.

Q-Optics



Features





Flip Style Loupe other mounts available upon request





Have a Better Look®



972-298-2669 Local 800-858-2121 US & Canada only 972-298-6592 fax

q-optics.com



Q-Optics / Quality Aspirators 1419 Godwin Lane Duncanville, Texas 75116







Cultivating Excellence in Comprehensive Dentistry[®]

Follow Us

© 2019 Q-Optics. All rights reserved. Product specifications are subject to change at any time without prior notice. DS-308-10000-05, ECN# 1960

