




























CR10S5XY KIT BOM





ITEM	NAME	QTY	
1	2040 black, V slot, 662mm in length	2	
2	2040 black, V slot, 642mm in length	1	
3	2020 black, V slot, 520mm in length	1	
4	2020 black, V slot, 675mm in length M5X10 THREADED HOLE*1, ϕ 5 hole without thread*2	2	
5	1020 black, V slot, 380mm in length	1	
6	1020 black, V slot, 550mm in length	1	
7	1020 black, V slot, 320mm in length	2	

HARDWARE







ITEM	NAME	QTY	PICTURE
1	SYNC BELT TENSIONER 2020 belt tensioner	2	
2	NEMA 17 STEPPER MOTOR 40MM nema 17 motor 42-40 motor, 1.3A D-Shaft , with 2m long cable 4pin-6pin cable	2	
3	F695 2RS Bearing 5*13*4 mm ABEC-7 with flange	20	F695 2rs 
4	20 Teeth 2M 2GT synchronous Pulley Width 6mm, Bore 5mm	2	
5	2GT 6MM SYNC BELT, L= 2.5M RUBBER BELT GATES BRAND 2.8 meters for 1pc, need 2pcs	2	
6	MGN12 RAIL BLACK COLOR, LENGHT = 550mm	6	
7	MGNH 12 SLIDER, BLACK COLOR	6	
8	5015 TURBO FAN 24V	1	
9	ALUMINUM SPACER BORE 3MM , LENGHT= 20MM ====M3*D6*L20	6	








10	ALUMINUM SPACER BORE 3MM , LENGHT= 5MM ===M3*D6*L5	2	
11	ALUMINUM SPACER BORE 5MM , LENGHT= 8MM ===M5*D8*L8	4	
12	ALUMINUM SPACER BORE 5MM , LENGHT= 10MM ===M5*D8*L10	12	
13	ALUMINUM SPACER BORE 5MM , LENGHT= 40MM ===M5*D8*L40	2	
14	SPRING FOR HEATBED 5X10X25, YELLOW COLOR	4	
15	T8 BRASS NUT FOR ENDER 3	3	
16	T8 LEADSCREW LENGHT 570MM T8-8	3	
17	Z MOTOR BRACKET FOR ENDER 3, metal 2pcs for 1 kit, without screws and nuts	3	
18	COUPLER 5 TO 8 MM, SAME AS ENDER 3 (D20XL25)	2	
19	2.5X100MM NYLON ZIP TIE, BAG OF 100 UNITS, RED COLOR	1	


20	Wire male to female Micro JST XH 2.54 2P , 2 meter	3	
21	15 MM DIAMETER BLUE BRAIDED SLEEVE, 2 METER	1	
22	NEMA 17 MOTOR BRACKET 42X59X3MM BLACK COLOR	1	
23	CUSTOM CABLE: 3PIN MALE XH2.54 TO 2PIN MALE XH2.54 LENGHT: 2 METER 26号线	3	
24	14 AWG CABLE 300MM, WITH CRIMP CONNECTOR BO1	1	
25	<p>Orange Mini Quick Connector Universal Compact Wire Connector Plug-in Wire</p> <p>PCT-412</p>  <p>Product model: 412two-hole Product function: Parallel connection Load factor: 40W/220V Shell material: flame retardant Conductive material: pure copper(silver plating) Strapped material: 303 steel Appearance size: 11*13*9.8mm</p>	2	

26	2020 CORNER BRACKET	4	
27	STEPPER MOTOR SPLITTER BOARD W/ CABLE	1	
28	CLOSED LOOP BELT GT2 960MM	2	
30	20 Teeth 2M 2GT synchronous Pulley Width 6mm, Bore 8mm	4	
31	KPO8 BEARING	2	
32	FLAT CORNER BRACKET 2020 BLACK	4	<p data-bbox="1174 1287 1419 1367">Black 2020L- 5hole</p> 
33	STEPPER CABLE 2 METERS	3	

34	3D TOUCH WITH 2 METER WIRE, TRIANGLE LAB BRAND	1	 <p>The image shows a 3D Touch sensor module with a 2-meter long multi-colored wire. The sensor is white with a yellow label that says "3D Touch". The wire is bundled with a yellow tie. The Triangle Lab logo is in the top left corner. The text "3D Touch" is in red at the top right, and "2M wire" is in red at the bottom right. A dashed line with an arrow points to the sensor's connection point.</p>
----	--	---	---

ITEM	DESCRIPTION	IMAGE	QTY
1	CR10S5XY - P1		1
2	CR10XY - P2L		1
3	CR10XY - P2R		1
4	CR10S5XY - P3L	<p data-bbox="760 1041 854 1056">AMFER 2.5MM</p>  <p data-bbox="1008 1100 1118 1125">ISOMETRIC VIEW LEFT SIDE</p>	1
5	CR10S5XY - P3R		1
6	CR10XY - P4L		1

7	CR10XY - P4R		1
	CR10S5XY - P11		1
8	CR10XY - P5		2
9	CR10XY - P6		2
10	CR10XY - P7		2
11	CR10XY - P8		4
12	CR10XY - P9		2

13	CR10XY - P10		1
----	--------------	--	---

ITEM	DESCRIPTION	QTY	REFERENCE IMAGE
1	SOCKET BOLT HEX ALLEN HEAD M3X8 stainless steel	50	
2	SOCKET BOLT HEX ALLEN HEAD M3X10 stainless steel	4	
3	FLAT BOLT HEX ALLEN HEAD M4x8	14	
4	FLAT BOLT HEX ALLEN HEAD M4x16	6	
5	BUTTON BOLT HEX ALLEN HEAD M3x6mm stainless steel	22	
6	BUTTON BOLT HEX ALLEN HEAD M3x8mm stainless steel	6	
7	BUTTON BOLT HEX ALLEN HEAD M3x25mm stainless steel	4	
8	BUTTON BOLT HEX ALLEN HEAD M3x30mm stainless steel	8	
9	BUTTON BOLT HEX ALLEN HEAD M4x8mm stainless steel	9	
10	BUTTON BOLT HEX ALLEN HEAD M4x12mm stainless steel	6	
11	BUTTON BOLT HEX ALLEN HEAD M5x8mm stainless steel	60	
12	BUTTON BOLT HEX ALLEN HEAD M5x20mm stainless steel	10	
13	BUTTON BOLT HEX ALLEN HEAD M5x25mm stainless steel	8	
14	BUTTON BOLT HEX ALLEN HEAD M5x30mm stainless steel	8	
15	BUTTON BOLT HEX ALLEN HEAD M5x45mm stainless steel	4	
16	SPRING NUT for Vslot 2020 profile M3	27	
17	SPRING NUT for Vslot 2020 profile M4	31	
18	SPRING NUT for Vslot 2020 profile M5	62	
19	M3 NUT STAINLESS STEEL NYLON LOCK	6	
20	M4 NUT STAINLESS STEEL NYLON LOCK	6	
21	M5 NUT STAINLESS STEEL NYLON LOCK	6	