




UNLEASH YOUR
RELX ARTISAN MODEL N: P53L




① How to Use

 **Take out the Pod from the package**


Remove the dustproof silicone cap.

 **Insert the Pod into your device**

Wait for the vibration and light to flash.

 **Inhale gently**
Start your RELX experience!

Have a try,
how do you like it?



The experience gets smoother with more puffs.

② LED Notifications



LED Notifications

Status	Notification	Light display
Usage - Normal inhaling	Normal use	4 LEDs pulse
	Low power	4 LEDs flicker red ten times
Usage - Inserting pod	Power remaining 10-25%	Device vibrates, LED1 pulses
	Power remaining 25-50%	Device vibrates, LED1 and LED2 pulse
	Power remaining 50-75%	Device vibrates, LED1, LED2 and LED3 pulse
	Power remaining 75-100%	Device vibrates, LED1, LED2, LED3 and LED4 pulse

Check out the light on the device.

Use while charging | Short Circuit Protection
Overcurrent Protection | Smart Pace Alert

Status	Notification	Light display
Charging	0-25% charged	LED1 flashes slowly
	25-50% charged	LED1 and LED2 flash slowly
	50-75% charged	LED1, LED2, and LED3 flash slowly
	75-99% charged	LED1, LED2, LED3, and LED4 flash slowly
	Charging complete	4 LEDs are constant white
Abnormal status	Circuit protection is turned on	Device vibrates; 4 LEDs flicker red three times, using is not allowed

③ Charging Information



USB Type-C

Fast Charging

(When charging with the USB Type-C cable that comes with the device)

Battery capacity: 380mAh

Average charging time: 45 minutes*

400 puffs available when fully charged*

Maximum charging voltage: 5V

Maximum charging current: 700mA

USB Cable

Input voltage: 5V

Output voltage: 5V

Output current: 1A

* For reference only. Actual performance depends on usage and environment.

Please Note:

Smart Pace Alert

Vibrates after every 15 puffs within 15 minutes to remind you of your usage.

Replaceable Pods

Check the translucent design to see when the vapor liquid is depleted — now it's time to insert a new Pod.

When Flying

Please do not use in non-smoking areas. Store your RELX products in carry-on baggage, and separate the pods from other valuables.

For more information on equipment operation and maintenance, please refer to the "User Instructions" manual.

To get the most out of your ARTISAN, here are a few more things you should know.

④ WARNINGS

This product is in compliance with the following:

- Electromagnetic Compatibility Directive 2014/30/EU
- Restriction of Hazardous Substances Directive 2011/65/EU
- The Tobacco Products Directive (2014/40/EU)
- Safety Requirements for Portable Sealed Secondary Cells: IEC 62133-2
- Safety Requirements for Household and Similar Electrical Appliances IEC 60335-1
- Part 15 of the FCC Rules
- Interference-Causing Equipment Standard ICES-003
- Energy Efficiency Regulations for Battery Chargers in the Canada Gazette, Part II

CAN ICES-3(B)/NMB-3(B)



Battery Recycling:

The battery of this product should not be treated as household waste, instead it should be handed over to the applicable used battery collection point for recycling.


WEEE Recycling:

This product should not be treated as household waste, instead it should be handed over to the applicable collection point for the recycling of electrical and electronic equipment.



اكتشف روعة

MODEL N: P53L ريلاكس أرتيزان




① كيفية الاستخدام

أخرج الكبسولة من العبوة
قم بإزالة مطاط السليكون
العازل للغبار.

أدخل الكبسولة في جهازك
انتظر إشارة الضوء

اسحب بلطف
ابدأ تجربتك مع ريلاكس

جربها الآن،
ما رأيك بالتجربة؟



التجربة تصبح سلسلة
أكثر مع كل سحبة.

٢ إشعارات LED

إشعارات LED

دلالة الضوء	الإشعارات	الحالة
تضيء 4 أضواء LED	السحب العادي	أثناء الاستخدام العادي
ل ٤ أضواء LED تتبض باللون الأحمر 10 مرات	الطاقة منخفضة	
الجهاز يرخ LED1 ينبض	تبقى من الشحن 10% - 25%	الاستخدام - إدخال الكبسولة
الجهاز يرخ وينبض الضوء LED1 و LED2	تبقى من الشحن 25% - 50%	
الجهاز يرخ وينبض الضوء LED1 LED2, LED3	تبقى من الشحن 50% - 75%	
الجهاز يرخ وتتبض أضواء LED1, LED2, LED3, LED4	تبقى من الشحن 75% - 100%	

تأكد من حالة الضوء على الجهاز

الاستخدام أثناء الشحن | حماية من تلامس الأقطاب
حماية من الجهد المرتفع | نظام تنبيه معدل الاستخدام

الحالة	الإشعارات	دلالة الضوء
الشحن	الشحن 0% - 25%	يضيء LED1 ببطء
	الشحن 25% - 50%	يضيء LED1, LED2 ببطء
	الشحن 50% - 75%	يضيء LED1, LED2, LED3 ببطء
	تبقى من الشحن 50% - 75%	أضواء LED الأربعة مضاءة باستمرار
	الشحن مكتمل	يضيء LED1, LED2, LED3, LED4 ببطء
مشكلة	دائرة الحماية في وضعية التشغيل	يرجى الجهاز، وتومض أضواء LED الحمراء 3 مرات لا يجوز استخدام الجهاز

شحن البطارية ٣



شحن البطارية السريع ب

USB Type-C

اثناء الشحن بواسطة كابل مرفق مع المنتج

سعة البطارية : ٣٨٠ ملي أمبير الساعة

متوسط مدة شحن البطارية : ٤٥

دقيقة

٤٠٠ سحب متاحة عند شحن البطارية

بالكامل

الحد الأقصى لجهد شحن البطارية : ٥

فولت

الحد الأقصى لتيار شحن البطارية : ٧٠٠

ملي أمبير الساعة

شحن كابل USB

الجهد الكهربائي الداخل : ٥ فولت

الجهد الكهربائي الخارج : ٥ فولت

الجهد الكهربائي الخارج : ١ أمبير

يرجى الملاحظة

تذكر التردد الذكي

الجهاز يهتز بعد كل ١٥ سحبة في غضون عشر دقيقة لتذكرك بنمط استعمالك .

الكبسولة القابلة للاستبدال

تحقق داخل التصميم الشفاف لمعرفة وقت نفاد سائل البخار - حان الوقت لإدخال كبسولة جديدة .

على متن الطائرة

يرجى وضع منتجات ريلاكس بأمان في أمتعتك المحمولة .

لمزيد من المعلومات حول تشغيل الجهاز و صيانتة . يرجى الرجوع إلى تعليمات الاستخدام و خدمة ما بعد البيع * .

للاستفادة القصوى من
أرتيزان، إليك بعض
المعلومات المهمة.

٤ تحذيرات

هذا المنتج متوافق مع:

- دليل توافقية الأجهزة الإلكترونية
2014/30/EU
- دليل المواد الخطرة المحددة
2011/65/EU
- دليل منتجات التبغ (2014/40/EU)
- متطلبات السلامة للأجهزة المغلقة المحمولة IEC 62133-2
- دليل السلامة للأجهزة المنزلية والأدوات الكهربائية
المشابهة IEC 60335-1
- معايير الأجهزة ICES-003
- تشريعات كفاءة الطاقة لشحن البطارية في كندا، القسم ٢

CAN ICES-3(B)/NMB-3(B)



إعادة تدوير البطارية:

لا يجب التخلص من بطارية هذا الجهاز كأى مهملات عادية، بل يجب وضعها في الصندوق المخصص لإعادة تدوير البطاريات.

إعادة تدوير WEEE:

لا يجب التخلص من هذا الجهاز كأى مهملات عادية، بل يجب وضعه في الصندوق المخصص لإعادة تدوير الأجهزة الإلكترونية.



User Instructions

PLEASE READ THESE INSTRUCTIONS CAREFULLY AND KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.

Addictiveness and toxicity

For nicotine containing products: Nicotine is a highly addictive substance and can lead to nicotine addiction.

Contraindications and specific risk groups

E-cigarette aerosol presents risks to your health. Local laws and regulations govern the minimum age for purchase and use of this product. This product should not be used by:

- **Minors (please consult local legislation of your jurisdiction for applicable legal age).** Nicotine exposure during adolescence can harm the developing brain, can impact learning, memory, and attention. Using nicotine in adolescence can also increase risk of future addiction. Children and adolescents should not use RELX under any circumstances.
- **Those who are pregnant or nursing.** Nicotine can cause birth defects or reproductive harm.
- **Anyone with pre-existing health conditions.** Nicotine can increase heart rate and blood pressure and may exacerbate health risks for individuals with heart issues including heart disease, hypertension and/or high blood

pressure. Nicotine may increase the risk of stroke and/or aggravate the disease process for individuals with diabetes, and other chronic diseases. Do not use if you have an unstable heart condition, severe hypertension, diabetes, a disorder of the lungs, cancer or heart and vascular diseases.

- **Those who have allergies.** RELX e-liquids are made from propylene glycol, plant-based ingredients derived from the tobacco plant, fruits, spices and other plant-based substances. People with particular allergies may experience an allergic reaction or discomfort after use.
- **Those with respiratory illnesses.** The vaporized aerosol created by this product has the potential to cause or exacerbate respiratory or other diseases, which in some cases are irreversible. Consult your doctor prior to use of this product.
- **Non-smokers.** This product is not intended for use by individuals who have never smoked or used nicotine products, or who have already stopped all use of tobacco or nicotine products.

Do not use this product if you have a history **of esophagitis, hiatal hernia, or gastroesophageal reflux disease (GERD).**

The aerosol created by this product has the potential to expose users and bystanders to harmful substances, including heavy metals, volatile organic compounds, and ultrafine particles that can be inhaled deeply into the lungs.

Possible adverse effects

- Mouth and throat irritation
- Cough
- Increased airway resistance
- Chest pain
- Increased blood pressure
- Increased heart rate
- Vomiting
- Nausea
- Headache
- Dizziness
- Stomach pain

If you experience any of the above side effects or any possible side effects not listed in this manual, immediately discontinue using the product. If the side effect(s) continue after you stop use, consult your doctor or healthcare professional.

First-aid treatment

This product contains a nicotine solution. Contact with the skin or eyes may cause irritation. Wash any areas of skin coming into contact with the e-liquid thoroughly with water. For eye contact, flush with water and seek medical attention. If swallowed, rinse the mouth and seek medical attention. When seeking medical advice, have the product containers or label available.

General Use and Maintenance

Storage

Please store the product in a cool, dry, dark place and at room temperature 21-25°C/70-77°F. It is recommended that a pod is used within **15 days** of opening for optimum quality. E-liquid quality and e-liquid pod use is subject to environmental conditions, including air

pressure and temperature. For product shelf life, please refer to <https://relxnow.com/pages/faq>.

Environmental Impact

The e-liquid is composed of several ingredients which are sensitive to changes in temperature, pressure, and other environmental conditions. They should be stored and handled with care to prevent any leaks or changes in quality. The pod should be used within the range of 15-30°C/59-86°F for optimum quality. If the pod has been subjected to extreme heat or cold, it is recommended that the pod be brought to room temperature before use.

Condensation

You may occasionally notice condensation appearing on the outside of the pod while using the product depending on temperature and humidity conditions. This is not a leak and can be wiped away. Although not a cause for alarm, a small crackling sound may be heard now and then when inhaling. Simply shaking the pod lightly can get rid of this issue.

Air Transportation

The International Civil Aviation Organization (ICAO) has banned the use of this product on aircraft, and has banned the transportation of vaping devices in checked luggage. When traveling, you should carry this product in your hand luggage. It should be stored to effectively prevent accidental activation, and remain separated from any flammable items.

During travel, e-liquid pods should be stored in a sealed package and away from other things, as the low pressure inside the aircraft may make it easier for the e-liquid to leak. If such a leak occurs, clean the pod with a cotton swab and a small amount of isopropyl alcohol, and let dry before use. If you notice a persistent leak of e-liquid from

the pod, please contact our Customer Service immediately.

Do Not Open or Disassemble

This product does not require disassembly. Please note that disassembly of this product voids the device and product warranty, please refer to relxnow.com/pages/warranty.

Do Not Combine with Other Products

RELX devices and RELX pods are intended to be used together. Do not use RELX products with devices, pods, or e-liquids produced by other manufacturers.

Keep Out of Reach of Children

Please keep this product out of the reach of children and pets. Nicotine is toxic. If any part of the device or any amount of e-liquid is ingested, drink water to dilute the e-liquid and seek medical attention.

Avoid Eye and Skin Contact

Physical contact with or direct ingestion of nicotine-carrying liquids can cause discomfort or irritation. If any e-liquid comes into contact with your eyes, rinse immediately and thoroughly for several minutes and seek medical attention immediately. If e-liquid comes into contact with skin, immediately rinse and dry the affected area.

Inhale Properly

Draw on the device mouthpiece gently, in order to avoid inhaling large quantities of vapor or e-liquid. Always use the device in an upright or mostly-upright position. Avoid using the device while lying down as any inversion of the pod could result in the e-liquid level falling below the vaporizing component, thereby damaging the e-liquid pod.

When to Replace the Pod

RELX pods are designed to visibly show the

amount of e-liquid left in the pod. The pods should be replaced when empty.

IMPORTANT SAFEGUARDS

SAFETY WARNINGS AND INSTRUCTIONS PLEASE READ AND SAVE THESE INSTRUCTIONS

The Safety Warnings and Instructions included in this document cannot cover all possible conditions and situations that could occur. Caution and care must be exercised when using or maintaining any personal electronic product. To reduce the risk of injury, always use this product in accordance with the manufacturer's instructions.

FAILURE TO OBSERVE THE FOLLOWING SAFETY INSTRUCTIONS DURING USE MAY RESULT IN DEVICE OVERHEATING, AND COULD POTENTIALLY CAUSE FIRES, ELECTRIC SHOCK, INJURY, OR PROPERTY DAMAGE. PLEASE READ AND FOLLOW ALL SAFETY INSTRUCTIONS GIVEN BELOW. THE FOLLOWING WARNINGS ARE BASED ON UL1642 "SAFETY STANDARDS (LITHIUM BATTERIES)" AND IEC 62133-2 "SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES - SAFETY REQUIREMENTS FOR PORTABLE SEALED SECONDARY LITHIUM CELLS, AND FOR BATTERIES MADE FROM THEM, FOR USE IN PORTABLE APPLICATIONS - PART 2: LITHIUM SYSTEMS".

Operation Please be careful when using or carrying this product. It is a consumer electronic product, containing metal, a battery, and sensitive electronics. If the

device is dropped, burned, punctured, squeezed, or exposed to liquids it may be damaged. If you suspect that the device or the device battery is damaged, cease use immediately and contact our Customer Service.

Battery The built-in Lithium-Ion battery is rechargeable and is not intended to be removed or replaced by the user. DO NOT disassemble the device or remove the battery yourself; such removal voids the device and product warranty. Removing the battery may cause electrical sparks, overheating, and may result in fire, explosion, or release of harmful substances. If you suspect the battery to be damaged, please contact our Customer Service immediately.

Avoid Contact with High Temperatures, Do Not Incinerate Do not place the device in proximity to direct sources of heat, direct exposure to sunlight, or in environments of high temperatures (above 60°C/140°F). Contact with high temperatures will damage the battery which will cause malfunction and could result in fire, explosion, or release of harmful substances. The lithium-ion battery will burn and/or explode if heated or incinerated.

Avoid Electrical Overload The device and the lithium-ion battery within the device are both designed to withstand a certain charging current (Please refer to Product Manual). Exposing the device to current exceeding this maximum may cause rapid heating of the battery and the device, and could result in device overheating and possibly catching on fire.

Toxic Exposure Lithium-ion batteries contain caustic and toxic chemical compounds. If the battery is physically damaged or pierced, avoid contact of skin and eyes, and dispose of immediately. If eye or skin exposure to the matter contained within the battery has occurred, rinse the affected area thoroughly with water immediately, and seek medical attention.

Avoid Exposure to Liquids This product is not waterproof, and should not be made wet or exposed to liquids. Please do not soak or expose the device to significant amounts of any liquids, including water, sea water, and beverages.

Battery Maintenance During Long-term Storage If you are not planning on using the device for a long time, it is recommended that you recharge the battery at least once every six months. If the battery is not recharged within six months, it may start losing electrical capacity, degrading battery performance.

Do Not Use Damaged Devices If you notice any abnormality in the appearance or function of your device, especially physical damage, deformation, battery bloating, or leakage, please stop immediately and contact our Customer Service.

DISCLAIMER

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS MANUAL, NO OTHER WARRANTIES ARE EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE WARRANTIES AND REMEDIES SET FORTH IN THIS MANUAL DO NOT APPLY TO PRODUCT WHICH FAILS TO COMPLY WITH THE WARRANTIES BASED ON MISUSE (INCLUDING BUT NOT LIMITED TO THE IMPROPER INSTALLATION, IMPROPER USAGE, USE BEYOND THE GUIDANCE OF THE PRODUCT BROCHURE, COMBINATION WITH OTHER COMPONENT OR PRODUCTS, MIXTURE WITH OTHER COMPOUND, AND/OR REPAIR ACCIDENT), ABUSE OR MODIFICATION MADE BY ANYONE.

This manual shall be governed by and construed in accordance with Hong Kong laws. Any dispute arising from this manual shall be resolved through arbitration. The arbitration shall be conducted in Hong Kong, administered by the Hong Kong International Arbitration Centre (“HKIAC”) in accordance with the HKIAC Administered Arbitration Rules in effect at the time of the arbitration. The arbitration proceedings shall be conducted in English. Any award of the arbitration tribunal, whether it is for interim, provisional or final relief, shall be binding upon the disputing parties.

CONTACT US

Customer Service

Live Chat: relxnow.com - Support - Live Chat
Email: support@relxintl.com

For warranty policy, please refer to relxnow.com/pages/warranty.

Follow us online to stay updated on the latest news from RELX:

Facebook: [@RELXArabia](https://www.facebook.com/RELXArabia)

Instagram: [@RELXArabia](https://www.instagram.com/RELXArabia)

[WWW.RELXNOW.COM](https://www.relxnow.com)

RELX

تعليمات الاستخدام

يرجى قراءة هذه التعليمات
بعناية والاحتفاظ بها

الإدمان والسّمية

النيكوتين مادة شديدة الإدمان
ويمكن أن تؤدي إلى الإدمان.

موانع الاستعمال والمجموعات المعرضة للمخاطر

تشمل السجائر الإلكترونية مخاطر على صحتك.
تحدد التشريعات المحلية السن القانوني لشراء
واستخدام هذا المنتج. لا ينبغي استخدام هذا
المنتج من قبل: إلى الإدمان.

- القصر (يرجى الاطلاع على القوانين المحلية في
منطقتك لمعرفة السن القانوني المعتمد).
التعرض للنيكوتين خلال مرحلة المراهقة سيؤثر
سلباً على تطور الدماغ، وربما يؤثر أيضاً على
وظائف التعلم والذاكرة والانتباه. كما أن
النيكوتين في مرحلة المراهقة يزيد من مخاطر
الإدمان في المستقبل. لا يجوز أن يستخدم
الأطفال والمراهقون ريلاكس تحت أي ظرف من
الظروف.
- الحوامل أو المرضعات.
يمكن أن يسبب النيكوتين تشوهات خلقية أو
أضراراً بالإنجاب.
- أي شخص يعاني من مشاكل صحية.
يمكن للنيكوتين أن يزيد من معدل ضربات القلب
وضغط الدم وقد يزيد من المخاطر الصحية
للأفراد الذين يبيعون من أمراض القلب بما فيها
أمراض القلب وضغط الدم.

وقد يزيد النيكوتين من مخاطر الإصابة بالسكتة الدماغية وتعقيدات الأمراض للأشخاص المصابين بالسكري أو مشاكل في الرئتين، السرطان، القلب أو الأوعية الدموية.

● الأشخاص الذين لديهم حساسية. السائل الإلكتروني في ريبلاكس مصنوع من بروبولين الجليكول، ومكونات نباتية مشتقة من التبغ والفواكه والتوابل وغيرها من المواد المستخلصة من النبات. الأشخاص الذين لديهم حساسية من هذه المكونات قد يعانون من رد فعل تحسسي أو شعور بعدم الراحة بعد الاستخدام.

● المصابون بأمراض في الجهاز التنفسي. البخار الناجم عن هذا المنتج يحمل مخاطر على الجهاز التنفسي أو أمراض أخرى لا يمكن الشفاء منها بشكل تام. يرجى استشارة طبيبك قبل استخدام المنتج.

● غير المدخنين. هذا المنتج غير مخصص للاستخدام من قبل الأفراد الذين لم يدخنوا أبداً أو لم يستخدموا منتجات النيكوتين، أو الذين توقفوا بالفعل عن استخدام التبغ أو منتجات النيكوتين.

لا تستخدم هذا المنتج إذا كان لديك تاريخ من التهاب المريء أو فتق الحجاب الحاجز أو مرض الجزر المعدي المريئي (GERD).

قد تشمل الآثار الضارة المحتملة

- تهيج الفم والحلق
- السعال
- زيادة مقاومة مجرى الهواء
- ألم في الصدر
- زيادة ضغط الدم
- زيادة معدل ضربات القلب
- القيء
- الغثيان
- الصداع
- الدوخة
- آلام المعدة

إذا واجهت أيًا من الآثار الجانبية المذكورة أعلاه أو أي آثار جانبية محتملة غير مدرجة في هذا الدليل، توقف فوراً عن استخدام المنتج. إذا استمرت الآثار الجانبية بعد التوقف عن الاستخدام، استشر طبيبك أو أخصائي الرعاية الصحية.

الإسعافات الأولية

يحتوي هذا المنتج على محلول النيكوتين، وقد تؤدي ملامسته للجلد أو العينين إلى حدوث تهيج. اغسل بالماء جيداً أي منطقة من الجلد لامست السائل. في حال ملامسة السائل للعين، اغسلها بالماء فوراً واطلب العناية الطبية. في حال البلع، اشطف الفم واطلب الرعاية الطبية. أحضر معك عبوات المنتج أو الملصق عند استشارة الطبيب.

الاستخدام العام والصيانة

التخزين

يرجى تخزين المنتج في مكان بارد وجاف ومظلم بدرجة حرارة الغرفة ٢١-٢٥ درجة مئوية / ٧٠-٧٧ درجة فهرنهايت. يوصى باستخدام المنتج خلال ١٥ يوماً من فتحه للاستمتاع بأفضل جودة. ترتبط جودة السائل الإلكتروني والسجائر الإلكترونية ذات الاستخدام الواحد بالظروف البيئية، بما في ذلك ضغط الهواء ودرجة الحرارة.

يرجى العلم بأن العمر الافتراضي لهذا المنتج هو ١٨ شهراً.

التأثير البيئي

يحتوي السائل الإلكتروني على عدد من المكونات الحساسة لتغير درجة الحرارة والضغط والعوامل البيئية الأخرى. لذا يجب تخزينه والتعامل معه بحذر لمنع أي تسرب أو تغير في الجودة. يجب استخدام المنتج ضمن ١٥-٣٠ درجة مئوية / ٥٩-٨٦ فهرنهايت للاستمتاع بأفضل جودة. في حالة تعرض هذا المنتج للحرارة الشديدة أو البرودة الشديدة، يوصى بإعادته إلى درجة حرارة الغرفة قبل الاستخدام.

التكاثف

قد تلاحظ أحياناً تكاثف بخار خارج الكبسولة أثناء استخدام المنتج بحسب درجة الحرارة والرطوبة. هذا ليس تسرباً ويسمكّن مسحه بسهولة. ومع أن هذا لا يعتبر تحذيراً، قد تسمع أحياناً صوت قرقرة بين الحين والآخر أثناء الاستنشاق/ السحب. رج الكبسولة بلطف قد يحل هذه المشكلة.

السفر جوا

منعت هيئة الطيران والملاحة العالمية استخدام هذا المنتج على متن الطائرة، كما حظرت نقل منتجات الفيب عبر حقائب المسافرين. يجب الاحتفاظ بهذه الأجهزة بشكل يمنع تشغيلها دون قصد، ويجب إبقاؤها بعيداً عن أي مواد قابلة للاشتعال. ينبغي خلال السفر حفظ كبسولات السائل الإلكتروني في علبة محكمة الإغلاق بعيداً عن بقية الأمتعة، لأن الضغط المنخفض داخل مقصورة الطائرة قد يسهّل تسرب السائل الإلكتروني. إذا حدث هذا الأمر، امسح السائل بكحول إيزوبروبول، ودعه يجف قبل لاستخدام. إذا لاحظت استمرار تسرب السائل الإلكتروني .

لا تحاول فتح الجهاز أو تفكيكه.

لا يتطلب هذا الجهاز أي عملية فك. كما يرجى العلم بأن فك الجهاز يعطله ويلغي ضمان المنتج أيضاً. يمكنك الاطلاع على relxnow.com/pages/warranty.

لا تدمجه مع أجهزة أخرى

أجهزة وكبسولات ريلاكس مصممة لتستخدم معاً. لا تحاول استخدام منتجات ريلاكس مع أجهزة، كبسولات، أو سائل إلكتروني من علامات أخرى.

تحفظ بعيداً عن متناول الأطفال

يرجى إبقاء المنتج بعيداً عن متناول الأطفال والحيوانات الأليفة. النيكوتين مادة سامة. إذا تم ابتلاع أي جزء من الجهاز أو السائل الإلكتروني، اشرب المياه على الفور لتخفيف تركيز السائل واطلب المساعدة الطبية على الفور.

تجنب ملامسة العين والبشرة

ملامسة أو ابتلاع السوائل المحتوية على النيكوتين قد يسبب الشعور بعدم الراحة أو التهيج. إذا لامس السائل العين فقم بغسلها على الفور وبشكل مستمر لعدة دقائق ثم اطلب المساعدة الطبية على الفور. أما إذا لامس السائل البشرة فقم بغسلها جيداً ثم قم بتجفيفها.

استنشاق جيداً

ضع فمك حول القسم المخصص برفق لتجنب استنشاق كمية أكبر من البخار أو السائل الإلكتروني. استخدم الجهاز دائماً بوضعية قائمة تماماً أو قدر الإمكان، وتجنب استخدام الجهاز أثناء الاستلقاء لأن أي وضعية بخلاف ذلك قد تسبب انزياح السائل الإلكتروني إلى ما دون مستوى منطقة التبخير في الكبسولة، ما يسبب عطل الكبسولة. بغسلها جيداً ثم قم بتجفيفها.

متى يجب استبدال الكبسولة

صممت كبسولات ريلاكس لتظهر بوضوح مستوى السائل الإلكتروني المتبقي، يجب استبدال الكبسولة عند انتهاء السائل.

معلومات مهمة للسلامة

تعليمات وإرشادات السلامة يرجى قراءتها
والاحتفاظ بها

لا يمكن لتحذيرات وتعليمات السلامة المضمنة في هذا الكتيب أن تغطي جميع الظروف والمواقف المحتملة التي يجوز حدوثها. عليك توخي الحذر والانتباه عند استخدام أو صيانة أي منتج إلكتروني مخصص للاستخدام الشخصي. للحد من مخاطر أي إصابة، يرجى استخدام هذا المنتج دائماً وفقاً لتعليمات الشركة المصنعة.

أي إخفاق في الالتزام بتعليمات السلامة التالية أثناء استخدام الجهاز قد يتسبب بارتفاع درجة حرارة الجهاز، ما قد يؤدي إلى وقوع حرائق أو صدمات كهربائية أو إصابات أو تلف بالممتلكات. يرجى قراءة جميع تعليمات السلامة الواردة أدناه واتباعها حرفياً. تستند التحذيرات التالية إلى "معايير السلامة الخاصة ببطاريات الليثيوم" IEC 62133-2 والخلايا والبطاريات الثانوية التي تحتوي على القلويات أو غيرها من الإلكتروليتات غير الحمضية - متطلبات السلامة لخلايا الليثيوم الثانوية المختومة المحمولة، والبطاريات المصنوعة منها، للاستخدام في الأجهزة المحمولة - الجزء 2: أنظمة الليثيوم".

الاستعمال : يرجى توخي الحذر عند استعمال هذا المنتج أو حمله. فهذا المنتج إلكتروني استهلاكي يحتوي على المعادن والبطاريات والإلكترونيات الحساسة. إذا وقع الجهاز منك أو تم حرقه أو ثقبه أو عصره أو تعرض للسوائل، فقد يتلف. إذا شككت في تلف الجهاز أو بطارية الجهاز، توقف فوراً عن استخدامه واتصل بخدمة العملاء.

بطارية الليثيوم أيون المدمجة قابلة لإعادة الشحن ولا يحق للمستخدم إزالتها أو استبدالها. لا تقم بفك الجهاز أو نزع البطارية بنفسك؛ فعند نزعك للبطارية أنت تخسر الكفالة الموجودة على الجهاز والمنتج. قد يتسبب نزعك للبطارية بحدوث شرارات كهربائية وارتفاع في درجة الحرارة ما يؤدي إلى نشوء مواد ضارة أو انفجارها أو إطلاقها. أما إذا كنت تشك بتلف البطارية، فما عليك سوى الاتصال فوراً بخدمة العملاء.

تجنب تعريض الجهاز لدرجات حرارة عالية لا تتسبب بحرقه. لا تضع الجهاز قرب مصدر حراري، أو تعرضه مباشرة لأشعة الشمس، أو تضعه في بيئات ذات درجات حرارة مرتفعة (فوق ٦٠ درجة مئوية / ١٤٠ درجة فهرنهايت).

فإن ملامسة الجهاز لدرجات حرارة مرتفعة قد تسبب تلف البطارية ما سيؤدي إلى حدوث عطل يتسبب بدوره بحريق أو انفجار أو إطلاق مواد ضارة. إن بطارية الليثيوم أيون تحترق و/أو تنفجر إذا تم تسخينها أو حرقها.

تجنب التحميل الزائد للكهرباء. هذا الجهاز وبطارية الليثيوم أيون التي يتضمنها مصممان لحمل شحن يصل لغاية ١٢٠٠ ملي أمبير. أما تعريض الجهاز لتيار يتجاوز الحد الأقصى المسموح به فقد يتسبب بتسخين سريع للبطارية والجهاز ما قد يؤدي إلى ارتفاع في درجة حرارة الجهاز وربما

التعرض للسموم. تحتوي بطاريات الليثيوم أيون على مركبات كيميائية كاوية وسامة. في حال تلف البطارية أو ثقبها، تجنب ملامسة الجلد والعينين لها وينصح بالتخلص منها على الفور. وفي حال تعرض العينين أو الجلد للمادة الموجودة داخل البطارية، يرجى غسل المنطقة المصابة على الفور بالماء ثم طلب مساعدة طبية.

تجنب تعريض الجهاز للسوائل. هذا المنتج غير مقاوم للماء، ولا يجوز تعريضه للبلل أو السوائل. يرجى عدم نقع الجهاز في الماء أو تعريضه لكميات كبيرة من أي نوع من السوائل، بما في ذلك الماء الصافية ومياه البحر والمشروبات.

صيانة البطارية أثناء التخزين طويل الأمد. إذا كنت تخطط لعدم استخدام الجهاز لفترة طويلة، يوصى بإعادة شحن البطارية مرة واحدة على الأقل كل ستة أشهر. فإذا لم يتم شحن البطارية كل ستة أشهر، فقد تبدأ في فقدان سعتها الكهربائية ما سيؤدي إلى تدهور أدائها.

توقف عن استخدام الأجهزة التالفة. إذا لاحظت أي تغييرات في مظهر جهازك أو وظيفته، خصوصاً إذا كان تلفاً مادياً أو تشوهاً أو انتفاخاً في البطارية أو تسرباً، يرجى التوقف فوراً عن استخدامه والاتصال بخدمة العملاء.

إخلاء مسؤولية

باستثناء الضمانات الصريحة الواردة في هذا الكتيب، لا توجد ضمانات صريحة أو ضمنية أخرى، بما في ذلك أي ضمانات ضمنية لقابلية التسويق والملاءمة لغرض محدد. الضمانات والتعويضات المنصوص عليها في هذا الكتيب لا تنطبق على المنتج الذي لا يمثل للضمانات القائمة على سوء استخدام (بما في ذلك على سبيل المثال لا الحصر التثبيت غير الصحيح، الاستخدام غير المناسب، الاستخدام خلافاً لتعليمات دليل المنتج، الدمج مع مكونات أو منتجات أخرى، الخلط مع مركبات أخرى، و / أو حوادث التصليح)، إساءة في الاستخدام أو أي تعديل يقوم به أي شخص.

يخضع هذا الكتيب لقوانين هونغ كونغ ويتم تفسيره وفقاً لها. أي نزاع ينشأ عن هذا الكتيب يتم حله من خلال التحكيم. يتم التحكيم في هونغ كونغ، ويديره مركز هونغ كونغ للتحكيم الدولي وفقاً لقواعد التحكيم التي يديرها مركز هونغ كونغ للتحكيم الدولي السارية في وقت التحكيم. تتم إجراءات التحكيم باللغة الإنجليزية. كل قرار صادر عن هيئة التحكيم سواء كان ذلك للانتصاف المؤقت أو النهائي، هو ملزم للأطراف المتنازعة.

تواصل معنا

خدمة العملاء:

المحادثة المباشرة: relxnow.com

البريد الإلكتروني: support@relxintl.com

لسياسة الضمان يرجى العودة إلى:

relxnow.com/pages/warranty

تابعنا وابق على اطلاع على آخر أخبار ريلاكس:

فيسبوك: @RELXArabia

إنستغرام: @RELXArabia

WWW.RELXNOW.COM

RELX