

User Agreement

Instructions

**PLEASE READ THIS
MANUAL AND ITS
AFFILIATED USER
INSTRUCTIONS
CAREFULLY BEFORE
YOU START AND KEEP
THIS MANUAL FOR
FUTURE REFERENCE.**

Addictiveness and toxicity

Contains nicotine which causes severe addiction, increased heart rate and high blood pressure. Nicotine is harmful to the health of pregnant and nursing women, and people suffering from chronic pulmonary diseases such as asthma and pulmonary embolism.

Contraindications and specific risk groups

The surgeon general has found that e-cigarette aerosol is not harmless. Local laws and regulations govern the minimum age for purchase and use of this product. As a general rule, we highly recommend that this product NOT be used by:

- **Minors (please consult your local jurisdiction for applicable age limit).** Nicotine exposure during adolescence can harm the developing brain, can impact learning, memory, and attention. Using nicotine in adolescence can also increase risk of future addiction. Children and adolescents should not use RELX under any circumstances.
- **Those who are pregnant or nursing.** Nicotine can cause birth defects or reproductive harm.
- **Anyone with pre-existing health conditions.** Nicotine can increase heart rate and blood pressure and may exacerbate health risks for individuals with heart issues including heart disease, hypertension and/or high blood pressure. Nicotine may increase the risk of stroke and/or aggravate the disease process for individuals with diabetes, and other chronic diseases. Do not use if you have an unstable heart condition, severe hypertension, diabetes, a disorder of the lungs, cancer or heart and vascular diseases.
- **Those who have allergies.** RELX e-liquids are made from propylene glycol, plant-based ingredients

derived from the tobacco plant, fruits, spices and other plant-based substances. People with particular allergies may experience an allergic reaction or discomfort after use.

- **Those with respiratory illnesses.** The vaporized aerosol created by this product has the potential to cause or exacerbate respiratory or other diseases, which in some cases are irreversible. Consult your doctor prior to use of this product.
- **Non-smokers.** This product is not intended for use by individuals who are former smokers, or who have never smoked or used nicotine products.

Nicotine is relatively contraindicated in patients with a history of **esophagitis, hiatal hernia, or gastroesophageal reflux disease (GERD).**

Be careful when you use RELX, especially when there are children and non-smokers nearby. The aerosol created by this product has the potential to expose users and bystanders to harmful substances, including heavy metals, volatile organic compounds, and ultrafine particles that can be inhaled deeply into the lungs.

Possible adverse effects

- **Irritation**
- **Cough**
- **Increased airway resistance**
- **Chest pain**
- **Increased blood pressure**
- **Increased heart rate**
- **Vomiting**
- **Nausea**
- **Headache**
- **Dizziness**
- **Stomach pain**

If you experience any of the above side effects including any possible side effects not listed in this manual, discontinue using the product. If the side effect(s) continue after you stop use, consult your doctor or healthcare professional.

First-aid treatment

This product is intended for use with various strengths of e-liquid, if you come into direct contact with such e-liquid whilst using this product please wash your hands and forearms thoroughly.

Exposure to such liquid can be harmful if it gets into your eyes, in which case flush your eyes with water and seek medical attention. If swallowed, rinse out your mouth and seek immediate medical attention. When seeking medical advice, have the liquid product container or label at hand.

General Use and Maintenance

Storage Please store the product in a cool, dry, dark place and at room temperature around $23\pm 2^{\circ}\text{C}$. It is recommended that a pod is used within **15 days** of opening. E-liquid quality and e-liquid pod use is subject to environmental conditions, including air pressure and temperature.

Condensation You may occasionally notice condensation appearing on the outside of the pod while using the product depending on temperature and humidity conditions. This is not a leak and can be wiped away. Although not a cause for alarm, a small crackling sound may be heard now and then when inhaling. Simply shaking the pod lightly can get rid of this issue.

Air Transportation The International Civil Aviation Organization (ICAO) has banned the use of this product on aircraft, and has banned the transportation of vaping devices in checked luggage. When traveling, you should carry this product in your hand luggage. It should be stored to effectively

prevent accidental activation, and remain separated from any flammable items.

During travel, e-liquid pods should be stored in a sealed package and away from other things, as the low pressure inside the aircraft may make it easier for the e-liquid to leak. If such a leak occurs, clean the pod with a cotton swab and a small amount of isopropyl alcohol, and let dry before use. If you notice a persistent leak of e-liquid from the pod, please contact our Customer Service immediately.

Do NOT Open or Disassemble This product does not require disassembly. Please note that disassembly of this product voids the device and product warranty, please refer to relxnow.com/pages/warranty.

Do NOT Combine with Other Product

This product is intended to be used by itself and with RELX e-liquid pods. Do not: combine it with any other product, use e-liquid pods manufactured by others in combination with it, or use RELX e-liquid pods with other vaporizers.

Keep Out of Reach of Children Please keep this product out of the

reach of children and pets. Nicotine is toxic when consumed in excessive quantities. If any part of the device or any amount of e-liquid is ingested directly, drink water to dilute the e-liquid.

Avoid Eye and Skin Contact Physical contact with or direct ingestion of nicotine-carrying liquids can cause discomfort or irritation. If any e-liquid comes into contact with your eyes, rinse immediately and thoroughly for several minutes and seek medical attention immediately. If e-liquid comes into contact with skin, immediately rinse and dry the affected area.

Inhale Properly Draw on the device mouthpiece gently, in order to avoid inhaling large quantities of vapor or accidentally pulling up e-liquid. Always use the device in an upright or mostly-upright position. Avoid using the device while lying down as any inversion of the pod would result in the e-liquid level falling below the vaporizing component, thereby damaging the e-liquid pod.

When to Replace the Pod RELX pods are designed to visibly show

the amount of e-liquid left in the pod. Please change a new pod when there is no more e-liquid left in it

DISCLAIMER

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS MANUAL, NO OTHER WARRANTIES ARE EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE WARRANTIES AND REMEDIES SET FORTH IN THIS MANUAL DO NOT APPLY TO PRODUCT WHICH FAILS TO COMPLY WITH THE WARRANTIES BASED ON MISUSE (INCLUDING BUT NOT LIMITED TO THE IMPROPER INSTALLATION, IMPROPER USAGE, USE BEYOND THE GUIDANCE OF THE PRODUCT BROCHURE, COMBINATION WITH OTHER COMPONENT OR PRODUCTS, MIXTURE WITH OTHER COMPOUND, AND/OR

**REPAIR ACCIDENT),
ABUSE OR
MODIFICATION MADE
BY ANYONE.**

This manual shall be governed by and construed in accordance with Hong Kong laws. Any dispute arising from this manual shall be resolved through arbitration. The arbitration shall be conducted in Hong Kong, administered by the Hong Kong International Arbitration Centre ("HKIAC") in accordance with the HKIAC Administered Arbitration Rules in effect at the time of the arbitration. The arbitration proceedings shall be conducted in English. Any award of the arbitration tribunal, whether it is for interim, provisional or final relief, shall be binding upon the disputing parties.

Customer Service

support@relxtech.com

WeChat: relx2018

CONTACT US

Follow us online for the latest updates!

Facebook: @relxnow

Instagram: @relxtech

Twitter: @RELXTech

WWW.RELXNOW.COM

اتفاقية المستخدم يرجى
قراءة هذا الدليل وتعليمات
المستخدم التابعة له بعناية
قبل البدء، والحفاظ على
هذا الدليل للرجوع إليه في
المستقبل.

هذا المنتج يحتوي على النيكوتين

النيكوتين هو مركب كيميائي
شديد الإدمان موجود في نبات
التبغ ويمكن أن يؤدي إلى إدمان
النيكوتين. يمكن أن يؤدي
النيكوتين إلى الدوخة والغثيان
والآام في المعدة. إذا شعرت بأي
إحساس بعدم الراحة عند
استخدام هذا المنتج، بما في ذلك
الحساسية، والدوخة أو الدوار، أو
ضيق في الصدر، أو أي آثار
سلبية أخرى، يرجى التوقف عن
استخدام المنتج على الفور وقم
بمراجعة طبيبك.

الآثار الجانبية والفئات المعرضة للخطر

يحتوي هذا المنتج على النيكوتين،

وهو مادة تسبب الإدمان للغاية.
وقد وجد كبير الأطباء في
الولايات المتحدة أن بخار السجائر
الإلكترونية ليس خال من
الأذى. تحكم القوانين
والتشريعات المحلية الحد الأدنى
لسن شراء واستخدام هذا المنتج.
كقاعدة عامة، نوصي بشدة بالآ
يستخدم هذا المنتج الأفراد
التالون:

- القاصرون (يرجى الرجوع
إلى القوانين المحلية لمعرفة
الحد الأدنى للسن المعمول
به). التعرض للنيكوتين
خلال فترة المراهقة يمكن
أن يضر تطوير الدماغ،
ويمكن أن يؤثر على التعلم
والذاكرة والانتباه. استخدام
النيكوتين في مرحلة المراهقة
يمكن أيضاً أن يؤدي إلى
مشاكل صحية.
- يزيد من خطر الإدمان في
المستقبل. يجب على
الأطفال والمراهقين عدم
استخدام RELX تحت أي
ظرف من الظروف.
- الحوامل والمرضعات. يمكن
أن يسبب النيكوتين عيوب
خلقية أو أضرار إنجابية.
- أي شخص لديه ظروف
صحية موجودة من قبل،
يمكن أن يزيد النيكوتين من
معدل ضربات القلب
وضغط الدم وقد يؤدي إلى

تفاقم المخاطر الصحية للأفراد الذين يعانون من مشاكل في القلب بما في ذلك أمراض القلب وارتفاع ضغط الدم و/أو ارتفاع ضغط الدم. قد يزيد النيكوتين من خطر الإصابة بالسكتة الدماغية و/أو يؤدي إلى تفاقم المرض للأشخاص المصابين بمرض السكري والأمراض المزمنة الأخرى.

● الأفراد الذين يعانون من الحساسية. تصنع سوائل RELX الإلكترونية من مكونات نباتية مشتقة من نبات التبغ والفواكه والتوابل وغيرها من المواد النباتية. قد يعاني الأشخاص الذين يعانون من حساسية معينة من رد فعل تحسسي أو عدم الراحة بعد الاستخدام.

● الأفراد الذين يعانون من أمراض الجهاز التنفسي. يمكن أن يسبب أو يؤدي البخار الناتج عن هذا المنتج إلى تفاقم أمراض الجهاز التنفسي أو غيرها، والتي لا رجعة فيها في بعض الحالات. استشر طبيبك قبل استخدام هذا المنتج.

● غير المدخنين. هذا المنتج غير مخصص للاستخدام من قبل المدخنين السابقين، أو الأفراد الذين لم يدخنوا أو

يستخدموا منتجات النيكوتين
من قبل.

النيكوتين غير موصى به طبياً
بشكل نسبي في حالات المرضى
الذين لديهم تاريخ بالإصابة بالتهاب
المرئي، أو فتق الحجاب الحاجز،
أو مرض الارتداد المعدي
المرئي.

كن حذراً عند استخدام
RELX، خاصة عندما يكون
هناك أطفال حولك في مكان
قريب. يمكن للبخار الناتج عن
هذا المنتج أن يعرض المستخدمين
والمارة لمواد ضارة، بما في ذلك
المعادن الثقيلة والمركبات العضوية
المتطايرة والجسيمات فائقة الدقة
التي يمكن استنشاقها بعمق في
الرئتين.

الاستخدام العام والصيانة

التخزين يرجى تخزين المنتج في
مكان بارد وجاف ومظلم بدرجة
حرارة حوالي 22 ± 2 درجة
مئوية.

مدة صلاحية الكبسولة لكل
كبسولة سائل إلكتروني من
RELX عمر افتراضي حوالي 18
شهرًا في حالة عدم فتحها ومع
تخزينها في ظروف وفقاً للشروط
الواردة أدناه. يوصى بأن يتم

استخدام الكبسولة في غضون
١٥ يوما من فتحها. تخضع جودة
السائل الإلكتروني واستخدام
كبسولة السائل الإلكتروني
للظروف البيئية، بما في ذلك
ضغط الهواء ودرجة الحرارة.

التكثيف قد تلاحظ أحيانا وجود
تكثيف يظهر على الغلاف
الخارجي للكبسولة أثناء استخدام
المنتج وفقا لظروف درجة الحرارة
والرطوبة. هذا ليس تسرب
ويمكن أن يمسح. على الرغم من
أنه ليس سببا للفرع، يمكن سماع
صوت قطعة صغيرة بين الحين
والآخر عند الاستنشاق. ويمكن
ببساطة تحريك الكبسولة بشكل
طفيف للتخلص من هذه المسألة.

النقل الجوي لقد حذرت منظمة
الطيران المدني الدولي (ICAO)
استخدام هذا المنتج على متن
الطائرات، وحظرت نقل أجهزة
التبخير في الأمتعة المشحونة في
باطن الطائرة. عند السفر، يجب
عليك حمل هذا المنتج في حقيبة
اليد. يجب تخزينه لمنع التنشيط
العرضي بشكل فعال، ويجب أن
يبقى منفصلا عن أي مواد قابلة
للاشتعال.

أثناء السفر، يجب تخزينه بشكل
فعال لمنع التشغيل العرضي، لأن
الضغط المنخفض داخل الطائرة
قد يسهل تسرب السائل

الإلكتروني. إذا حدث مثل هذا التسرب، قم بتنظيف الكبسولة باستخدام قطعة قطن وكمية صغيرة من كحول الأيزوبروبيل (isopropyl)، واطركها تجف قبل الاستخدام. إذا لاحظت وجود تسرب مستمر للسائل الإلكتروني من الكبسولة، يرجى الاتصال بخدمة العملاء على الفور.

لا تقوم بالفتح أو التفكيك هذا المنتج لا يتطلب التفكيك. يرجى ملاحظة أن تفكيك هذا المنتج يبطل كفاءة الجهاز والمنتج.

لا تستخدمه مع أي منتج آخر تم تصميم هذا المنتج ليستخدم بمفرده وباستخدام كبسولات السائل الإلكتروني RELX. لا تجمع بينه وبين أي منتج آخر، ولا تستخدم كبسولات السائل الإلكتروني المصنعة من قبل شركات أخرى معه، ولا تستخدم كبسولات السائل الإلكتروني RELX مع أي أجهزة تبخير أخرى من الماركات.

يحفظ بعيدا عن متناول الأطفال يرجى إبقاء هذا المنتج بعيدا عن متناول الأطفال والحيوانات الأليفة. النيكوتين سام عند استهلاكه بكميات مفرطة. إذا تم ابتلاع أي جزء من الجهاز أو أي كمية من السائل الإلكتروني مباشرة، يجب عليك شرب الماء لتخفيف السائل الإلكتروني. وبقم باستشارة طبيبك

تجنب ملامسة العين والبشرة

يمكن أن يسبب الاتصال
الجسدي مع السوائل التي تحمل
النيكوتين أو الابتلاع المباشر لها
عدم الراحة أو التهيج. إذا
تلامست أي كمية من السائل
الإلكتروني مع عينيك، فقم
بغسلها فوراً وبشكل كامل لعدة
دقائق واطلب العناية الطبية فوراً.
إذا تلامس السائل الإلكتروني
مع الجلد، قم بشطف مكان
التلامس فوراً وتجنيفه.

الاستنشاق بشكل صحيح قم
بالسحب على طرف الجهاز برفق
من أجل تجنب استنشاق كميات
كبيرة من البخار أو سحب السائل
الإلكتروني عن طريق الخطأ.
استخدم الجهاز دائماً في وضع
عامودي أو شبه عامودي. تجنب
استخدام الجهاز أثناء الأستلقاء
لأن أي تنكيس للكبسولة
سيؤدي إلى انخفاض مستوى
السائل الإلكتروني إلى ما دون
عنصر التبخير، وبالتالي إتلاف
كبسولة السائل الإلكتروني.

متى يجب استبدال الكبسولة تم
تصميم كبسولات RELX
لإظهار كمية السائل الإلكتروني
المتبقي في الكبسولة بشكل واضح.
بعد نفاذ السائل الإلكتروني من
الكبسولة، فإن استمرار
الاستخدام سيؤدي إلى رائحة
"احتراق". يرجى تركيب كبسولة
جديدة عندما لا تبقى أي كمية
من السائل الإلكتروني في
الكبسولة.

تنبیه / ملاحظة

باستثناء الضمانات الصريحة
الواردة في هذا الدليل، لا
توجد ضمانات أخرى صريحة
أو ضمنية، بما في ذلك أي
ضمانات ضمنية للزواج
والملاءمة لغرض معين، لا
تنطبق الضمانات وسبل
الانتصاف المنصوص عليها في
هذا الدليل على أي منتج لا
يمثل للضمانات القائمة على
سوء الاستخدام (بما في ذلك

على سبيل المثال لا الحصر
التركيب غير السليم، و/أو
الاستخدام غير السليم، و/أو
الاستخدام خارج توجيهات
كتيب المنتج، و/أو الجمع مع
مكونات أو منتجات
الأخرى، و/أو الخلط مع
مركب آخر، و/أو أي
حادث إصلاحي، وسوء
المعاملة أو أي تعديل يقوم
به أي شخص.

يخضع هذا الدليل لقوانين
هونغ كونغ ويفسر وفقاً لها.
يتم تسوية أي نزاع ينشأ عن
هذا الدليل عن طريق
التحكيم. يتم التحكيم في
هونغ كونغ، ويديره مركز
هونغ كونغ الدولي للتحكيم
وفقاً لقواعد التحكيم التي
يديرها مركز هونغ كونغ
الدولي للتحكيم (HKAIIC)
السارية وقت التحكيم. تم
إجراءات التحكيم باللغة
الإنجليزية. ويكون أي قرار
يصدر عن هيئة التحكيم،
سواء كان بشأن انتصاف
مؤقت أو مؤقت أو نهائي،
ملزماً للطرفين المتنازعين.

اتصل بنا
خدمة العملاء
البريد الإلكتروني:
support@relxtech.com
وي نشات: ٢٠١٨ relx

تابعنا عبر الإنترنت للحصول
على آخر التحديثات

فيسبوك: @relxnow
إنستغرام: @relxtech
تويتر: @RELXTech