



21-013253/D002.R001 **Report Number: Report Date:** 11/23/2021 **ORELAP#:** OR100028 Purchase Order: **Received:** 11/10/2114:36

This is an amended version of report# 21-013253/D002.R000. Reason: Sample re-extracted for potency.

Customer:	Magic City Organics
Product identity:	#181
Client/Metrc ID:	800 Pet
Laboratory ID:	21-013253-0004

## Summary

Analyte	Result	Limits	Units	Status	CBD-Totalper28.5g	884 mg/28.5g		
CBC	0.0828		%					
CBD	3.10		%		THC-Totalper28.5g	36.5 mg/28.5g -		
CBDV†	0.0183		%		The Totaperzo.sg	0010g, <u>_</u> 010g		
CBE†	0.0206		%					
CBG†	0.0247		%		(Reported in milligrams per serving)			
CBN	0.00953		%					
CBT†	0.0560		%					
Δ9 <sup>-THC</sup>	0.128							
Δ9			%					
Analyte per 28.5g	Result	Limits	Units	Status				
ČBCper28.5g	23.6		mg/28.5g					
CBDper28.5g	884		mg/28.5g					
CBDVper28.5g†	5.22		mg/28.5g					
CBEper28.5g†	5.87		mg/28.5g					
CBGper28.5g†	7.04		mg/28.5g					
CBNper28.5g	2.72		mg/28.5g					
CBTper28.5g <sup>†</sup>	16.0							
-THCper28.5g	36.5		mg/28.5g mg/28.5g					

of NELAP and the Columbia

www.columbialaboratories.com

unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	21-013253/D002.R001
Report Date:	11/23/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	11/10/2114:36

Customer:	Healthy Roots
Product identity: Client/Metrc ID:	#181, 800 Pet
Sample Date:	
Laboratory ID:	21-013253-0004
Evidence of Cooling:	No
Temp:	20.7 °C
Relinquished by:	Client
Serving Size #1:	28.5 g

## Sample Results

Potency	Method J AOA	AC 2015 V98-6 (mod)	Units %Batc	<b>h:</b> 2110535	Analyze: 11/19/21 11:29:00 P
Analyte	Result	Limits	Units	LOQ	Notes
CBC	0.0828		%	0.0033	
CBC-A†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
CBC-Total†	0.0828		%	0.0062	
CBD	3.10		%	0.0328	
CBD-A	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
CBD-Total	3.10		%	0.0357	
CBDV†	0.0183		%	0.0033	
CBDV-A†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
CBDV-Total†	0.0183		%	0.0061	
CBE†	0.0206		%	0.0033	
CBG†	0.0247		%	0.0033	
CBG-A†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
CBG-Total	0.0247		%	0.0061	
CBL†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
CBL-A†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
CBL-Total†	<loq< td=""><td></td><td>%</td><td>0.0062</td><td></td></loq<>		%	0.0062	
CBN	0.00953		%	0.0033	
CBT†	0.0560		%	0.0033	
Δ8-THCV	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
Δ8-THC†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
∆9-THC	0.128		%	0.0033	
THC-A	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
THC-Total	0.128		%	0.0033	
THCV†	<loq< td=""><td></td><td>%</td><td></td><td></td></loq<>		%		
THCV-A†	<loq< td=""><td></td><td></td><td>0.0033</td><td></td></loq<>			0.0033	
THCV-Total†	<loq< td=""><td></td><td>%</td><td>0.0033</td><td></td></loq<>		%	0.0033	
TotalCannabinoids†	3.44		%	0.0061	
			%		

Potency per 28.5g	Method J AOA	AC 2015 V98-6 (m	<b>ch:</b> 2110535	Analyze: 11/19/21 11:29:00 P	
Analyte	Result	Limits	Units	LOQ	Notes
CBCper28.5g†	23.6		mg/28.5g	0.935	
CBC-Aper28.5g†	<loq< td=""><td></td><td>mg/28.5g</td><td>0.935</td><td></td></loq<>		mg/28.5g	0.935	
CBC-Totalper28.5g†	23.6		mg/28.5g	1.76	

www.columbialaboratories.com

Page 2 of 8

Test re ients of NELAP and the Columbia L es quality as unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430

d and to the

only



Potency per 28.5g	Method J AOA	AC 2015 V98-6 (mod) <b>Units</b> mg/se <b>Bat</b>	ch: 2110535Analyze	e: 11/19/21 11:29:00 P
Analyte	Result	Limits Units	LOQ	Notes
CBDper28.5g	884	mg/28.5g	9.35	
CBD-Aper28.5g	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
CBD-Totalper28.5g	884	mg/28.5g	10.2	
CBDVper28.5g†	5.22	mg/28.5g	0.935	
CBDV-Aper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
CBDV-Totalper28.5g†	5.22	mg/28.5g	1.75	
CBEper28.5g†	5.87	mg/28.5g	0.935	
CBGper28.5g†	7.04	mg/28.5g	0.935	
CBG-Aper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
CBG-Totalper28.5g†	7.04	mg/28.5g	1.75	
CBLper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
CBL-Aper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
CBL-Totalper28.5g†	<loq< td=""><td>mg/28.5g</td><td>1.76</td><td></td></loq<>	mg/28.5g	1.76	
CBNper28.5g	2.72	mg/28.5g	0.935	
CBTper28.5g†	16.0	mg/28.5g	0.935	
\8-THCVper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
\8-THCper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
v9-THCper28.5g	36.5	mg/28.5g	0.935	
exo-THCper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
HC-Aper28.5g	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
FHC-Totalper28.5g	36.5	mg/28.5g	1.76	
THCVper28.5g <sup>†</sup>	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
THCV-Aper28.5g†	<loq< td=""><td>mg/28.5g</td><td>0.935</td><td></td></loq<>	mg/28.5g	0.935	
THCV-Totalper28.5g†	<loq< td=""><td>• •</td><td></td><td></td></loq<>	• •		
FotalCannabinoidsper28.5g	980	mg/28.5g mg/28.5g	1.76	

www.columbialaboratories.com

es qualit

and the Columbia (

and to the





These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Received:11/10/2114:36

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>†</sup> = Analyte not NELAP accredited.

## Units of Measure

g = Gram mg/28.5g = Milligram per 28.5g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Tes

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	21-013253/D002.R001
Report Date:	11/23/2021
ORELAP#:	OR100028
Purchase Order:	

11/10/2114:36

Received:

A Tentamus Company	y								DR1000				04/202			
CHAIN OF CU Company: Healthy Roots Contact: Liz Merritt Address: 14325 NE Airpor Portland, OR 97 Ernail: Healthy RootsAction Phone: 503.496-2329 License: AG-L 1052211FP Ing (If offerent): Mpliance & healthy root Client Sample Identification #7, BB Base #178, 2000 Root Buffer #179, 2000 Root Buffer #179, 2000 Pet #179, 500 Pet	rt Way, #1 230 @gmail.co Sheny Date 11/13	om + rad	Pesticides - OR 59 compounds	Pesticide Multi-Residue – 379 compounds	C C C Potency	Residual Solvents	Molsture & Water Activity	Sieces	Micro: Yeast and Mold	Micro: E.Coll and Total Coliform	Heavy Metals		ic Plate C	Proje Pro Custom I Report t Turnarou Sampled Sample	by: Weight (Units)	ETRC or Other: Business Day Standard Turnaround Business Day Rush Turnaround Business Day Rush Turnaround Business Day Rush Turnaround Check for availability Comments/Metrc ID Comments/Metrc ID Comments/Metrc ID Comments/Metrc ID Please do 2 clary Rush turnaround on this item only Soft turnary Por rest of te Report in Mg/gr and Soft (percentage)
Relinquished By:	Date	Time	-	_	R	ceived	By:	L		D	ate	T	ime			Lab Use Only:
Merritt	11/10	2:15p			-	R	5			10	21	14	1:3,6	Sample	eed Via: e of cooling: C in good condit   Check   C storage:	oper Client drop ) Yes ) 27 No - Temp (*C): ilob: Yes   No ] CC/ G Net:

+ - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an ag nt for services in accordance with the current terms of service associated with this COC By signing "Relinquished by" v P: (503) 254-1794 | Fax: (503) 254-1452 w are agreeing to these terms 12423 NE Whitoker Way Portland, OR 97230 Page of www.columbialaboratories.com info@columbialaboratories.com

Page 5 of 8

ies quality ass

www.columbialaboratories.com ived by the

d and to the

samples as rece





Report Number:	21-013253/D002.R001
Report Date:	11/23/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	11/10/2114:36

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labo	ratory	Quality C	ontrol R	esults		
J AOAC 2015				Bat	ch ID:21	10535		
Laboratory Cor	itrol Sample							
Analyte	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	0.0100	0.01	%	100	85.0 -	115	Acceptable	
CBDV	0.0110	0.01	%	110	85.0 -	115	Acceptable	
CBE	0.00987	0.01	%	98.7	85.0 -	115	Acceptable	
CBDA	0.0101	0.01	%	101	85.0 -	115	Acceptable	
CBGA	0.0101	0.01	%	101	85.0 -	115	Acceptable	
CBG	0.0102	0.01	%	102	85.0 -	115	Acceptable	
CBD	0.00985	0.01	%	98.5 101	85.0 -	115	Acceptable	
THCV	0.0101	0.01	%	95.0	850 -	115	Acceptable	
d8THCV	0.00950	0.01	%	98.5	85.0 -	115	Acceptable	
THEVA	0.00985	0.01	%	99.3	85.0 -	115	Acceptable	
CBN	0.00993	0.01	%	90.8	85.0 -	115	Acceptable	
exo THC	0.00908	0.01	%	96.1	85.0 -	115	Acceptable	
d9THC	0.00961	0.01	%	102	85.0 -	115	Acceptable	
d8THC	0.0102	0.01		98.1	85.0 -	115	Acceptable	
CBL CBC	0.00981	0.01	%	105	85.0 -	115	Acceptable Acceptable	
THCA	0.0105	0.01	%	98.4 104	<del>85.0 -</del>	115 115	Acceptable	
CBCA	0.0104	0.01	%	98.6	<u>85.0 -</u> 85.0 -	115	Acceptable	
CBLA	0.00986	0.01	%	113	85.0 -	115	Acceptable	
CBLA	0.00988	0.01	%	113	03.0 -	110	Acceptable	

## Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<lod< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></lod<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	< <u>LOQ</u>	0.003	%	<0.003	Acceptable	
THCV	<1.00	0.003	%	< 0.003	Acceptable	
d8THCV	<l00< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></l00<>	0.003	%	< 0.003	Acceptable	
THCVA	<l00< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></l00<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d91HC	<lod< td=""><td>0.003</td><td>%</td><td>&lt;0.003</td><td>Acceptable</td><td></td></lod<>	0.003	%	<0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<l00< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></l00<>	0.003	%	< 0.003	Acceptable	
CBCA	<100	0.003	%	<0.003	Acceptable	
CBLA	<l00< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></l00<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>&lt; 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Te

Abbreviations ND -None Detected at or above MRL RPD -Relative Percent Difference LOQ -Limit of Quantitation

and to the

Units of Measure:

% - Percent

www.columbialaboratories.com

es quality

of NELAP and the Columbia L unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	21-013253/D002.R001				
Report Date:	11/23/2021				
ORELAP#:	OR100028				
Purchase Order:					
Received:	11/10/2114:36				

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results Batch ID:2110535									
J AOAC 20									
Sample Duplicate Analyte Result		Org. Result LOQUnits		nits	Sample ID: 21-0107 RPD Limits		Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBDV	0.00675	0.00689	0.003	%	2.04	<20	Acceptable		
CBE	0.00815	0.00830	0.003	%	1.82	<20	Acceptable		
CBDA	<100	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBG	<re>COÓ</re>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBD	2.17	219	0.003	%	0.617	<20	Acceptable		
THCV	<100	<100	0.003	%	NA	<20	Acceptable		
d8THCV	<l00< td=""><td><l00< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></l00<></td></l00<>	<l00< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></l00<>	0.003	%	NA	<20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
d8THC	<1.0Q	<loq< td=""><td>0.003</td><td>%</td><td>ŇÁ</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	ŇÁ	<20	Acceptable		
CBL	<100	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
THCA	<re>COÓ</re>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
CBCA	<1.00	<1.0Q	0.003	%	NA	<20	Acceptable		
CBLA	<100	<l00< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></l00<>	0.003	%	NA	<20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt;20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	<20	Acceptable		
		l							

Abbreviations ND -None Detected at or above MRL RPD -Relative Percent Difference LOQ - Limit of Quantitation NA - Calculation Not Applicable given non-numerical results

and to the

Units of Measure:

Te

% - Percent

www.columbialaboratories.com

es quality

of NELAP and the Columbia I unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





**Report Number:** 21-013253/D002.R001 **Report Date:** 11/23/2021 **ORELAP#:** OR100028 Purchase Order: **Received:** 11/10/2114:36

Explanation of QC Flag Comments:

Code	Explanation					
Q	Matrix interferences affecting spike or surrogate recoveries.					
Q1	Quality control result biased high. Only non-detect samples reported.					
Q2	Quality control outside QC limits. Data considered estimate.					
Q3	Sample concentration greater than four times the amount spiked.					
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.					
Q5	Spike results above calibration curve.					
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.					
R	Relative percent difference (RPD) outside control limit.					
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.					
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.					
LOQ1	Quantitation level raised due to low sample volume and/or dilution.					
LOQ2	Quantitaion level raised due to matrix interference.					
В	Analyte detected in method blank, but not in associated samples.					
B1	The sample concentration is greater than 5 times the blank concentration.					
B2	The sample concentration is less than 5 times the blank concentration.					

www.columbialaboratories.com

es quality

of NELAP and the Columbia unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430