

Sample Name: **Runtz Full Spectrum Extract Primary**  
 Tested for: **Nogero, LLC.**  
**Compliance Extract**

Laboratory ID: 22B0016-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000033

Lot # 011922-NOG 2/1/22

Batch RFID: 1A4010300040B29000000029

Batch Size: 1006 (g)

Process Date: 02/01/2022

License: 030-1017129044E

Date Sampled: 02/02/22 00:00

Date Accepted: 02/02/22




## Potency Analysis

Date Extracted: 02/04/22


Analysis Method: UNODC 5.4.8

Date Analyzed: 02/04/22

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																				
<b>Total THC ((THCA*0.877)+d9)</b>	66.08	660.8	0.08	 <table border="1"> <tr><td>THC</td><td>54.87</td></tr> <tr><td>THCA</td><td>12.77</td></tr> <tr><td>CBD</td><td>0.14</td></tr> <tr><td>CBDA</td><td>0.16</td></tr> <tr><td>CBN</td><td>0.10</td></tr> <tr><td>CBG</td><td>0.73</td></tr> <tr><td>CBGA</td><td>0.38</td></tr> <tr><td>CBC</td><td>0.66</td></tr> <tr><td>THCV</td><td>0.26</td></tr> <tr><td><b>Total</b></td><td><b>70.08</b></td></tr> </table>	THC	54.87	THCA	12.77	CBD	0.14	CBDA	0.16	CBN	0.10	CBG	0.73	CBGA	0.38	CBC	0.66	THCV	0.26	<b>Total</b>	<b>70.08</b>
THC	54.87																							
THCA	12.77																							
CBD	0.14																							
CBDA	0.16																							
CBN	0.10																							
CBG	0.73																							
CBGA	0.38																							
CBC	0.66																							
THCV	0.26																							
<b>Total</b>	<b>70.08</b>																							
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.28	2.8	0.08																					
d9-THC (d9-Tetrahydrocannabinol)*	54.87	548.7	0.08																					
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08																					
THCA (d9-Tetrahydrocannabinolic Acid)*	12.77	127.7	0.08																					
CBD (Cannabidiol)*	0.14	1.4	0.08																					
CBDA (Cannabidiolic Acid)*	0.16	1.6	0.08																					
CBN (Cannabinol)	0.10	1	0.08																					
CBG (Cannabigerol)	0.73	7.3	0.08																					
CBGA (Cannabigerolic Acid)	0.38	3.8	0.08																					
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08																					
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08																					
CBC (Cannabichromene)	0.66	6.6	0.08																					
THCV (Tetrahydrocannabivarin)	0.26	2.6	0.08																					
<b>Total Cannabinoids</b>	<b>70.08</b>	<b>700.8</b>	<b>0.08</b>																					

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Runtz Full Spectrum Extract Duplicate**  
Tested for: **Nogero, LLC.**  
**Compliance Extract**

Laboratory ID: 22B0016-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000033

Process Date: 02/01/2022

Lot # 011922-NOG 2/1/22

License: 030-1017129044E

Batch RFID: 1A4010300040B29000000029

Date Sampled: 02/02/22 00:00

Batch Size: 1006 (g)

Date Accepted: 02/02/22


### Potency Analysis

Date Extracted: 02/04/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 02/04/22

\* - ORELAP certified analyte


Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC ((THCA*0.877)+d9)</b>	65.82	658.2	0.08	
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.28	2.8	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	54.56	545.6	0.08	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08	
THCA (d9-Tetrahydrocannabinolic Acid)*	12.85	128.5	0.08	
CBD (Cannabidiol)*	0.14	1.4	0.08	
CBDA (Cannabidiolic Acid)*	0.16	1.6	0.08	
CBN (Cannabinol)	0.08	0.8	0.08	
CBG (Cannabigerol)	0.67	6.7	0.08	
CBGA (Cannabigerolic Acid)	0.38	3.8	0.08	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08	
CBC (Cannabichromene)	0.65	6.5	0.08	
THCV (Tetrahydrocannabivarin)	0.24	2.4	0.08	
<b>Total Cannabinoids</b>	69.73	697.3	0.08	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Runtz Full Spectrum Extract**

Sample Metrc ID: 1A4010300040B29000000033

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
<b>Total THC ((THCA*0.877)+d9)</b>	66.08	65.82	65.95	0.394	PASS
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.28	0.28	0.280	0	PASS

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Runtz Full Spectrum Extract Primar</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>02/02/22 00:00</b>
<b>Compliance Extract</b>	Date Accepted: <b>02/02/22</b>
Laboratory ID: <b>22B0016-01</b>	Sample Metrc ID: <b>1A4010300040B29000000033</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000029</b>
Lot # <b>011922-NOG 2/1/22</b>	Batch Size: <b>1006 (g)</b>

### Terpene Analysis

Date Extracted: 02/04/22


Analysis Method: Terpenes by GCFID

Date Analyzed: 02/04/22

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.142	0.096	beta Myrcene	0.523	0.096
alpha Phellandrene	< LOQ	0.096	3-Carene	< LOQ	0.096
alpha Terpinene	< LOQ	0.096	Limonene	1.601	0.096
Terpinolene	< LOQ	0.096	Linalool	1.838	0.096
Fenchol	0.358	0.096	Borneol	0.102	0.096
Terpineol	0.493	0.096	Geraniol	< LOQ	0.096
alpha Humulene	0.455	0.096	beta Caryophyllene	1.540	0.096
(-)-Caryophyllene Oxide	< LOQ	0.096	(-)-alpha Bisabolol	< LOQ	0.096
Camphene	< LOQ	0.096	beta Pinene	0.278	0.096
Ocimene	< LOQ	0.096	Sabinene	< LOQ	0.096
Camphor	< LOQ	0.096	Isoborneol	< LOQ	0.096
Menthol	< LOQ	0.096	alpha Cedrene	< LOQ	0.096
Nerolidol	0.197	0.096	(+)-Pulegone	< LOQ	0.096
Eucalyptol	< LOQ	0.096	p-Cymene	< LOQ	0.096
(-)-Isopulegol	< LOQ	0.096	Geranyl Acetate	< LOQ	0.096
Guaiol	< LOQ	0.096	Valencene	< LOQ	0.096
Phytol	< LOQ	0.096	Citronellol	< LOQ	0.096
gamma Terpinene	< LOQ	0.096			
<b>Total Terpenes</b>				<b>7.527 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Runtz Full Spectrum Extract Primary**

License: **030-1017129044E**

Tested for: **Nogero, LLC.**

Date Sampled: **02/02/22 00:00**

**Compliance Extract**


Date Accepted: **02/02/22 14:11**

Laboratory ID: **22B0016-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300040B29000000033**

## Terpene Profile



*Shea Hamilton*  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Runtz Full Spectrum Extract Primary** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **02/02/22 00:00**  
**Compliance Extract** Date Accepted: **02/02/22**


Laboratory ID: **22B0016-01** Sample Metric ID: **1A4010300040B29000000033**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000029**  
 Lot # **011922-NOG 2/1/22** Batch Size: **1006 (g)**

## Pesticide Analysis in ppm

Date Extracted: 02/04/22 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 02/04/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.212	Acephate	< LOQ	0.4	0.169
Acequinocyl	< LOQ	2	0.847	Acetamiprid	< LOQ	0.2	0.085
Aldicarb	< LOQ	0.4	0.169	Azoxystrobin	< LOQ	0.2	0.085
Bifenazate	< LOQ	0.2	0.085	Bifenthrin	< LOQ	0.2	0.085
Boscalid	< LOQ	0.4	0.169	Carbaryl	< LOQ	0.2	0.085
Carbofuran	< LOQ	0.2	0.085	Chlorantraniliprole	< LOQ	0.2	0.085
Chlorfenapyr	< LOQ	1	0.424	Chlorpyrifos	< LOQ	0.2	0.085
Clofentezine	< LOQ	0.2	0.085	Cyfluthrin	< LOQ	1	0.424
Cypermethrin	< LOQ	1	0.424	Daminozide	< LOQ	1	0.424
DDVP (Dichlorvos)	< LOQ	1	0.424	Diazinon	< LOQ	0.2	0.085
Dimethoate	< LOQ	0.2	0.085	Ethoprophos	< LOQ	0.2	0.085
Etofenprox	< LOQ	0.4	0.169	Etoxazole	< LOQ	0.2	0.085
Fenoxycarb	< LOQ	0.2	0.085	Fenpyroximate	< LOQ	0.4	0.169
Fipronil	< LOQ	0.4	0.169	Fonicamid	< LOQ	1	0.424
Fludioxonil	< LOQ	0.4	0.169	Hexythiazox	< LOQ	1	0.424
Imazalil	< LOQ	0.2	0.085	Imidacloprid	< LOQ	0.4	0.169
Kresoxim-methyl	< LOQ	0.4	0.169	Malathion	< LOQ	0.2	0.085
Metalaxyl	< LOQ	0.2	0.085	Methiocarb	< LOQ	0.2	0.085
Methomyl	< LOQ	0.4	0.169	Methyl parathion	< LOQ	0.2	0.085
MGK-264	< LOQ	0.2	0.085	Myclobutanil	< LOQ	0.2	0.085
Naled	< LOQ	0.5	0.212	Oxamyl	< LOQ	1	0.424
Paclobutrazol	< LOQ	0.4	0.169	Permethrins (total)	< LOQ	0.2	0.085
Phosmet	< LOQ	0.2	0.085	Piperonyl butoxide	< LOQ	2	0.424
Prallethrin	< LOQ	0.2	0.085	Propiconazole	< LOQ	0.4	0.169
Propoxur	< LOQ	0.2	0.085	Pyrethrins (total)	< LOQ	1	0.424
Pyridaben	< LOQ	0.2	0.085	Spinosad	< LOQ	0.2	0.085
Spiromesifen	< LOQ	0.2	0.085	Spirotetramat	< LOQ	0.2	0.085
Spiroxamine	< LOQ	0.4	0.169	Tebuconazole	< LOQ	0.4	0.169
Thiacloprid	< LOQ	0.2	0.085	Thiamethoxam	< LOQ	0.2	0.085
Trifloxystrobin	< LOQ	0.2	0.085				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Runtz Full Spectrum Extract Duplicate** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **02/02/22 00:00**  
**Compliance Extract** Date Accepted: **02/02/22**


Laboratory ID: **22B0016-02** Sample Metrc ID: **1A4010300040B29000000033**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000029**  
 Lot # **011922-NOG 2/1/22** Batch Size: **1006 (g)**

## Pesticide Analysis in ppm

Date Extracted: 02/04/22 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 02/04/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.214	Acephate	< LOQ	0.4	0.171
Acequinocyl	< LOQ	2	0.855	Acetamiprid	< LOQ	0.2	0.086
Aldicarb	< LOQ	0.4	0.171	Azoxystrobin	< LOQ	0.2	0.086
Bifenazate	< LOQ	0.2	0.086	Bifenthrin	< LOQ	0.2	0.086
Boscalid	< LOQ	0.4	0.171	Carbaryl	< LOQ	0.2	0.086
Carbofuran	< LOQ	0.2	0.086	Chlorantraniliprole	< LOQ	0.2	0.086
Chlorfenapyr	< LOQ	1	0.428	Chlorpyrifos	< LOQ	0.2	0.086
Clofentezine	< LOQ	0.2	0.086	Cyfluthrin	< LOQ	1	0.428
Cypermethrin	< LOQ	1	0.428	Daminozide	< LOQ	1	0.428
DDVP (Dichlorvos)	< LOQ	1	0.428	Diazinon	< LOQ	0.2	0.086
Dimethoate	< LOQ	0.2	0.086	Ethoprophos	< LOQ	0.2	0.086
Etofenprox	< LOQ	0.4	0.171	Etoxazole	< LOQ	0.2	0.086
Fenoxycarb	< LOQ	0.2	0.086	Fenpyroximate	< LOQ	0.4	0.171
Fipronil	< LOQ	0.4	0.171	Fonicamid	< LOQ	1	0.428
Fludioxonil	< LOQ	0.4	0.171	Hexythiazox	< LOQ	1	0.428
Imazalil	< LOQ	0.2	0.086	Imidacloprid	< LOQ	0.4	0.171
Kresoxim-methyl	< LOQ	0.4	0.171	Malathion	< LOQ	0.2	0.086
Metalaxyl	< LOQ	0.2	0.086	Methiocarb	< LOQ	0.2	0.086
Methomyl	< LOQ	0.4	0.171	Methyl parathion	< LOQ	0.2	0.086
MGK-264	< LOQ	0.2	0.086	Myclobutanil	< LOQ	0.2	0.086
Naled	< LOQ	0.5	0.214	Oxamyl	< LOQ	1	0.428
Paclobutrazol	< LOQ	0.4	0.171	Permethrins (total)	< LOQ	0.2	0.086
Phosmet	< LOQ	0.2	0.086	Piperonyl butoxide	< LOQ	2	0.428
Prallethrin	< LOQ	0.2	0.086	Propiconazole	< LOQ	0.4	0.171
Propoxur	< LOQ	0.2	0.086	Pyrethrins (total)	< LOQ	1	0.428
Pyridaben	< LOQ	0.2	0.086	Spinosad	< LOQ	0.2	0.086
Spiromesifen	< LOQ	0.2	0.086	Spirotetramat	< LOQ	0.2	0.086
Spiroxamine	< LOQ	0.4	0.171	Tebuconazole	< LOQ	0.4	0.171
Thiacloprid	< LOQ	0.2	0.086	Thiamethoxam	< LOQ	0.2	0.086
Trifloxystrobin	< LOQ	0.2	0.086				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Runtz Full Spectrum Extract Primary</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>02/02/22 00:00</b>
<b>Compliance Extract</b>	Date Accepted: <b>02/02/22</b>
Laboratory ID: <b>22B0016-01</b>	Sample Metric ID: <b>1A4010300040B29000000033</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000029</b>
Lot # <b>011922-NOG 2/1/22</b>	Batch Size: <b>1006 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 02/03/22
1,4-Dioxane	< LOQ	380	175	Date Analyzed: 02/04/22
2-Butanol	< LOQ	5000	2300	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	73.5	
2-Propanol (IPA)	< LOQ	5000	2300	
Acetone	< LOQ	5000	2300	
Acetonitrile	< LOQ	410	188	
Benzene	< LOQ	2	0.918	
Butanes	< LOQ	5000	2300	
Cyclohexane	< LOQ	3880	1780	
Dichloromethane (methylene chloride)	< LOQ	600	276	
Ethyl acetate	< LOQ	5000	2300	
Ethyl ether	< LOQ	5000	2300	
Ethylbenzene	< LOQ	2170	997	
Ethylene glycol	< LOQ	620	285	
Ethylene oxide	< LOQ	50	23.0	
Heptane	< LOQ	5000	2300	
Hexanes	< LOQ	290	133	
Isopropyl acetate	< LOQ	5000	2300	
Isopropylbenzene (cumene)	< LOQ	70	32.1	
Methanol	< LOQ	3000	1380	
Pentanes	< LOQ	5000	2300	
Propane	< LOQ	5000	2300	
Tetrahydrofuran	< LOQ	720	331	
Toluene	< LOQ	890	409	
Xylenes	< LOQ	2170	997	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel  
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Runtz Full Spectrum Extract Duplicate</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>02/02/22 00:00</b>
<b>Compliance Extract</b>	Date Accepted: <b>02/02/22</b>
Laboratory ID: <b>22B0016-02</b>	Sample Metric ID: <b>1A4010300040B29000000033</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000029</b>
Lot # <b>011922-NOG 2/1/22</b>	Batch Size: <b>1006 (g)</b>

**Residual Solvents**

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 02/03/22
1,4-Dioxane	< LOQ	380	172	Date Analyzed: 02/04/22
2-Butanol	< LOQ	5000	2260	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	72.3	
2-Propanol (IPA)	< LOQ	5000	2260	
Acetone	< LOQ	5000	2260	
Acetonitrile	< LOQ	410	185	
Benzene	< LOQ	2	0.904	
Butanes	< LOQ	5000	2260	
Cyclohexane	< LOQ	3880	1750	
Dichloromethane (methylene chloride)	< LOQ	600	271	
Ethyl acetate	< LOQ	5000	2260	
Ethyl ether	< LOQ	5000	2260	
Ethylbenzene	< LOQ	2170	981	
Ethylene glycol	< LOQ	620	280	
Ethylene oxide	< LOQ	50	22.6	
Heptane	< LOQ	5000	2260	
Hexanes	< LOQ	290	131	
Isopropyl acetate	< LOQ	5000	2260	
Isopropylbenzene (cumene)	< LOQ	70	31.6	
Methanol	< LOQ	3000	1360	
Pentanes	< LOQ	5000	2260	
Propane	< LOQ	5000	2260	
Tetrahydrofuran	< LOQ	720	325	
Toluene	< LOQ	890	402	
Xylenes	< LOQ	2170	981	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**Case Narrative**

**Residual Solvent** - Isopropylbenzene was above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate due to pinene coelution. Analyte was below the reporting limit in all client samples.


Multiple analytes were above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

**Quality Control  
Potency**

**Batch: B220282 - Potency/Terpenes**

Blank(B220282-BLK1)		Extracted - 02/04/22 14:11 Analyzed - 02/04/22 16:20						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B220282-DUP1)		Extracted - 02/04/22 14:11 Analyzed - 02/04/22 16:29						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	1.33	%		1.41			5.81	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	70.84	%		73.16			3.23	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.18	%		0.18			3.15	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.11	%		0.10			6.23	20
CBGA (Cannabigerolic Acid)	1.10	%		1.13			2.68	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B220282 - Potency/Terpenes (Continued)**

LCS(B220282-BS1)		Extracted - 02/04/22 14:11 Analyzed - 02/04/22 16:11						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.17	%	0.200		84.5	80-120		
CBD (Cannabidiol)	0.20	%	0.200		102	80-120		
CBDA (Cannabidiolic Acid)	0.18	%	0.200		88.6	80-120		
CBN (Cannabinol)	0.19	%	0.200		95.7	80-120		



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B220284 - Pesticide Prep**

Blank(B220284-BLK1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220284 - Pesticide Prep (Continued)**

Blank(B220284-BLK1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B220284-BS1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.85	ppm	1.98		93.3	36-160		
Acephate	1.98	ppm	2.00		98.9	68-132		
Acequinocyl	1.42	ppm	2.00		71.1	15-158		
Acetamiprid	1.93	ppm	2.00		96.7	69-146		
Aldicarb	1.64	ppm	2.00		81.9	54-150		
Azoxystrobin	1.92	ppm	2.00		95.8	66-145		
Bifenazate	1.92	ppm	2.00		96.1	61-139		
Bifenthrin	1.86	ppm	2.00		93.2	47-128		

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220284 - Pesticide Prep (Continued)**

LCS(B220284-BS1)		Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:38						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	2.01	ppm	2.00		101	62-147		
Carbaryl	1.92	ppm	2.00		95.8	76-126		
Carbofuran	1.95	ppm	2.00		97.3	70-133		
Chlorantraniliprole	1.96	ppm	2.00		97.8	41-150		
Chlorfenapyr	1.72	ppm	2.00		85.9	49-145		
Chlorpyrifos	1.89	ppm	2.00		94.7	66-126		
Clofentezine	1.93	ppm	2.00		96.4	72-122		
Cyfluthrin	1.88	ppm	2.00		94.2	45-152		
Cypermethrin	1.90	ppm	2.00		94.9	58-143		
Daminozide	1.85	ppm	2.00		92.3	39-182		
DDVP (Dichlorvos)	1.87	ppm	2.00		93.6	68-133		
Diazinon	1.92	ppm	2.00		96.1	79-122		
Dimethoate	1.93	ppm	2.00		96.4	72-126		
Ethoprophos	2.00	ppm	2.00		100	71-130		
Etofenprox	1.73	ppm	2.00		86.5	61-130		
Etoxazole	1.93	ppm	2.00		96.4	67-140		
Fenoxycarb	1.97	ppm	2.00		98.7	66-137		
Fenpyroximate	2.07	ppm	2.00		104	55-178		
Fipronil	2.10	ppm	2.00		105	64-140		
Flonicamid	1.91	ppm	2.00		95.4	61-149		
Fludioxonil	1.93	ppm	2.00		96.4	20-156		
Hexythiazox	1.96	ppm	2.00		98.0	56-141		
Imazalil	1.95	ppm	2.00		97.6	72-132		
Imidacloprid	1.87	ppm	2.00		93.4	68-146		
Kresoxim-methyl	1.89	ppm	2.00		94.3	75-123		
Malathion	1.89	ppm	2.00		94.3	62-138		
Metalaxyl	1.93	ppm	2.00		96.7	74-139		
Methiocarb	2.00	ppm	2.00		99.8	71-127		
Methomyl	1.83	ppm	2.00		91.5	57-132		
Methyl parathion	1.67	ppm	2.00		83.5	48-141		
MGK-264	2.01	ppm	2.00		101	58-137		
Myclobutanil	1.83	ppm	2.00		91.6	59-150		
Naled	1.96	ppm	2.00		97.8	60-156		
Oxamyl	1.93	ppm	2.00		96.4	72-126		
Paclobutrazol	2.14	ppm	2.00		107	65-138		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220284 - Pesticide Prep (Continued)**

LCS(B220284-BS1)		Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:38						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.88	ppm	2.00		94.1	55-143		
Phosmet	1.98	ppm	2.00		99.1	72-135		
Piperonyl butoxide	1.88	ppm	2.00		93.9	63-140		
Prallethrin	1.81	ppm	2.00		90.4	63-144		
Propiconazole	2.06	ppm	2.00		103	56-155		
Propoxur	1.94	ppm	2.00		97.0	69-126		
Pyrethrins (total)	1.03	ppm	1.16		89.2	55-139		
Pyridaben	1.91	ppm	2.00		95.4	60-139		
Spinosad	1.85	ppm	2.00		92.4	58-140		
Spiromesifen	1.94	ppm	2.00		97.0	58-149		
Spirotetramat	1.96	ppm	2.00		98.0	71-139		
Spiroxamine	1.95	ppm	2.00		97.4	71-145		
Tebuconazole	2.04	ppm	2.00		102	64-148		
Thiacloprid	1.90	ppm	2.00		94.9	72-140		
Thiamethoxam	1.92	ppm	2.00		96.1	70-138		
Trifloxystrobin	1.84	ppm	2.00		92.2	68-138		

Matrix Spike(B220284-MS1)		Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:54						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	3.17	ppm	1.86	< LOQ	170	33-200		
Acephate	1.79	ppm	1.88	< LOQ	95.1	66-133		
Acequinocyl	0.55	ppm	1.88	< LOQ	29.2	10-116		
Acetamiprid	1.79	ppm	1.88	< LOQ	95.1	67-146		
Aldicarb	1.64	ppm	1.88	< LOQ	87.4	58-150		
Azoxystrobin	1.74	ppm	1.88	< LOQ	92.4	63-134		
Bifenazate	1.85	ppm	1.88	< LOQ	98.3	55-137		
Bifenthrin	0.81	ppm	1.88	< LOQ	42.9	15-90		
Boscalid	1.74	ppm	1.88	< LOQ	92.6	55-136		
Carbaryl	1.75	ppm	1.88	< LOQ	93.1	74-120		
Carbofuran	1.79	ppm	1.88	< LOQ	95.5	69-129		
Chlorantraniliprole	1.77	ppm	1.88	< LOQ	94.2	46-134		
Chlorfenapyr	1.20	ppm	1.88	< LOQ	64.1	14-136		
Chlorpyrifos	1.80	ppm	1.88	< LOQ	95.8	30-138		
Clofentezine	1.70	ppm	1.88	< LOQ	90.3	47-131		
Cyfluthrin	2.34	ppm	1.88	< LOQ	124	27-200		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

Batch: B220284 - Pesticide Prep (Continued)

Matrix Spike(B220284-MS1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:54					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.93	ppm	1.88	< LOQ	103	30-181		
Daminozide	1.61	ppm	1.88	< LOQ	85.5	20-171		
DDVP (Dichlorvos)	1.77	ppm	1.88	< LOQ	94.3	65-138		
Diazinon	1.80	ppm	1.88	< LOQ	95.6	70-130		
Dimethoate	1.80	ppm	1.88	< LOQ	95.6	70-130		
Ethoprophos	1.87	ppm	1.88	< LOQ	99.6	62-125		
Etofenprox	1.08	ppm	1.88	< LOQ	57.5	15-96		
Etoxazole	1.79	ppm	1.88	< LOQ	95.5	43-129		
Fenoxycarb	1.83	ppm	1.88	< LOQ	97.3	60-133		
Fenpyroximate	2.22	ppm	1.88	< LOQ	118	43-199		
Fipronil	1.80	ppm	1.88	< LOQ	95.6	54-140		
Flonicamid	1.81	ppm	1.88	< LOQ	96.2	60-143		
Fludioxonil	1.79	ppm	1.88	< LOQ	95.1	14-166		
Hexythiazox	2.60	ppm	1.88	< LOQ	138	28-200		
Imazalil	1.72	ppm	1.88	< LOQ	91.4	28-129		
Imidacloprid	1.71	ppm	1.88	< LOQ	91.1	65-155		
Kresoxim-methyl	1.79	ppm	1.88	< LOQ	95.4	68-131		
Malathion	1.74	ppm	1.88	< LOQ	92.8	61-127		
Metalaxyl	1.78	ppm	1.88	< LOQ	94.4	71-131		
Methiocarb	1.77	ppm	1.88	< LOQ	94.1	71-121		
Methomyl	1.80	ppm	1.88	< LOQ	96.0	55-133		
Methyl parathion	1.51	ppm	1.88	< LOQ	80.4	42-126		
MGK-264	1.71	ppm	1.88	< LOQ	91.2	37-129		
Myclobutanil	1.62	ppm	1.88	< LOQ	86.4	51-138		
Naled	1.80	ppm	1.88	< LOQ	95.7	48-150		
Oxamyl	1.77	ppm	1.88	< LOQ	94.2	68-125		
Paclbutrazol	1.79	ppm	1.88	< LOQ	95.1	55-130		
Permethrins (total)	1.46	ppm	1.88	< LOQ	77.7	18-144		
Phosmet	1.78	ppm	1.88	< LOQ	94.8	65-129		
Piperonyl butoxide	1.49	ppm	1.88	< LOQ	79.1	33-111		
Prallethrin	1.69	ppm	1.88	< LOQ	89.9	47-146		
Propiconazole	1.54	ppm	1.88	< LOQ	82.0	47-155		
Propoxur	1.82	ppm	1.88	< LOQ	97.0	68-124		
Pyrethrins (total)	1.05	ppm	1.09	< LOQ	96.3	19-200		
Pyridaben	0.90	ppm	1.88	< LOQ	47.6	15-130		

  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220284 - Pesticide Prep (Continued)**

Matrix Spike(B220284-MS1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22 17:54					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.49	ppm	1.88	< LOQ	79.2	36-149		
Spiromesifen	1.85	ppm	1.88	0.18	88.9	28-139		
Spirotetramat	1.86	ppm	1.88	< LOQ	98.9	50-170		
Spiroxamine	1.71	ppm	1.88	< LOQ	90.8	32-148		
Tebuconazole	1.81	ppm	1.88	< LOQ	96.1	65-144		
Thiacloprid	1.76	ppm	1.88	< LOQ	93.7	69-136		
Thiamethoxam	1.76	ppm	1.88	< LOQ	93.8	65-133		
Trifloxystrobin	1.80	ppm	1.88	< LOQ	95.6	61-134		

Matrix Spike Dup(B220284-MSD1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	3.24	ppm	1.93	< LOQ	168	33-200	1.26	50
Acephate	1.87	ppm	1.95	< LOQ	95.9	66-133	0.814	30
Acequinocyl	0.53	ppm	1.95	< LOQ	27.2	10-116	6.90	50
Acetamiprid	1.93	ppm	1.95	< LOQ	99.3	67-146	4.41	30
Aldicarb	1.64	ppm	1.95	< LOQ	84.4	58-150	3.52	30
Azoxystrobin	1.85	ppm	1.95	< LOQ	95.0	63-134	2.83	30
Bifenazate	1.94	ppm	1.95	< LOQ	99.8	55-137	1.59	30
Bifenthrin	0.74	ppm	1.95	< LOQ	38.2	15-90	11.5	30
Boscalid	1.88	ppm	1.95	< LOQ	96.7	55-136	4.30	30
Carbaryl	1.82	ppm	1.95	< LOQ	93.4	74-120	0.230	30
Carbofuran	1.87	ppm	1.95	< LOQ	96.3	69-129	0.826	30
Chlorantraniliprole	1.90	ppm	1.95	< LOQ	97.6	46-134	3.48	30
Chlorfenapyr	1.22	ppm	1.95	< LOQ	62.7	14-136	2.23	50
Chlorpyrifos	1.83	ppm	1.95	< LOQ	94.0	30-138	1.95	30
Clofentezine	1.79	ppm	1.95	< LOQ	91.9	47-131	1.72	30
Cyfluthrin	2.13	ppm	1.95	< LOQ	110	27-200	12.6	50
Cypermethrin	1.82	ppm	1.95	< LOQ	93.7	30-181	9.38	30
Daminozide	1.77	ppm	1.95	< LOQ	91.2	20-171	6.50	50
DDVP (Dichlorvos)	1.85	ppm	1.95	< LOQ	95.3	65-138	1.01	30
Diazinon	1.95	ppm	1.95	< LOQ	100	70-130	4.64	30
Dimethoate	1.81	ppm	1.95	< LOQ	93.1	70-130	2.63	30
Ethoprophos	1.93	ppm	1.95	< LOQ	99.2	62-125	0.403	30
Etofenprox	0.96	ppm	1.95	< LOQ	49.2	15-96	15.7	30
Etoxazole	1.84	ppm	1.95	< LOQ	94.6	43-129	0.892	30

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.




## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220284 - Pesticide Prep (Continued)**

Matrix Spike Dup(B220284-MSD1)			Extracted - 02/04/22 12:42 Analyzed - 02/04/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.89	ppm	1.95	< LOQ	97.1	60-133	0.162	30
Fenpyroximate	2.27	ppm	1.95	< LOQ	117	43-199	1.23	30
Fipronil	1.82	ppm	1.95	< LOQ	93.7	54-140	1.99	30
Flonicamid	1.83	ppm	1.95	< LOQ	93.8	60-143	2.52	30
Fludioxonil	1.89	ppm	1.95	< LOQ	97.2	14-166	2.16	50
Hexythiazox	2.59	ppm	1.95	< LOQ	133	28-200	3.59	30
Imazalil	1.71	ppm	1.95	< LOQ	87.8	28-129	3.99	30
Imidacloprid	1.88	ppm	1.95	< LOQ	96.4	65-155	5.62	30
Kresoxim-methyl	1.90	ppm	1.95	< LOQ	97.9	68-131	2.56	30
Malathion	1.75	ppm	1.95	< LOQ	90.1	61-127	2.88	30
Metalaxyl	1.82	ppm	1.95	< LOQ	93.3	71-131	1.22	30
Methiocarb	1.85	ppm	1.95	< LOQ	95.0	71-121	0.990	30
Methomyl	1.72	ppm	1.95	< LOQ	88.5	55-133	8.05	30
Methyl parathion	1.51	ppm	1.95	< LOQ	77.8	42-126	3.38	30
MGK-264	1.74	ppm	1.95	< LOQ	89.4	37-129	1.94	30
Myclobutanil	1.72	ppm	1.95	< LOQ	88.3	51-138	2.17	30
Naled	1.83	ppm	1.95	< LOQ	94.3	48-150	1.44	30
Oxamyl	1.85	ppm	1.95	< LOQ	94.9	68-125	0.730	30
Paclobutrazol	1.86	ppm	1.95	< LOQ	95.4	55-130	0.350	30
Permethrins (total)	1.12	ppm	1.95	< LOQ	57.5	18-144	30.0	30
Phosmet	1.83	ppm	1.95	< LOQ	94.1	65-129	0.714	30
Piperonyl butoxide	1.49	ppm	1.95	< LOQ	76.7	33-111	3.04	30
Prallethrin	1.77	ppm	1.95	< LOQ	91.1	47-146	1.34	30
Propiconazole	1.72	ppm	1.95	< LOQ	88.4	47-155	7.48	30
Propoxur	1.85	ppm	1.95	< LOQ	95.3	68-124	1.78	30
Pyrethrins (total)	1.04	ppm	1.13	< LOQ	92.5	19-200	3.99	30
Pyridaben	0.89	ppm	1.95	< LOQ	45.6	15-130	4.27	30
Spinosad	1.70	ppm	1.95	< LOQ	87.5	36-149	9.95	35
Spiromesifen	1.89	ppm	1.95	0.18	87.9	28-139	1.08	30
Spirotetramat	1.91	ppm	1.95	< LOQ	98.2	50-170	0.676	30
Spiroxamine	1.77	ppm	1.95	< LOQ	91.0	32-148	0.308	30
Tebuconazole	1.90	ppm	1.95	< LOQ	97.5	65-144	1.43	30
Thiacloprid	1.89	ppm	1.95	< LOQ	97.0	69-136	3.37	30
Thiamethoxam	1.81	ppm	1.95	< LOQ	93.1	65-133	0.715	30
Trifloxystrobin	1.93	ppm	1.95	< LOQ	99.4	61-134	3.81	30

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis

Batch: B220281 - Residual Solvent Prep

Blank(B220281-BLK1)			Extracted - 02/03/22 17:27 Analyzed - 02/03/22 23:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B220281-BS1)			Extracted - 02/03/22 17:27 Analyzed - 02/03/22 22:53					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	619	ug/g	570		109	74-137		
2,2-Dimethylbutane	489	ug/g	435		112	75-139		
2,2-Dimethylpropane (neopentane)	3730	ug/g	3120		119	71-176		
2-Butanol	4020	ug/g	3500		115	74-138		
2-Ethoxyethanol	291	ug/g	240		121	72-134		
2-Methylbutane (isopentane)	3990	ug/g	3500		114	76-147		
2-Methylpentane/2,3-Dimethylbutane	935	ug/g	870		107	76-140		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Solvent Analysis (Continued)

**Batch: B220281 - Residual Solvent Prep (Continued)**

LCS(B220281-BS1)		Extracted - 02/03/22 17:27 Analyzed - 02/03/22 22:53						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3380	ug/g	3120		108	39-190		
2-Propanol (IPA)	4120	ug/g	3500		118	78-146		
3-Methylpentane	478	ug/g	435		110	74-137		
Acetone	3980	ug/g	3500		114	81-151		
Acetonitrile	687	ug/g	615		112	76-142		
Benzene	3.31	ug/g	3.00		110	67-129		
Cyclohexane	6500	ug/g	5820		112	79-147		
Dichloromethane (methylene chloride)	997	ug/g	900		111	74-138		
Ethyl acetate	3870	ug/g	3500		110	79-147		
Ethyl ether	4000	ug/g	3500		114	83-155		
Ethylbenzene	3450	ug/g	3250		106	71-133		
Ethylene glycol	1260	ug/g	930		135	46-115		
Ethylene oxide	436	ug/g	375		116	80-150		
Heptane	3780	ug/g	3500		108	77-143		
Isopropyl acetate	3870	ug/g	3500		111	80-148		
Isopropylbenzene (cumene)	117	ug/g	105		111	68-126		
m,p-Xylene	6930	ug/g	6510		106	72-134		
Methanol	3900	ug/g	2500		156	78-146		
n-Butane	3840	ug/g	3120		123	40-182		
n-Hexane	469	ug/g	435		108	73-135		
n-Pentane	3940	ug/g	3500		113	78-146		
Propane	1360	ug/g	1250		109	41-163		
Tetrahydrofuran	1180	ug/g	1080		109	78-144		
Toluene	1390	ug/g	1340		104	71-131		
o-Xylene	3410	ug/g	3250		105	70-130		

Matrix Spike(B220281-MS1)		Extracted - 02/03/22 17:27 Analyzed - 02/03/22 23:14						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	544	ug/g	538	< LOQ	101	71-131		
2,2-Dimethylbutane	556	ug/g	410	< LOQ	135	70-130		
2,2-Dimethylpropane (neopentane)	4850	ug/g	2950	< LOQ	165	65-168		
2-Butanol	3340	ug/g	3300	< LOQ	101	71-133		
2-Ethoxyethanol	219	ug/g	226	< LOQ	96.8	68-126		
2-Methylbutane (isopentane)	4910	ug/g	3300	< LOQ	149	68-141		
2-Methylpentane/2,3-Dimethylbutane	1010	ug/g	821	< LOQ	123	71-133		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Solvent Analysis (Continued)

**Batch: B220281 - Residual Solvent Prep (Continued)**

Matrix Spike(B220281-MS1)			Extracted - 02/03/22 17:27 Analyzed - 02/03/22 23:14					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4650	ug/g	2950	< LOQ	158	46-179		
2-Propanol (IPA)	3840	ug/g	3300	326	106	74-138		
3-Methylpentane	516	ug/g	410	< LOQ	126	69-129		
Acetone	4020	ug/g	3300	82.2	119	76-142		
Acetonitrile	572	ug/g	580	< LOQ	98.6	72-134		
Benzene	2.94	ug/g	2.83	< LOQ	104	64-130		
Cyclohexane	7590	ug/g	5500	< LOQ	138	78-144		
Dichloromethane (methylene chloride)	907	ug/g	849	< LOQ	107	71-131		
Ethyl acetate	3740	ug/g	3300	< LOQ	113	75-139		
Ethyl ether	4700	ug/g	3300	< LOQ	142	81-141		
Ethylbenzene	3260	ug/g	3070	< LOQ	106	73-135		
Ethylene glycol	838	ug/g	877	< LOQ	95.5	44-113		
Ethylene oxide	459	ug/g	354	< LOQ	130	63-142		
Heptane	4200	ug/g	3300	< LOQ	127	76-140		
Isopropyl acetate	3730	ug/g	3300	< LOQ	113	76-140		
Isopropylbenzene (cumene)	236	ug/g	99.1	< LOQ	238	61-200		
m,p-Xylene	6820	ug/g	6140	< LOQ	111	74-138		
Methanol	3460	ug/g	2360	30.8	146	73-135		
n-Butane	4790	ug/g	2950	< LOQ	163	32-176		
n-Hexane	507	ug/g	410	< LOQ	123	69-127		
n-Pentane	4880	ug/g	3300	< LOQ	148	71-140		
Propane	1670	ug/g	1180	< LOQ	142	45-152		
Tetrahydrofuran	1150	ug/g	1020	< LOQ	113	74-137		
Toluene	1280	ug/g	1260	< LOQ	102	71-131		
o-Xylene	3160	ug/g	3070	< LOQ	103	72-134		

Matrix Spike Dup(B220281-MSD1)			Extracted - 02/03/22 17:27 Analyzed - 02/03/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	565	ug/g	552	< LOQ	102	71-131	3.81	25
2,2-Dimethylbutane	568	ug/g	421	< LOQ	135	70-130	2.24	25
2,2-Dimethylpropane (neopentane)	5030	ug/g	3030	< LOQ	166	65-168	3.66	25
2-Butanol	3460	ug/g	3390	< LOQ	102	71-133	3.37	25
2-Ethoxyethanol	233	ug/g	232	< LOQ	100	68-126	6.26	25
2-Methylbutane (isopentane)	5040	ug/g	3390	< LOQ	149	68-141	2.53	25
2-Methylpentane/2,3-Dimethylbutane	1050	ug/g	843	< LOQ	125	71-133	3.79	25

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B220281 - Residual Solvent Prep (Continued)**

Matrix Spike Dup(B220281-MSD1)			Extracted - 02/03/22 17:27 Analyzed - 02/03/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4760	ug/g	3030	< LOQ	157	46-179	2.46	25
2-Propanol (IPA)	3980	ug/g	3390	326	108	74-138	3.52	25
3-Methylpentane	533	ug/g	421	< LOQ	126	69-129	3.16	25
Acetone	4230	ug/g	3390	82.2	122	76-142	5.05	25
Acetonitrile	594	ug/g	596	< LOQ	99.7	72-134	3.74	25
Benzene	3.13	ug/g	2.91	< LOQ	108	64-130	6.06	50
Cyclohexane	7820	ug/g	5640	< LOQ	139	78-144	3.00	25
Dichloromethane (methylene chloride)	939	ug/g	872	< LOQ	108	71-131	3.51	25
Ethyl acetate	3860	ug/g	3390	< LOQ	114	75-139	3.19	25
Ethyl ether	4890	ug/g	3390	< LOQ	144	81-141	4.06	25
Ethylbenzene	3400	ug/g	3150	< LOQ	108	73-135	4.17	25
Ethylene glycol	878	ug/g	901	< LOQ	97.4	44-113	4.60	50
Ethylene oxide	471	ug/g	363	< LOQ	130	63-142	2.58	25
Heptane	4330	ug/g	3390	< LOQ	128	76-140	3.05	25
Isopropyl acetate	3870	ug/g	3390	< LOQ	114	76-140	3.56	25
Isopropylbenzene (cumene)	246	ug/g	102	< LOQ	242	61-200	4.11	25
m,p-Xylene	7110	ug/g	6310	< LOQ	113	74-138	4.18	25
Methanol	3580	ug/g	2420	30.8	146	73-135	3.19	25
n-Butane	4850	ug/g	3030	< LOQ	160	32-176	1.13	25
n-Hexane	524	ug/g	421	< LOQ	124	69-127	3.46	25
n-Pentane	4970	ug/g	3390	< LOQ	147	71-140	1.99	25
Propane	1690	ug/g	1210	< LOQ	139	45-152	0.886	50
Tetrahydrofuran	1200	ug/g	1050	< LOQ	114	74-137	3.63	25
Toluene	1330	ug/g	1300	< LOQ	103	71-131	4.06	25
o-Xylene	3330	ug/g	3150	< LOQ	106	72-134	5.42	25




Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B220283 - Potency/Terpenes**

Blank(B220283-BLK1)			Extracted - 02/04/22 12:57 Analyzed - 02/04/22 16:42					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						

  
 Shea Hamilton For Brian Weigel  
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B220283 - Potency/Terpenes (Continued)**

Duplicate(B220283-DUP1)		Extracted - 02/04/22 12:57 Analyzed - 02/04/22 17:09						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.265	%		0.280			5.38	30
beta Myrcene	0.431	%		0.437			1.47	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	1.915	%		1.949			1.76	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.458	%		0.473			3.22	30
Fenchol	0.301	%		0.311			3.27	30
Borneol	< LOQ	%		< LOQ				30
Terpineol	0.294	%		0.304			3.42	30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.462	%		0.477			3.24	30
beta Caryophyllene	1.393	%		1.433			2.78	30
(-)-Caryophyllene Oxide	0.146	%		0.151			3.79	30
(-)-alpha Bisabolol	0.469	%		0.502			6.76	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.363	%		0.367			1.13	30
Ocimene	< LOQ	%		< LOQ				30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
Nerolidol	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	0.205	%		0.219			6.41	30

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B220283 - Potency/Terpenes (Continued)**

Duplicate(B220283-DUP1)		Extracted - 02/04/22 12:57 Analyzed - 02/04/22 17:09						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.





**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0003931469</b>	<b>Date Created</b>	<b>2/2/2022 1:42 PM</b>
<b>Originating Entity</b>	Nogero	<b>For OLCC Use Only</b>	
<b>Originating License Number</b>	030-1017129044E		
<b>Address of Originating Entity</b>	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
<b>Phone No. of Originating Entity</b>	971-712-3026		
<b>Contact Phone No. for Inquiries: 7073310560</b>			
<b>1. Destination</b>	SC Laboratories	<b>Destination Phone No.</b>	503-272-8838
<b>Destination License Number</b>	010-1004748743D	<b>Date and Approx. Time of Departure</b>	2/2/2022 1:50 PM
<b>Address of Destination</b>	15865 SW 74th Avenue Ste 110 Tigard, OR 97224 County: Washington	<b>Date and Approx. Time of Arrival</b>	2/2/2022 2:10 PM
		<b>Date/Time Received</b>	2/2/22 14:11pm
		<b>Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)</b>	
<b>Route to be Traveled</b>			
Your location			
Get on I-5 S from SW Barbur Blvd/Pacific Hwy W 5 min (1.8 mi)			
Follow I-5 S to SW Upper Boones Ferry Rd in Tigard. Take exit 291 from I-5 S 4 min (3.6 mi)			
Continue on SW Upper Boones Ferry Rd to your destination 4 min (0.9 mi) SC Labs   Oregon 15865 SW 74th Ave #110, Tigard, OR 97224			
<b>Name of Person Transporting</b>	Scott Forster	<b>Handler Permit No. of Driver</b>	SF1983
<b>State Driver's License No.</b>	A625521	<b>Signature of Person Transporting</b>	
<b>Make, Model, License Plate No.</b>	Nissan Kicks 249MGD		
<b>1. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300040B29000000033 Lab Test: SubmittedForTesting		Runtz Full Spectrum Oil (Extracts)	Shp: 7.0500 g
<b>Item Details</b>			
<b>Source Harvest(s)</b>	(multi-harvest)		
<b>Source Package(s)</b>	1A4010300040B29000000029		

**PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)**

<b>Name of Person Receiving or Rejecting Product</b>	Luisa Romero		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature</b>		<b>Date</b>	2/2/22
<b>Signature of individual taking receipt of rejected portion of this shipment</b>			

Client: Nogero LLC Client License: 1017129044E Date Sampled: 2/2/2022 Thermometer ID: T020  
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR Requestor: Nathaniel Bruce Event ID: 22B0016 Balance ID: SAMP\_BAL\_03  
 Sampling SOP & Rev. #: SC-OR-SAMP-002 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer\_09

*Scott Forster*  
 Sampler Signature

Lab ORELAP ID: 4133  
 Lab OLCC ID: 1004748743D

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.5	P
200		±2.5%	199.96		199.96	



Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
mason jar	1A4010300040B29000000029				Concentrate	Runtz Full Spectrum Extract	011922-NOG 2/1/22	1006
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	2	vial	4	6	0.58333333	Runtz Full Spectrum Extract Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22B0016-01	Runtz Full Spectrum Extract-1		A1	0	0.59	0.59	_033	
22B0016-01	Runtz Full Spectrum Extract-1		A1	0.59	1.18	0.59	_033	
22B0016-01	Runtz Full Spectrum Extract-1		A1	1.18	1.77	0.59	_033	
22B0016-01	Runtz Full Spectrum Extract-1		A4	1.77	2.36	0.59	_033	
22B0016-01	Runtz Full Spectrum Extract-2		B2	2.36	2.95	0.59	_033	
22B0016-01	Runtz Full Spectrum Extract-2		B3	2.95	3.53	0.58	_033	
<b>Totals:</b>								
6			6		Total Primary Mass = 3.53		Primary + Duplicate Mass = 7.05 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	2	vial	4	6	0.58333333	Runtz Full Spectrum Extract Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22B0016-02	Runtz Full Spectrum Extract-1		A1	0	0.59	0.59	_033	
22B0016-02	Runtz Full Spectrum Extract-2		B1	0.59	1.18	0.59	_033	
22B0016-02	Runtz Full Spectrum Extract-2		B4	1.18	1.77	0.59	_033	
22B0016-02	Runtz Full Spectrum Extract-2		B4	1.77	2.36	0.59	_033	
22B0016-02	Runtz Full Spectrum Extract-2		B4	2.36	2.95	0.59	_033	
22B0016-02	Runtz Full Spectrum Extract-2		B4	2.95	3.52	0.57	_033	

Totals:		6	6	Total Duplicate Mass = 3.52		Primary + Duplicate Mass = 7.05 g	
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
mason jar	1A4010300040B29000000015				Concentrate	gorilla glue #4 Full Spectrum Extr	111121-NOG 1/5/22	320
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	4	0.875	Gorilla Glue #4 Full Spectrum Extract Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22B0016-03	Gorilla Glue #4 Full Spectrum Extract-1		A1	0	0	0	NA- batch postponed	
22B0016-03	Gorilla Glue #4 Full Spectrum Extract-1		A1	0	0	0	NA- batch postponed	
22B0016-03	Gorilla Glue #4 Full Spectrum Extract-1		A1	0	0	0	NA- batch postponed	
22B0016-03	Gorilla Glue #4 Full Spectrum Extract-1		A2	0	0	0	NA- batch postponed	
Totals:		4	4	Total Primary Mass = 0		Primary + Duplicate Mass = 0 g		

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	4	0.875	Gorilla Glue #4 Full Spectrum Extract Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22B0016-04	Gorilla Glue #4 Full Spectrum Extract-1		A1	0	0	0	NA- batch postponed	
22B0016-04	Gorilla Glue #4 Full Spectrum Extract-1		A3	0	0	0	NA- batch postponed	
22B0016-04	Gorilla Glue #4 Full Spectrum Extract-1		A3	0	0	0	NA- batch postponed	
22B0016-04	Gorilla Glue #4 Full Spectrum Extract-1		A4	0	0	0	NA- batch postponed	





# CHAIN OF CUSTODY

**SC Laboratories Oregon LLC**  
 1586 1/2 SW 74th Avenue, Ste 110  
 Tigard OR, 97224  
 (503) 472-8830  
 ORELAP ID # 4133  
 www.scribes.com

<b>Client</b>	Nogero LLC	<b>QOC #</b>	1/1
<b>Address Where Sampled</b>	8700 SW Barber Suite X Portland OR	<b>Work Order #</b>	22B0016
<b>Date Sampled</b>	2/2/2022	<b>Received By</b>	USP
<b>OLCC License #</b>	1017129044E	<b>Received Date</b>	2/2/22
<b>OLCC License Type</b>	Processor	<b>Operator</b>	Scott Forster
<b>Email</b>	nathaniel@nogero.com	<b>Name of Sampler</b>	Scott Forster
<b>Phone</b>	503.712.3026	<b>Transfer Manifest #</b>	3931469
<b>Sampler OLCC License #</b>	010-10047487430	<b>Place where Sampled</b>	8700 SW Barber Suite X Portland OR

**Sample Type Legend**  
 U - Usable Marijuana  
 C - Concentrate  
 P - Product  
 O - Other

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	TESTS REQUESTED					Sample Specific Notes
								Potency	Water Activity	Moisture Content	Residual Solvent	Terpene	
Runtz Full Spectrum Extract Primary		_033	Runtz Full Spectrum Extract	22B0016-01	C	3.53	6	X	X	X	X		
Runtz Full Spectrum Extract Duplicate		_033	Runtz Full Spectrum Extract	22B0016-02	C	3.52	6	X	X	X	X		
Gorilla Glue #4 Full Spectrum Extract Primary		NA - batch postponed	Gorilla Glue #4 Full Spectrum	22B0016-03	C	0							
Gorilla Glue #4 Full Spectrum Extract Duplicate		NA - batch postponed	Gorilla Glue #4 Full Spectrum	22B0016-04	C	0							

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

<b>Print Name:</b> Nathaniel	<b>Date:</b> 2/2/2022	<b>Print Name:</b> Scott F	<b>Date:</b> 2/2/2022
<b>Signature:</b>	<b>Signature:</b>	<b>Print Name:</b>	<b>Date:</b>
<b>Representative of:</b> Nogero	<b>Signature:</b>	<b>Print Name:</b>	<b>Date:</b>
<b>Signature:</b>	<b>Signature:</b>	<b>Print Name:</b>	<b>Date:</b>