

Sample Name: **Terpee Slurpee Full Spectrum Extract Primary**
Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22E0138-01

Matrix: Extracts and Concentrates

Sample Metric ID: 1A4010300040B29000000256

Lot # 051622-NOG

Batch RFID: 1A4010300040B29000000236

Batch Size: 579.7 (g)

Process Date: 05/23/2022

License: 030-1017129044E

Date Sampled: 05/25/22 11:55

Date Accepted: 05/25/22




Potency Analysis

Date Extracted: 05/26/22


Analysis Method: UNODC 5.4.8

Date Analyzed: 05/27/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	78.78	787.8	0.09	
Total CBD ((CBDA*0.877)+CBD)	0.11	1.1	0.09	
d9-THC (d9-Tetrahydrocannabinol)*	70.25	702.5	0.09	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09	
THCA (d9-Tetrahydrocannabinolic Acid)*	9.74	97.4	0.09	
CBD (Cannabidiol)*	0.11	1.1	0.09	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.09	
CBN (Cannabinol)	0.24	2.4	0.09	
CBG (Cannabigerol)	1.37	13.7	0.09	
CBGA (Cannabigerolic Acid)	0.34	3.4	0.09	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09	
CBC (Cannabichromene)	0.44	4.4	0.09	
THCV (Tetrahydrocannabivarin)	0.51	5.1	0.09	
Total Cannabinoids	82.98	829.8	0.09	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Terpee Slurpee Full Spectrum Extract Duplicate**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22E0138-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000256

Process Date: 05/23/2022

Lot # 051622-NOG

License: 030-1017129044E

Batch RFID: 1A4010300040B29000000236

Date Sampled: 05/25/22 13:57

Batch Size: 579.7 (g)

Date Accepted: 05/25/22


Potency Analysis

Date Extracted: 05/26/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 05/27/22

* - ORELAP certified analyte


Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	78.99	789.9	0.09	
Total CBD ((CBDA*0.877)+CBD)	0.27	2.7	0.09	
d9-THC (d9-Tetrahydrocannabinol)*	70.20	702	0.09	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09	
THCA (d9-Tetrahydrocannabinolic Acid)*	10.02	100.2	0.09	
CBD (Cannabidiol)*	0.27	2.7	0.09	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.09	
CBN (Cannabinol)	0.24	2.4	0.09	
CBG (Cannabigerol)	1.60	16	0.09	
CBGA (Cannabigerolic Acid)	0.36	3.6	0.09	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09	
CBC (Cannabichromene)	< LOQ	< LOQ	0.09	
THCV (Tetrahydrocannabivarin)	0.73	7.3	0.09	
Total Cannabinoids	83.43	834.3	0.09	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Terpee Slurpee Full Spectrum Extract**

Sample Metrc ID: **1A4010300040B29000000256**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
Total THC ((THCA*0.877)+d9)	78.78	78.99	78.89	0.266	PASS
Total CBD ((CBDA*0.877)+CBD)	0.11	0.27	0.190	NA	PASS


 Shea Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Terpee Slurpee Full Spectrum Extra	License: 030-1017129044E
Tested for: Nogero, LLC. Compliance Extract	Date Sampled: 05/25/22 11:55
Laboratory ID: 22E0138-01	Date Accepted: 05/25/22
Matrix: Extracts and Concentrates	Sample Metrc ID: 1A4010300040B29000000256
Lot # 051622-NOG	Batch RFID: 1A4010300040B29000000236
	Batch Size: 579.7 (g)

Terpene Analysis

Date Extracted: 05/26/22


Analysis Method: Terpenes by GCFID

Date Analyzed: 05/27/22

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.123	0.098	beta Myrcene	0.548	0.098
alpha Phellandrene	< LOQ	0.098	3-Carene	< LOQ	0.098
alpha Terpinene	< LOQ	0.098	Limonene	0.252	0.098
Terpinolene	1.708	0.098	Linalool	0.334	0.098
Fenchol	< LOQ	0.098	Borneol	< LOQ	0.098
Terpineol	0.321	0.098	Geraniol	< LOQ	0.098
alpha Humulene	0.387	0.098	beta Caryophyllene	0.922	0.098
(-)-Caryophyllene Oxide	< LOQ	0.098	(-)-alpha Bisabolol	0.405	0.098
Camphene	< LOQ	0.098	beta Pinene	0.214	0.098
Ocimene	< LOQ	0.098	Sabinene	< LOQ	0.098
Camphor	< LOQ	0.098	Isoborneol	< LOQ	0.098
Menthol	< LOQ	0.098	alpha Cedrene	< LOQ	0.098
Nerolidol	< LOQ	0.098	(+)-Pulegone	< LOQ	0.098
Eucalyptol	< LOQ	0.098	p-Cymene	< LOQ	0.098
(-)-Isopulegol	< LOQ	0.098	Geranyl Acetate	< LOQ	0.098
Guaiol	< LOQ	0.098	Valencene	< LOQ	0.098
Phytol	< LOQ	0.098	Citronellol	< LOQ	0.098
gamma Terpinene	< LOQ	0.098			
			Total Terpenes	5.213 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Terpee Slurpee Full Spectrum Extract Primary**

License: **030-1017129044E**

Tested for: **Nogero, LLC.**

Date Sampled: **05/25/22 11:55**

Compliance Extract


Date Accepted: **05/25/22 12:44**

Laboratory ID: **22E0138-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300040B29000000256**

Terpene Profile



Shea Hamilton
 Shea Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Terpee Slurpee Full Spectrum Extract Primary** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **05/25/22 11:55**
Compliance Extract Date Accepted: **05/25/22**


Laboratory ID: **22E0138-01** Sample Metrc ID: **1A4010300040B29000000256**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000236**
 Lot # **051622-NOG** Batch Size: **579.7 (g)**

Pesticide Analysis in ppm

Date Extracted: 05/26/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 05/26/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.213	Acephate	< LOQ	0.4	0.170
Acequinocyl	< LOQ	2	0.851	Acetamiprid	< LOQ	0.2	0.085
Aldicarb	< LOQ	0.4	0.170	Azoxystrobin	< LOQ	0.2	0.085
Bifenazate	< LOQ	0.2	0.085	Bifenthrin	< LOQ	0.2	0.085
Boscalid	< LOQ	0.4	0.170	Carbaryl	< LOQ	0.2	0.085
Carbofuran	< LOQ	0.2	0.085	Chlorantraniliprole	< LOQ	0.2	0.085
Chlorfenapyr	< LOQ	1	0.425	Chlorpyrifos	< LOQ	0.2	0.085
Clofentezine	< LOQ	0.2	0.085	Cyfluthrin	< LOQ	1	0.425
Cypermethrin	< LOQ	1	0.425	Daminozide	< LOQ	1	0.425
DDVP (Dichlorvos)	< LOQ	1	0.425	Diazinon	< LOQ	0.2	0.085
Dimethoate	< LOQ	0.2	0.085	Ethoprophos	< LOQ	0.2	0.085
Etofenprox	< LOQ	0.4	0.170	Etoxazole	< LOQ	0.2	0.085
Fenoxycarb	< LOQ	0.2	0.085	Fenpyroximate	< LOQ	0.4	0.170
Fipronil	< LOQ	0.4	0.170	Fonicamid	< LOQ	1	0.425
Fludioxonil	< LOQ	0.4	0.170	Hexythiazox	< LOQ	1	0.425
Imazalil	< LOQ	0.2	0.085	Imidacloprid	< LOQ	0.4	0.170
Kresoxim-methyl	< LOQ	0.4	0.170	Malathion	< LOQ	0.2	0.085
Metalaxyl	< LOQ	0.2	0.085	Methiocarb	< LOQ	0.2	0.085
Methomyl	< LOQ	0.4	0.170	Methyl parathion	< LOQ	0.2	0.085
MGK-264	< LOQ	0.2	0.085	Myclobutanil	< LOQ	0.2	0.085
Naled	< LOQ	0.5	0.213	Oxamyl	< LOQ	1	0.425
Paclobutrazol	< LOQ	0.4	0.170	Permethrins (total)	< LOQ	0.2	0.085
Phosmet	< LOQ	0.2	0.085	Piperonyl butoxide	< LOQ	2	0.425
Prallethrin	< LOQ	0.2	0.085	Propiconazole	< LOQ	0.4	0.170
Propoxur	< LOQ	0.2	0.085	Pyrethrins (total)	< LOQ	1	0.425
Pyridaben	< LOQ	0.2	0.085	Spinosad	< LOQ	0.2	0.085
Spiromesifen	< LOQ	0.2	0.085	Spirotetramat	< LOQ	0.2	0.085
Spiroxamine	< LOQ	0.4	0.170	Tebuconazole	< LOQ	0.4	0.170
Thiacloprid	< LOQ	0.2	0.085	Thiamethoxam	< LOQ	0.2	0.085
Trifloxystrobin	< LOQ	0.2	0.085				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Terpee Slurpee Full Spectrum Extract Duplicate** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **05/25/22 13:57**
Compliance Extract Date Accepted: **05/25/22**


Laboratory ID: **22E0138-02** Sample Metrc ID: **1A4010300040B29000000256**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000236**
 Lot # **051622-NOG** Batch Size: **579.7 (g)**

Pesticide Analysis in ppm

Date Extracted: 05/26/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 05/26/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.246	Acephate	< LOQ	0.4	0.196
Acequinocyl	< LOQ	2	0.982	Acetamiprid	< LOQ	0.2	0.098
Aldicarb	< LOQ	0.4	0.196	Azoxystrobin	< LOQ	0.2	0.098
Bifenazate	< LOQ	0.2	0.098	Bifenthrin	< LOQ	0.2	0.098
Boscalid	< LOQ	0.4	0.196	Carbaryl	< LOQ	0.2	0.098
Carbofuran	< LOQ	0.2	0.098	Chlorantraniliprole	< LOQ	0.2	0.098
Chlorfenapyr	< LOQ	1	0.491	Chlorpyrifos	< LOQ	0.2	0.098
Clofentezine	< LOQ	0.2	0.098	Cyfluthrin	< LOQ	1	0.491
Cypermethrin	< LOQ	1	0.491	Daminozide	< LOQ	1	0.491
DDVP (Dichlorvos)	< LOQ	1	0.491	Diazinon	< LOQ	0.2	0.098
Dimethoate	< LOQ	0.2	0.098	Ethoprophos	< LOQ	0.2	0.098
Etofenprox	< LOQ	0.4	0.196	Etoxazole	< LOQ	0.2	0.098
Fenoxycarb	< LOQ	0.2	0.098	Fenpyroximate	< LOQ	0.4	0.196
Fipronil	< LOQ	0.4	0.196	Fonicamid	< LOQ	1	0.491
Fludioxonil	< LOQ	0.4	0.196	Hexythiazox	< LOQ	1	0.491
Imazalil	< LOQ	0.2	0.098	Imidacloprid	< LOQ	0.4	0.196
Kresoxim-methyl	< LOQ	0.4	0.196	Malathion	< LOQ	0.2	0.098
Metalaxyl	< LOQ	0.2	0.098	Methiocarb	< LOQ	0.2	0.098
Methomyl	< LOQ	0.4	0.196	Methyl parathion	< LOQ	0.2	0.098
MGK-264	< LOQ	0.2	0.098	Myclobutanil	< LOQ	0.2	0.098
Naled	< LOQ	0.5	0.246	Oxamyl	< LOQ	1	0.491
Paclobutrazol	< LOQ	0.4	0.196	Permethrins (total)	< LOQ	0.2	0.098
Phosmet	< LOQ	0.2	0.098	Piperonyl butoxide	< LOQ	2	0.491
Prallethrin	< LOQ	0.2	0.098	Propiconazole	< LOQ	0.4	0.196
Propoxur	< LOQ	0.2	0.098	Pyrethrins (total)	< LOQ	1	0.491
Pyridaben	< LOQ	0.2	0.098	Spinosad	< LOQ	0.2	0.098
Spiromesifen	< LOQ	0.2	0.098	Spirotetramat	< LOQ	0.2	0.098
Spiroxamine	< LOQ	0.4	0.196	Tebuconazole	< LOQ	0.4	0.196
Thiacloprid	< LOQ	0.2	0.098	Thiamethoxam	< LOQ	0.2	0.098
Trifloxystrobin	< LOQ	0.2	0.098				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Sample Name: Terpee Slurpee Full Spectrum Extract Primary	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 05/25/22 11:55
Compliance Extract	Date Accepted: 05/25/22
Laboratory ID: 22E0138-01	Sample Metric ID: 1A4010300040B29000000256
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000236
Lot # 051622-NOG	Batch Size: 579.7 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	187
2-Butanol	< LOQ	5000	2460
2-Ethoxyethanol	< LOQ	160	78.7
2-Propanol (IPA)	< LOQ	5000	2460
Acetone	< LOQ	5000	2460
Acetonitrile	< LOQ	410	202
Benzene	< LOQ	2	0.984
Butanes	< LOQ	5000	2460
Cyclohexane	< LOQ	3880	1910
Dichloromethane (methylene chloride)	< LOQ	600	295
Ethyl acetate	< LOQ	5000	2460
Ethyl ether	< LOQ	5000	2460
Ethylbenzene	< LOQ	2170	1070
Ethylene glycol	< LOQ	620	305
Ethylene oxide	< LOQ	50	24.6
Heptane	< LOQ	5000	2460
Hexanes	< LOQ	290	143
Isopropyl acetate	< LOQ	5000	2460
Isopropylbenzene (cumene)	< LOQ	70	34.4
Methanol	< LOQ	3000	1480
Pentanes	< LOQ	5000	2460
Propane	< LOQ	5000	2460
Tetrahydrofuran	< LOQ	720	354
Toluene	< LOQ	890	438
Xylenes	< LOQ	2170	1070

Date Extracted: 05/27/22
 Date Analyzed: 05/27/22
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted Red #.



Shea Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Sample Name: Terpee Slurpee Full Spectrum Extract Duplicate	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 05/25/22 13:57
Compliance Extract	Date Accepted: 05/25/22
Laboratory ID: 22E0138-02	Sample Metric ID: 1A4010300040B29000000256
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000236
Lot # 051622-NOG	Batch Size: 579.7 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	181
2-Butanol	< LOQ	5000	2380
2-Ethoxyethanol	< LOQ	160	76.3
2-Propanol (IPA)	< LOQ	5000	2380
Acetone	< LOQ	5000	2380
Acetonitrile	< LOQ	410	195
Benzene	< LOQ	2	0.954
Butanes	< LOQ	5000	2380
Cyclohexane	< LOQ	3880	1850
Dichloromethane (methylene chloride)	< LOQ	600	286
Ethyl acetate	< LOQ	5000	2380
Ethyl ether	< LOQ	5000	2380
Ethylbenzene	< LOQ	2170	1030
Ethylene glycol	< LOQ	620	296
Ethylene oxide	< LOQ	50	23.8
Heptane	< LOQ	5000	2380
Hexanes	< LOQ	290	138
Isopropyl acetate	< LOQ	5000	2380
Isopropylbenzene (cumene)	< LOQ	70	33.4
Methanol	< LOQ	3000	1430
Pentanes	< LOQ	5000	2380
Propane	< LOQ	5000	2380
Tetrahydrofuran	< LOQ	720	343
Toluene	< LOQ	890	424
Xylenes	< LOQ	2170	1030

Date Extracted: 05/27/22
 Date Analyzed: 05/27/22
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Pesticides - Abamectin recovered above the upper acceptance limit in the Matrix Spike and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

Residual Solvents - Ethylene Glycol, 2-Ethoxyethanol, Isobutane, and Propane were above normally accepted recovery criteria in the Blank Spike. Ethylene Glycol was above normally accepted recovery criteria in the Matrix Spike, and Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.


Norflurane and hexyl butanoate were detected as tentatively identified compounds in samples 22E0138-01/02.

**Quality Control
Potency**

Batch: B221180 - Potency/Terpenes

Blank(B221180-BLK1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 15:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B221180-DUP1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 15:14					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	69.13	%		70.25			1.61	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	9.67	%		9.74			0.718	20
CBD (Cannabidiol)	0.10	%		0.11			6.60	20
CBDA (Cannabidiolic Acid)	0.07	%		0.06			19.5	20
CBN (Cannabinol)	0.24	%		0.24			0.599	20
CBG (Cannabigerol)	1.35	%		1.37			1.38	20
CBGA (Cannabigerolic Acid)	0.36	%		0.34			6.14	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20


Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)


Batch: B221180 - Potency/Terpenes (Continued)

Duplicate(B221180-DUP1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 15:14					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

CBC (Cannabichromene)	0.50	%		0.44			13.4	20
THCV (Tetrahydrocannabivarin)	0.55	%		0.51			7.87	20

LCS(B221180-BS1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 14:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

d9-THC (d9-Tetrahydrocannabinol)	0.20	%	0.200		98.8	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.18	%	0.200		90.5	80-120		
THCA (d9-Tetrahydrocannabinolic Acid)	0.20	%	0.200		102	90-110		
CBD (Cannabidiol)	0.20	%	0.200		101	90-110		
CBDA (Cannabidiolic Acid)	0.20	%	0.200		99.7	90-110		
CBN (Cannabinol)	0.19	%	0.200		97.2	80-120		
CBG (Cannabigerol)	0.19	%	0.200		94.7	80-120		
CBGA (Cannabigerolic Acid)	0.20	%	0.200		102	80-120		
CBDV (Cannabidivarin)	0.20	%	0.200		100	80-120		
CBDVA (Cannabidivarinic Acid)	0.20	%	0.200		98.0	80-120		
CBC (Cannabichromene)	0.21	%	0.200		103	80-120		
THCV (Tetrahydrocannabivarin)	0.18	%	0.200		92.4	80-120		



Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B221182 - Pesticide Prep

Blank(B221182-BLK1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22 18:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						


Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Pesticide Analysis (Continued)

Batch: B221182 - Pesticide Prep (Continued)

Blank(B221182-BLK1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22 18:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B221182-BS1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22 19:07					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.67	ppm	2.42		110	50-150		
Acephate	2.68	ppm	2.50		107	60-120		
Acequinocyl	1.75	ppm	2.50		70.2	40-160		
Acetamiprid	2.66	ppm	2.50		106	60-120		
Aldicarb	2.40	ppm	2.50		95.8	60-120		
Azoxystrobin	2.65	ppm	2.50		106	60-120		
Bifenazate	2.48	ppm	2.50		99.3	60-120		
Bifenthrin	2.18	ppm	2.50		87.4	50-150		


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221182 - Pesticide Prep (Continued)

LCS(B221182-BS1)		Extracted - 05/26/22 13:46 Analyzed - 05/26/22 19:07						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	2.43	ppm	2.50		97.3	60-120		
Carbaryl	2.51	ppm	2.50		100	60-120		
Carbofuran	2.48	ppm	2.50		99.0	60-120		
Chlorantraniliprole	2.55	ppm	2.50		102	60-120		
Chlorfenapyr	2.49	ppm	2.50		99.7	60-120		
Chlorpyrifos	2.49	ppm	2.50		99.7	60-120		
Clofentezine	2.56	ppm	2.50		102	60-120		
Cyfluthrin	2.67	ppm	2.50		107	50-150		
Cypermethrin	2.47	ppm	2.50		98.9	50-150		
Daminozide	2.48	ppm	2.50		99.0	60-120		
DDVP (Dichlorvos)	2.16	ppm	2.50		86.5	60-120		
Diazinon	2.65	ppm	2.50		106	60-120		
Dimethoate	2.67	ppm	2.50		107	60-120		
Ethoprophos	2.74	ppm	2.50		110	60-120		
Etofenprox	2.53	ppm	2.50		101	50-150		
Etoxazole	2.66	ppm	2.50		106	60-120		
Fenoxycarb	2.80	ppm	2.50		112	60-120		
Fenpyroximate	2.44	ppm	2.50		97.4	60-120		
Fipronil	2.53	ppm	2.50		101	60-120		
Flonicamid	2.55	ppm	2.50		102	60-120		
Fludioxonil	2.62	ppm	2.50		105	50-150		
Hexythiazox	2.53	ppm	2.50		101	60-120		
Imazalil	2.44	ppm	2.50		97.7	60-120		
Imidacloprid	2.55	ppm	2.50		102	60-120		
Kresoxim-methyl	2.65	ppm	2.50		106	60-120		
Malathion	2.59	ppm	2.50		103	60-120		
Metalaxyl	2.54	ppm	2.50		102	60-120		
Methiocarb	2.53	ppm	2.50		101	60-120		
Methomyl	2.58	ppm	2.50		103	60-120		
Methyl parathion	2.28	ppm	2.50		91.0	50-150		
MGK-264	2.52	ppm	2.50		101	50-150		
Myclobutanil	2.45	ppm	2.50		97.9	60-120		
Naled	2.55	ppm	2.50		102	50-150		
Oxamyl	2.61	ppm	2.50		104	60-120		
Paclobutrazol	2.24	ppm	2.50		89.6	60-120		


Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Pesticide Analysis (Continued)

Batch: B221182 - Pesticide Prep (Continued)

LCS(B221182-BS1)		Extracted - 05/26/22 13:46 Analyzed - 05/26/22 19:07						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	2.47	ppm	2.50		99.0	50-150		
Phosmet	2.28	ppm	2.50		91.2	50-150		
Piperonyl butoxide	2.68	ppm	2.50		107	60-120		
Prallethrin	2.38	ppm	2.50		95.3	60-120		
Propiconazole	2.42	ppm	2.50		96.8	60-120		
Propoxur	2.45	ppm	2.50		98.1	60-120		
Pyrethrins (total)	1.49	ppm	1.45		103	60-120		
Pyridaben	2.62	ppm	2.50		105	50-150		
Spinosad	2.63	ppm	2.50		105	50-150		
Spiromesifen	2.77	ppm	2.50		111	60-120		
Spirotetramat	2.67	ppm	2.50		107	60-120		
Spiroxamine	2.52	ppm	2.50		101	60-120		
Tebuconazole	2.38	ppm	2.50		95.1	60-120		
Thiacloprid	2.59	ppm	2.50		104	60-120		
Thiamethoxam	2.63	ppm	2.50		105	60-120		
Trifloxystrobin	2.66	ppm	2.50		106	60-120		

Matrix Spike(B221182-MS1)		Extracted - 05/26/22 13:46 Analyzed - 05/26/22 19:23						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	3.89	ppm	1.67	< LOQ	233	30-200		
Acephate	1.76	ppm	1.72	< LOQ	102	30-200		
Acequinocyl	1.07	ppm	1.72	< LOQ	62.1	30-200		
Acetamiprid	1.78	ppm	1.72	< LOQ	103	30-200		
Aldicarb	1.58	ppm	1.72	< LOQ	91.7	30-200		
Azoxystrobin	1.87	ppm	1.72	< LOQ	109	30-200		
Bifenazate	1.80	ppm	1.72	< LOQ	105	30-200		
Bifenthrin	0.69	ppm	1.72	< LOQ	40.4	30-200		
Boscalid	1.64	ppm	1.72	< LOQ	95.4	30-200		
Carbaryl	1.78	ppm	1.72	< LOQ	104	30-200		
Carbofuran	1.77	ppm	1.72	< LOQ	103	30-200		
Chlorantraniliprole	1.80	ppm	1.72	< LOQ	105	30-200		
Chlorfenapyr	1.78	ppm	1.72	0.38	81.6	30-200		
Chlorpyrifos	1.92	ppm	1.72	< LOQ	112	30-200		
Clofentezine	1.83	ppm	1.72	< LOQ	107	30-200		
Cyfluthrin	2.50	ppm	1.72	< LOQ	145	30-200		


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221182 - Pesticide Prep (Continued)

Matrix Spike(B221182-MS1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22 19:23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	2.45	ppm	1.72	< LOQ	143	30-200		
Daminozide	1.69	ppm	1.72	< LOQ	98.1	30-200		
DDVP (Dichlorvos)	1.54	ppm	1.72	< LOQ	89.7	30-200		
Diazinon	1.93	ppm	1.72	< LOQ	112	30-200		
Dimethoate	1.78	ppm	1.72	< LOQ	103	30-200		
Ethoprophos	1.80	ppm	1.72	< LOQ	105	30-200		
Etofenprox	1.20	ppm	1.72	< LOQ	69.8	30-200		
Etoxazole	1.96	ppm	1.72	< LOQ	114	30-200		
Fenoxycarb	1.90	ppm	1.72	< LOQ	111	30-200		
Fenpyroximate	2.22	ppm	1.72	< LOQ	129	30-200		
Fipronil	1.72	ppm	1.72	< LOQ	100	30-200		
Flonicamid	1.71	ppm	1.72	< LOQ	99.2	30-200		
Fludioxonil	1.75	ppm	1.72	< LOQ	102	30-200		
Hexythiazox	2.63	ppm	1.72	< LOQ	153	30-200		
Imazalil	1.70	ppm	1.72	< LOQ	99.1	30-200		
Imidacloprid	1.71	ppm	1.72	< LOQ	99.7	30-200		
Kresoxim-methyl	1.84	ppm	1.72	< LOQ	107	30-200		
Malathion	1.80	ppm	1.72	< LOQ	105	30-200		
Metalaxyl	1.79	ppm	1.72	< LOQ	104	30-200		
Methiocarb	1.80	ppm	1.72	< LOQ	105	30-200		
Methomyl	1.71	ppm	1.72	< LOQ	99.2	30-200		
Methyl parathion	1.55	ppm	1.72	< LOQ	90.2	30-200		
MGK-264	1.76	ppm	1.72	< LOQ	102	30-200		
Myclobutanil	1.62	ppm	1.72	< LOQ	94.2	30-200		
Naled	1.83	ppm	1.72	< LOQ	106	30-200		
Oxamyl	1.78	ppm	1.72	< LOQ	104	30-200		
Paclobutrazol	1.55	ppm	1.72	< LOQ	90.2	30-200		
Permethrins (total)	1.57	ppm	1.72	< LOQ	91.3	30-200		
Phosmet	1.63	ppm	1.72	< LOQ	94.6	30-200		
Piperonyl butoxide	1.82	ppm	1.72	< LOQ	106	30-200		
Prallethrin	1.80	ppm	1.72	< LOQ	105	30-200		
Propiconazole	1.63	ppm	1.72	< LOQ	95.0	30-200		
Propoxur	1.83	ppm	1.72	< LOQ	106	30-200		
Pyrethrins (total)	1.63	ppm	0.997	0.08	155	30-200		
Pyridaben	1.40	ppm	1.72	< LOQ	81.2	30-200		


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B221182 - Pesticide Prep (Continued)

Matrix Spike(B221182-MS1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22 19:23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.54	ppm	1.72	< LOQ	89.6	30-200		
Spiromesifen	1.92	ppm	1.72	< LOQ	112	30-200		
Spirotetramat	1.88	ppm	1.72	< LOQ	110	30-200		
Spiroxamine	1.66	ppm	1.72	< LOQ	96.6	30-200		
Tebuconazole	1.57	ppm	1.72	< LOQ	91.6	30-200		
Thiacloprid	1.71	ppm	1.72	< LOQ	99.4	30-200		
Thiamethoxam	1.76	ppm	1.72	< LOQ	103	30-200		
Trifloxystrobin	1.94	ppm	1.72	< LOQ	113	30-200		

Matrix Spike Dup(B221182-MSD1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	3.24	ppm	1.88	< LOQ	172	30-200	30.1	50
Acephate	1.95	ppm	1.94	< LOQ	101	30-200	1.79	30
Acequinocyl	1.18	ppm	1.94	< LOQ	60.8	30-200	1.96	50
Acetamiprid	1.96	ppm	1.94	< LOQ	101	30-200	2.32	30
Aldicarb	1.82	ppm	1.94	< LOQ	93.8	30-200	2.21	30
Azoxystrobin	2.01	ppm	1.94	< LOQ	104	30-200	4.83	30
Bifenazate	1.98	ppm	1.94	< LOQ	102	30-200	2.56	30
Bifenthrin	0.71	ppm	1.94	< LOQ	36.5	30-200	10.1	30
Boscalid	1.89	ppm	1.94	< LOQ	97.6	30-200	2.25	30
Carbaryl	1.98	ppm	1.94	< LOQ	102	30-200	1.50	30
Carbofuran	1.97	ppm	1.94	< LOQ	102	30-200	1.17	30
Chlorantraniliprole	2.02	ppm	1.94	< LOQ	104	30-200	0.804	30
Chlorfenapyr	2.06	ppm	1.94	0.38	86.3	30-200	5.62	50
Chlorpyrifos	1.87	ppm	1.94	< LOQ	96.4	30-200	14.7	30
Clofentezine	1.89	ppm	1.94	< LOQ	97.5	30-200	8.86	30
Cyfluthrin	2.18	ppm	1.94	< LOQ	112	30-200	25.7	50
Cypermethrin	2.41	ppm	1.94	< LOQ	124	30-200	13.8	30
Daminozide	1.88	ppm	1.94	< LOQ	96.8	30-200	1.36	50
DDVP (Dichlorvos)	1.76	ppm	1.94	< LOQ	90.9	30-200	1.35	30
Diazinon	2.02	ppm	1.94	< LOQ	104	30-200	7.23	30
Dimethoate	1.95	ppm	1.94	< LOQ	101	30-200	2.86	30
Ethoprophos	2.01	ppm	1.94	< LOQ	104	30-200	1.17	30
Etofenprox	1.20	ppm	1.94	< LOQ	62.0	30-200	11.8	30
Etoxazole	1.91	ppm	1.94	< LOQ	98.6	30-200	14.2	30


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221182 - Pesticide Prep (Continued)

Matrix Spike Dup(B221182-MSD1)			Extracted - 05/26/22 13:46 Analyzed - 05/26/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	2.06	ppm	1.94	< LOQ	106	30-200	3.98	30
Fenpyroximate	2.27	ppm	1.94	< LOQ	117	30-200	9.85	30
Fipronil	1.82	ppm	1.94	< LOQ	94.1	30-200	6.28	30
Flonicamid	1.89	ppm	1.94	< LOQ	97.4	30-200	1.86	30
Fludioxonil	1.96	ppm	1.94	< LOQ	101	30-200	0.586	50
Hexythiazox	2.51	ppm	1.94	< LOQ	129	30-200	16.8	30
Imazalil	1.91	ppm	1.94	< LOQ	98.3	30-200	0.828	30
Imidacloprid	1.86	ppm	1.94	< LOQ	95.8	30-200	3.95	30
Kresoxim-methyl	2.02	ppm	1.94	< LOQ	104	30-200	2.91	30
Malathion	2.00	ppm	1.94	< LOQ	103	30-200	1.43	30
Metalaxyl	1.99	ppm	1.94	< LOQ	102	30-200	1.40	30
Methiocarb	1.93	ppm	1.94	< LOQ	99.3	30-200	5.40	30
Methomyl	1.91	ppm	1.94	< LOQ	98.7	30-200	0.541	30
Methyl parathion	1.87	ppm	1.94	< LOQ	96.3	30-200	6.55	30
MGK-264	1.88	ppm	1.94	< LOQ	96.7	30-200	5.58	30
Myclobutanil	1.76	ppm	1.94	< LOQ	90.9	30-200	3.66	30
Naled	2.03	ppm	1.94	< LOQ	105	30-200	1.60	30
Oxamyl	1.98	ppm	1.94	< LOQ	102	30-200	1.35	30
Paclobutrazol	1.70	ppm	1.94	< LOQ	87.6	30-200	2.97	30
Permethrins (total)	1.60	ppm	1.94	< LOQ	82.4	30-200	10.3	30
Phosmet	1.85	ppm	1.94	< LOQ	95.5	30-200	1.01	30
Piperonyl butoxide	1.72	ppm	1.94	< LOQ	88.6	30-200	17.8	30
Prallethrin	1.83	ppm	1.94	< LOQ	94.3	30-200	10.6	30
Propiconazole	1.83	ppm	1.94	< LOQ	94.2	30-200	0.834	30
Propoxur	1.99	ppm	1.94	< LOQ	102	30-200	3.68	30
Pyrethrins (total)	1.49	ppm	1.13	0.08	126	30-200	21.1	30
Pyridaben	1.48	ppm	1.94	< LOQ	76.3	30-200	6.17	30
Spinosad	1.98	ppm	1.94	< LOQ	102	30-200	13.2	35
Spiromesifen	1.86	ppm	1.94	< LOQ	95.8	30-200	15.4	30
Spirotetramat	2.05	ppm	1.94	< LOQ	106	30-200	3.61	30
Spiroxamine	1.97	ppm	1.94	< LOQ	101	30-200	4.86	30
Tebuconazole	1.78	ppm	1.94	< LOQ	91.8	30-200	0.236	30
Thiacloprid	1.92	ppm	1.94	< LOQ	99.0	30-200	0.430	30
Thiamethoxam	1.94	ppm	1.94	< LOQ	100	30-200	2.37	30
Trifloxystrobin	2.03	ppm	1.94	< LOQ	104	30-200	7.70	30


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B221179 - Residual Solvent Prep

Blank(B221179-BLK1)			Extracted - 05/27/22 15:30 Analyzed - 05/27/22 16:45					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B221179-BS1)			Extracted - 05/27/22 15:30 Analyzed - 05/27/22 15:42					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	577	ug/g	570		101	60-120		
2,2-Dimethylbutane	419	ug/g	435		96.3	60-120		
2,2-Dimethylpropane (neopentane)	3710	ug/g	3120		119	60-120		
2-Butanol	3720	ug/g	3500		106	60-120		
2-Ethoxyethanol	290	ug/g	240		121	60-120		
2-Methylbutane (isopentane)	3620	ug/g	3500		103	60-120		
2-Methylpentane/2,3-Dimethylbutane	878	ug/g	870		101	60-120		


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B221179 - Residual Solvent Prep (Continued)

LCS(B221179-BS1)		Extracted - 05/27/22 15:30 Analyzed - 05/27/22 15:42						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4000	ug/g	3120		128	60-120		
2-Propanol (IPA)	3790	ug/g	3500		108	60-120		
3-Methylpentane	430	ug/g	435		98.8	60-120		
Acetone	3800	ug/g	3500		109	60-120		
Acetonitrile	707	ug/g	615		115	60-120		
Benzene	2.91	ug/g	3.00		96.9	60-120		
Cyclohexane	6140	ug/g	5820		105	60-120		
Dichloromethane (methylene chloride)	907	ug/g	900		101	60-120		
Ethyl acetate	3710	ug/g	3500		106	60-120		
Ethyl ether	3700	ug/g	3500		106	60-120		
Ethylbenzene	3280	ug/g	3250		101	60-120		
Ethylene glycol	1180	ug/g	930		127	60-120		
Ethylene oxide	385	ug/g	375		103	60-120		
Heptane	3650	ug/g	3500		104	60-120		
Isopropyl acetate	3710	ug/g	3500		106	60-120		
Isopropylbenzene (cumene)	106	ug/g	105		101	60-120		
m,p-Xylene	6660	ug/g	6510		102	60-120		
Methanol	2810	ug/g	2500		113	60-120		
n-Butane	3140	ug/g	3120		100	60-120		
n-Hexane	432	ug/g	435		99.4	60-120		
n-Pentane	3780	ug/g	3500		108	60-120		
Propane	1740	ug/g	1250		139	60-120		
Tetrahydrofuran	1100	ug/g	1080		102	60-120		
Toluene	1320	ug/g	1340		98.5	60-120		
o-Xylene	3210	ug/g	3250		98.8	60-120		

Matrix Spike(B221179-MS1)		Extracted - 05/27/22 15:30 Analyzed - 05/27/22 16:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	509	ug/g	516	< LOQ	98.8	71-131		
2,2-Dimethylbutane	369	ug/g	394	< LOQ	93.8	70-130		
2,2-Dimethylpropane (neopentane)	3380	ug/g	2830	< LOQ	119	65-168		
2-Butanol	3320	ug/g	3170	< LOQ	105	71-133		
2-Ethoxyethanol	260	ug/g	217	< LOQ	120	68-126		
2-Methylbutane (isopentane)	3180	ug/g	3170	< LOQ	100	68-141		
2-Methylpentane/2,3-Dimethylbutane	770	ug/g	787	< LOQ	97.8	71-133		


Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch: B221179 - Residual Solvent Prep (Continued)

Matrix Spike(B221179-MS1)			Extracted - 05/27/22 15:30 Analyzed - 05/27/22 16:03					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3580	ug/g	2830	< LOQ	127	46-179		
2-Propanol (IPA)	3420	ug/g	3170	56.9	106	74-138		
3-Methylpentane	384	ug/g	394	< LOQ	97.6	69-129		
Acetone	3400	ug/g	3170	95.8	104	76-142		
Acetonitrile	628	ug/g	557	< LOQ	113	72-134		
Benzene	2.55	ug/g	2.71	< LOQ	93.8	64-130		
Cyclohexane	5520	ug/g	5270	< LOQ	105	78-144		
Dichloromethane (methylene chloride)	814	ug/g	814	< LOQ	99.9	71-131		
Ethyl acetate	3330	ug/g	3170	< LOQ	105	75-139		
Ethyl ether	3240	ug/g	3170	< LOQ	102	81-141		
Ethylbenzene	2910	ug/g	2940	< LOQ	99.0	73-135		
Ethylene glycol	1060	ug/g	842	< LOQ	126	44-113		
Ethylene oxide	338	ug/g	339	< LOQ	99.5	63-142		
Heptane	3300	ug/g	3170	< LOQ	104	76-140		
Isopropyl acetate	3300	ug/g	3170	< LOQ	104	76-140		
Isopropylbenzene (cumene)	114	ug/g	95.0	< LOQ	120	61-200		
m,p-Xylene	5980	ug/g	5890	< LOQ	101	74-138		
Methanol	2520	ug/g	2260	< LOQ	111	73-135		
n-Butane	2780	ug/g	2830	< LOQ	98.4	32-176		
n-Hexane	382	ug/g	394	< LOQ	97.0	69-127		
n-Pentane	3340	ug/g	3170	< LOQ	105	71-140		
Propane	1570	ug/g	1130	< LOQ	139	45-152		
Tetrahydrofuran	971	ug/g	977	< LOQ	99.3	74-137		
Toluene	1170	ug/g	1210	< LOQ	97.0	71-131		
o-Xylene	2890	ug/g	2940	< LOQ	98.3	72-134		

Matrix Spike Dup(B221179-MSD1)			Extracted - 05/27/22 15:30 Analyzed - 05/27/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	544	ug/g	531	< LOQ	102	71-131	6.51	25
2,2-Dimethylbutane	393	ug/g	406	< LOQ	96.8	70-130	6.13	25
2,2-Dimethylpropane (neopentane)	3490	ug/g	2910	< LOQ	120	65-168	3.38	25
2-Butanol	3570	ug/g	3260	< LOQ	109	71-133	7.17	25
2-Ethoxyethanol	277	ug/g	224	< LOQ	124	68-126	6.44	25
2-Methylbutane (isopentane)	3420	ug/g	3260	< LOQ	105	68-141	7.32	25
2-Methylpentane/2,3-Dimethylbutane	833	ug/g	811	< LOQ	103	71-133	7.90	25


Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B221179 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B221179-MSD1)			Extracted - 05/27/22 15:30 Analyzed - 05/27/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3760	ug/g	2910	< LOQ	129	46-179	5.07	25
2-Propanol (IPA)	3650	ug/g	3260	56.9	110	74-138	6.74	25
3-Methylpentane	408	ug/g	406	< LOQ	101	69-129	6.09	25
Acetone	3680	ug/g	3260	95.8	110	76-142	7.70	25
Acetonitrile	663	ug/g	573	< LOQ	116	72-134	5.48	25
Benzene	2.80	ug/g	2.80	< LOQ	100	64-130	9.36	50
Cyclohexane	5870	ug/g	5430	< LOQ	108	78-144	6.19	25
Dichloromethane (methylene chloride)	868	ug/g	839	< LOQ	103	71-131	6.37	25
Ethyl acetate	3580	ug/g	3260	< LOQ	110	75-139	7.30	25
Ethyl ether	3420	ug/g	3260	< LOQ	105	81-141	5.45	25
Ethylbenzene	3090	ug/g	3030	< LOQ	102	73-135	6.08	25
Ethylene glycol	1150	ug/g	867	< LOQ	133	44-113	8.57	50
Ethylene oxide	356	ug/g	350	< LOQ	102	63-142	5.22	25
Heptane	3510	ug/g	3260	< LOQ	107	76-140	6.06	25
Isopropyl acetate	3550	ug/g	3260	< LOQ	109	76-140	7.39	25
Isopropylbenzene (cumene)	112	ug/g	97.9	< LOQ	115	61-200	1.60	25
m,p-Xylene	6390	ug/g	6070	< LOQ	105	74-138	6.78	25
Methanol	2700	ug/g	2330	< LOQ	116	73-135	7.00	25
n-Butane	2880	ug/g	2910	< LOQ	98.9	32-176	3.42	25
n-Hexane	413	ug/g	406	< LOQ	102	69-127	7.75	25
n-Pentane	3530	ug/g	3260	< LOQ	108	71-140	5.71	25
Propane	1630	ug/g	1170	< LOQ	140	45-152	3.46	50
Tetrahydrofuran	1040	ug/g	1010	< LOQ	104	74-137	7.35	25
Toluene	1260	ug/g	1250	< LOQ	101	71-131	7.18	25
o-Xylene	3080	ug/g	3030	< LOQ	102	72-134	6.24	25




Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B221181 - Potency/Terpenes

Blank(B221181-BLK1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 0:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						



Shea Hamilton For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221181 - Potency/Terpenes (Continued)

Duplicate(B221181-DUP1)		Extracted - 05/26/22 14:55 Analyzed - 05/27/22 1:31						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.118	%		0.123			3.87	30
beta Myrcene	0.540	%		0.548			1.51	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.243	%		0.252			3.27	30
Terpinolene	1.675	%		1.708			1.94	30
Linalool	0.326	%		0.334			2.53	30
Fenchol	< LOQ	%		< LOQ				30
Borneol	< LOQ	%		< LOQ				30
Terpineol	0.315	%		0.321			2.09	30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.378	%		0.387			2.41	30
beta Caryophyllene	0.900	%		0.922			2.43	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.364	%		0.405			10.4	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.211	%		0.214			1.06	30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30


 Shea Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)


Batch: B221181 - Potency/Terpenes (Continued)

Duplicate(B221181-DUP1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 1:31					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30

LCS(B221181-BS1)			Extracted - 05/26/22 14:55 Analyzed - 05/27/22 1:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

alpha Ocimene	0.108	%	0.120		89.7	70-130		
beta Ocimene	0.253	%	0.280		90.4	70-130		
cis-Nerolidol	0.416	%	0.400		104	70-130		
trans-Nerolidol	0.451	%	0.400		113	70-130		
alpha Pinene	0.366	%	0.400		91.4	70-130		
beta Myrcene	0.365	%	0.400		91.2	70-130		
alpha Phellandrene	0.365	%	0.400		91.3	70-130		
3-Carene	0.370	%	0.400		92.5	70-130		
alpha Terpinene	0.380	%	0.400		95.1	70-130		
Limonene	0.372	%	0.400		92.9	70-130		
Terpinolene	0.365	%	0.400		91.3	70-130		
Linalool	0.389	%	0.400		97.3	70-130		
Fenchol	0.388	%	0.400		97.0	70-130		
Borneol	0.412	%	0.400		103	70-130		
Terpineol	0.416	%	0.400		104	70-130		
Geraniol	0.398	%	0.400		99.6	70-130		
alpha Humulene	0.404	%	0.400		101	70-130		
beta Caryophyllene	0.405	%	0.400		101	70-130		
(-)-Caryophyllene Oxide	0.417	%	0.400		104	70-130		
(-)-alpha Bisabolol	0.425	%	0.400		106	70-130		
Camphene	0.364	%	0.400		91.0	70-130		
beta Pinene	0.373	%	0.400		93.3	70-130		
Sabinene	0.351	%	0.400		87.8	70-130		
Camphor	0.377	%	0.400		94.3	70-130		
Isoborneol	0.406	%	0.400		101	70-130		
Menthol	0.404	%	0.400		101	70-130		
alpha Cedrene	0.393	%	0.400		98.1	70-130		
(+)-Pulegone	0.406	%	0.400		101	70-130		
Eucalyptol	0.377	%	0.400		94.2	70-130		
(-)-Isopulegol	0.396	%	0.400		98.9	70-130		


Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221181 - Potency/Terpenes (Continued)

LCS(B221181-BS1)		Extracted - 05/26/22 14:55 Analyzed - 05/27/22 1:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Geranyl Acetate	0.390	%	0.400		97.6	70-130		
Guaiol	0.458	%	0.400		115	70-130		
Valencene	0.394	%	0.400		98.4	70-130		
gamma Terpinene	0.365	%	0.400		91.3	70-130		



Shea Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



22E0138

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.	0004229371	Date Created	5/25/2022 12:01 PM
Originating Entity	Nogero	For OLCC Use Only	
Originating License Number	030-1017129044E		
Address of Originating Entity	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
Phone No. of Originating Entity	971-712-3026		
Contact Phone No. for Inquiries: 971-285-5342			
1. Destination	SC Labs	Destination Phone No.	503-272-8830
Destination License Number	010-1018619A26E	Date and Approx. Time of Departure	5/25/2022 12:15 PM
Address of Destination	15865 SW 74th Ave., #110 Tigard, OR 97224 County: Washington	Date and Approx. Time of Arrival	5/25/2022 12:30 PM
		Date/Time Received	5/25/22 12:44
		Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
Route to be Traveled Barbur to I5 South to Boones Ferry. Right on Durham Rd. Right into 174th St. Desto on the left.			
Name of Person Transporting	Brett Gray	Handler Permit No. of Driver	0V1P81
State Driver's License No.	8621942	Signature of Person Transporting	
Make, Model, License Plate No.	Nissan Kicks 045LWQ		
1. Package I Shipped	Production Batch No.	Item Name	Quantity
1A4010300040B29000000256 Lab Test: SubmittedForTesting		Terpee Slurpee Full Spectrum Extract (Extracts)	Shp: 7.0600 g
Item Details			
Source Harvest(s)	2022-02-02_F4		
Source Package(s)	1A4010300040B29000000236		

PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)			
Name of Person Receiving or Rejecting Product	Breeanna Hamilton		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
Signature		Date	5/25/22
Signature of individual taking receipt of rejected portion of this shipment			

Client: NOGERO, LLC
 Address Where Sampled: 8700 SW BARBUR CT STE X PDX 97219
 Client License: 1017129044E

Sampler: Brett Gray
 Transporter: Brett Gray

Event ID: 22E0133-01
 Date Sampled: 5/25/2022
 Time Sampled: 12:00

Thermometer ID: T005
 Balance ID: SAMP_BAL_06
 Anemometer ID: Anemometer_04
 Sampling SOP & Revision #: SC-OR-SAMP-002 Rev. 1.03


 Sampler Signature

Requestor: Nathaniel Bruce
 Lab ORELAP ID: 4133
 Lab OLCC ID: 010-1018619A26E

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_07	±2.5%	0.5	P		
200		±2.5%	199.94			



Container Type	Harvest or Process Lot:			Sample Type	Client Sample Name	Harvest or Process Date	Batch Size (g)	
Storage Tub	051622-NOG			Concentrate	Terpee Slurpee Full Spectrum Extract	5/23/2022	579.7	
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1A4010300040B29000000236	17.8	55.7	1	Glass Vial	8	2	1.7	Terpee Slurpee Full Spectrum Extract Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22E0138-01	Terpee Slurpee Full Spectrum Extract		A8	0	1.7	1.7	256	
22E0138-01	Terpee Slurpee Full Spectrum Extract		A3	1.7	3.62	1.92	256	
Totals:		2		2	Total Primary Mass = 3.62		Primary + Duplicate Mass = 7.06 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1A4010300040B29000000236	17.8	55.7	1	Glass Vial	8	2	1.7	Terpee Slurpee Full Spectrum Extract Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22E0138-02	Terpee Slurpee Full Spectrum Extract		A1	0	1.7	1.7	256	
22E0138-02	Terpee Slurpee Full Spectrum Extract		A6	1.7	3.44	1.74	256	
Totals:		2		2	Total Duplicate Mass = 3.44		Primary + Duplicate Mass = 7.06 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

