

Sample Name: **Mango Mints Full Spectrum Extract Primary**  
Tested for: **Nogero, LLC.**  
**Compliance Extract**

Laboratory ID: 22C0070-01

Matrix: Extracts and Concentrates

Sample Metric ID: 1A4010300040B29000000107

Lot # 031022-NOG 3/17/22

Batch RFID: 1A4010300040B29000000106

Batch Size: 528.2 (g)

Process Date: 3/17/2022

License: 030-1017129044E

Date Sampled: 03/17/22 00:00

Date Accepted: 03/17/22




### Potency Analysis

Date Extracted: 03/18/22


Analysis Method: UNODC 5.4.8

Date Analyzed: 03/18/22

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
<b>Total THC ((THCA*0.877)+d9)</b>	74.28	742.8	0.09	 <table border="1"> <tr><td>THC</td><td>61.73</td></tr> <tr><td>THCA</td><td>14.31</td></tr> <tr><td>CBD</td><td>0.13</td></tr> <tr><td>CBDA</td><td>0.09</td></tr> <tr><td>CBN</td><td>0.30</td></tr> <tr><td>CBG</td><td>1.54</td></tr> <tr><td>CBGA</td><td>0.53</td></tr> <tr><td>THCV</td><td>0.25</td></tr> <tr><td><b>Total</b></td><td><b>78.87</b></td></tr> </table>	THC	61.73	THCA	14.31	CBD	0.13	CBDA	0.09	CBN	0.30	CBG	1.54	CBGA	0.53	THCV	0.25	<b>Total</b>	<b>78.87</b>
THC	61.73																					
THCA	14.31																					
CBD	0.13																					
CBDA	0.09																					
CBN	0.30																					
CBG	1.54																					
CBGA	0.53																					
THCV	0.25																					
<b>Total</b>	<b>78.87</b>																					
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.20	2	0.09																			
d9-THC (d9-Tetrahydrocannabinol)*	61.73	617.3	0.09																			
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09																			
THCA (d9-Tetrahydrocannabinolic Acid)*	14.31	143.1	0.09																			
CBD (Cannabidiol)*	0.13	1.3	0.09																			
CBDA (Cannabidiolic Acid)*	0.09	0.9	0.09																			
CBN (Cannabinol)	0.30	3	0.09																			
CBG (Cannabigerol)	1.54	15.4	0.09																			
CBGA (Cannabigerolic Acid)	0.53	5.3	0.09																			
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09																			
CBC (Cannabichromene)	< LOQ	< LOQ	0.09																			
THCV (Tetrahydrocannabivarin)	0.25	2.5	0.09																			
<b>Total Cannabinoids</b>	<b>78.87</b>	<b>788.7</b>	<b>0.09</b>																			

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mango Mints Full Spectrum Extract Duplicate**  
Tested for: **Nogero, LLC.**  
**Compliance Extract**

Laboratory ID: 22C0070-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000107

Process Date: 3/17/2022

Lot # 031022-NOG 3/17/22

License: 030-1017129044E

Batch RFID: 1A4010300040B29000000106

Date Sampled: 03/17/22 00:00

Batch Size: 528.2 (g)

Date Accepted: 03/17/22


### Potency Analysis

Date Extracted: 03/18/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 03/18/22

\* - ORELAP certified analyte


Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
<b>Total THC ((THCA*0.877)+d9)</b>	76.08	760.8	0.08	 <table border="1"> <tr><td>THC</td><td>63.05</td></tr> <tr><td>THCA</td><td>14.86</td></tr> <tr><td>CBD</td><td>0.12</td></tr> <tr><td>CBDA</td><td>0.09</td></tr> <tr><td>CBN</td><td>0.31</td></tr> <tr><td>CBG</td><td>1.55</td></tr> <tr><td>CBGA</td><td>0.55</td></tr> <tr><td>THCV</td><td>0.26</td></tr> <tr><td>Total</td><td>80.78</td></tr> </table>	THC	63.05	THCA	14.86	CBD	0.12	CBDA	0.09	CBN	0.31	CBG	1.55	CBGA	0.55	THCV	0.26	Total	80.78
THC	63.05																					
THCA	14.86																					
CBD	0.12																					
CBDA	0.09																					
CBN	0.31																					
CBG	1.55																					
CBGA	0.55																					
THCV	0.26																					
Total	80.78																					
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.20	2	0.08																			
d9-THC (d9-Tetrahydrocannabinol)*	63.05	630.5	0.08																			
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08																			
THCA (d9-Tetrahydrocannabinolic Acid)*	14.86	148.6	0.08																			
CBD (Cannabidiol)*	0.12	1.2	0.08																			
CBDA (Cannabidiolic Acid)*	0.09	0.9	0.08																			
CBN (Cannabinol)	0.31	3.1	0.08																			
CBG (Cannabigerol)	1.55	15.5	0.08																			
CBGA (Cannabigerolic Acid)	0.55	5.5	0.08																			
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08																			
CBC (Cannabichromene)	< LOQ	< LOQ	0.08																			
THCV (Tetrahydrocannabivarin)	0.26	2.6	0.08																			
<b>Total Cannabinoids</b>	<b>80.78</b>	<b>807.8</b>	<b>0.08</b>																			

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Mango Mints Full Spectrum Extract**

Sample Metrc ID: **1A4010300040B29000000107**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
<b>Total THC ((THCA*0.877)+d9)</b>	74.28	76.08	75.18	2.39	PASS
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.20	0.20	0.200	0	PASS

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

<b>Sample Name:</b> Mango Mints Full Spectrum Extract	<b>License:</b> 030-1017129044E
<b>Tested for:</b> Nogero, LLC. Compliance Extract	<b>Date Sampled:</b> 03/17/22 00:00
	<b>Date Accepted:</b> 03/17/22
<b>Laboratory ID:</b> 22C0070-01	<b>Sample Metrc ID:</b> 1A4010300040B29000000107
<b>Matrix:</b> Extracts and Concentrates	<b>Batch RFID:</b> 1A4010300040B29000000106
<b>Lot #</b> 031022-NOG 3/17/22	<b>Batch Size:</b> 528.2 (g)

### Terpene Analysis

Date Extracted: 03/18/22


Analysis Method: Terpenes by GC/FID

Date Analyzed: 03/18/22

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.136	0.097	beta Myrcene	0.268	0.097
alpha Phellandrene	< LOQ	0.097	3-Carene	< LOQ	0.097
alpha Terpinene	< LOQ	0.097	Limonene	0.219	0.097
Terpinolene	1.141	0.097	Linalool	0.484	0.097
Fenchol	< LOQ	0.097	Borneol	< LOQ	0.097
Terpineol	0.303	0.097	Geraniol	< LOQ	0.097
alpha Humulene	0.214	0.097	beta Caryophyllene	0.701	0.097
(-)-Caryophyllene Oxide	< LOQ	0.097	(-)-alpha Bisabolol	0.322	0.097
Camphene	< LOQ	0.097	beta Pinene	0.202	0.097
Ocimene	< LOQ	0.097	Sabinene	< LOQ	0.097
Camphor	< LOQ	0.097	Isoborneol	< LOQ	0.097
Menthol	< LOQ	0.097	alpha Cedrene	< LOQ	0.097
Nerolidol	0.104	0.097	(+)-Pulegone	< LOQ	0.097
Eucalyptol	< LOQ	0.097	p-Cymene	< LOQ	0.097
(-)-Isopulegol	< LOQ	0.097	Geranyl Acetate	< LOQ	0.097
Guaiol	< LOQ	0.097	Valencene	< LOQ	0.097
Phytol	< LOQ	0.097	Citronellol	< LOQ	0.097
gamma Terpinene	< LOQ	0.097			
<b>Total Terpenes</b>				<b>4.096 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mango Mints Full Spectrum Extract Primary**

License: **030-1017129044E**

Tested for: **Nogero, LLC.**

Date Sampled: **03/17/22 00:00**

**Compliance Extract**


Date Accepted: **03/17/22 18:06**

Laboratory ID: **22C0070-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300040B29000000107**

### Terpene Profile



  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mango Mints Full Spectrum Extract Primary** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **03/17/22 00:00**  
**Compliance Extract** Date Accepted: **03/17/22**


Laboratory ID: **22C0070-01** Sample Metrc ID: **1A4010300040B29000000107**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000106**  
 Lot # **031022-NOG 3/17/22** Batch Size: **528.2 (g)**

## Pesticide Analysis in ppm

Date Extracted: 03/18/22 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 03/18/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.210	Acephate	< LOQ	0.4	0.168
Acequinocyl	< LOQ	2	0.841	Acetamiprid	< LOQ	0.2	0.084
Aldicarb	< LOQ	0.4	0.168	Azoxystrobin	< LOQ	0.2	0.084
Bifenazate	< LOQ	0.2	0.084	Bifenthrin	< LOQ	0.2	0.084
Boscalid	< LOQ	0.4	0.168	Carbaryl	< LOQ	0.2	0.084
Carbofuran	< LOQ	0.2	0.084	Chlorantraniliprole	< LOQ	0.2	0.084
Chlorfenapyr	< LOQ	1	0.421	Chlorpyrifos	< LOQ	0.2	0.084
Clofentezine	< LOQ	0.2	0.084	Cyfluthrin	< LOQ	1	0.421
Cypermethrin	< LOQ	1	0.421	Daminozide	< LOQ	1	0.421
DDVP (Dichlorvos)	< LOQ	1	0.421	Diazinon	< LOQ	0.2	0.084
Dimethoate	< LOQ	0.2	0.084	Ethoprophos	< LOQ	0.2	0.084
Etofenprox	< LOQ	0.4	0.168	Etoxazole	< LOQ	0.2	0.084
Fenoxycarb	< LOQ	0.2	0.084	Fenpyroximate	< LOQ	0.4	0.168
Fipronil	< LOQ	0.4	0.168	Fonicamid	< LOQ	1	0.421
Fludioxonil	< LOQ	0.4	0.168	Hexythiazox	< LOQ	1	0.421
Imazalil	< LOQ	0.2	0.084	Imidacloprid	< LOQ	0.4	0.168
Kresoxim-methyl	< LOQ	0.4	0.168	Malathion	< LOQ	0.2	0.084
Metalaxyl	< LOQ	0.2	0.084	Methiocarb	< LOQ	0.2	0.084
Methomyl	< LOQ	0.4	0.168	Methyl parathion	< LOQ	0.2	0.084
MGK-264	< LOQ	0.2	0.084	Myclobutanil	< LOQ	0.2	0.084
Naled	< LOQ	0.5	0.210	Oxamyl	< LOQ	1	0.421
Paclobutrazol	< LOQ	0.4	0.168	Permethrins (total)	< LOQ	0.2	0.084
Phosmet	< LOQ	0.2	0.084	Piperonyl butoxide	< LOQ	2	0.421
Prallethrin	< LOQ	0.2	0.084	Propiconazole	< LOQ	0.4	0.168
Propoxur	< LOQ	0.2	0.084	Pyrethrins (total)	< LOQ	1	0.421
Pyridaben	< LOQ	0.2	0.084	Spinosad	< LOQ	0.2	0.084
Spiromesifen	< LOQ	0.2	0.084	Spirotetramat	< LOQ	0.2	0.084
Spiroxamine	< LOQ	0.4	0.168	Tebuconazole	< LOQ	0.4	0.168
Thiacloprid	< LOQ	0.2	0.084	Thiamethoxam	< LOQ	0.2	0.084
Trifloxystrobin	< LOQ	0.2	0.084				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mango Mints Full Spectrum Extract Duplicate** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **03/17/22 00:00**  
**Compliance Extract** Date Accepted: **03/17/22**


Laboratory ID: **22C0070-02** Sample Metrc ID: **1A4010300040B29000000107**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000106**  
 Lot # **031022-NOG 3/17/22** Batch Size: **528.2 (g)**

## Pesticide Analysis in ppm

Date Extracted: 03/18/22 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 03/18/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.213	Acephate	< LOQ	0.4	0.171
Acequinocyl	< LOQ	2	0.853	Acetamiprid	< LOQ	0.2	0.085
Aldicarb	< LOQ	0.4	0.171	Azoxystrobin	< LOQ	0.2	0.085
Bifenazate	< LOQ	0.2	0.085	Bifenthrin	< LOQ	0.2	0.085
Boscalid	< LOQ	0.4	0.171	Carbaryl	< LOQ	0.2	0.085
Carbofuran	< LOQ	0.2	0.085	Chlorantraniliprole	< LOQ	0.2	0.085
Chlorfenapyr	< LOQ	1	0.426	Chlorpyrifos	< LOQ	0.2	0.085
Clofentezine	< LOQ	0.2	0.085	Cyfluthrin	< LOQ	1	0.426
Cypermethrin	< LOQ	1	0.426	Daminozide	< LOQ	1	0.426
DDVP (Dichlorvos)	< LOQ	1	0.426	Diazinon	< LOQ	0.2	0.085
Dimethoate	< LOQ	0.2	0.085	Ethoprophos	< LOQ	0.2	0.085
Etofenprox	< LOQ	0.4	0.171	Etoxazole	< LOQ	0.2	0.085
Fenoxycarb	< LOQ	0.2	0.085	Fenpyroximate	< LOQ	0.4	0.171
Fipronil	< LOQ	0.4	0.171	Fonicamid	< LOQ	1	0.426
Fludioxonil	< LOQ	0.4	0.171	Hexythiazox	< LOQ	1	0.426
Imazalil	< LOQ	0.2	0.085	Imidacloprid	< LOQ	0.4	0.171
Kresoxim-methyl	< LOQ	0.4	0.171	Malathion	< LOQ	0.2	0.085
Metalaxyl	< LOQ	0.2	0.085	Methiocarb	< LOQ	0.2	0.085
Methomyl	< LOQ	0.4	0.171	Methyl parathion	< LOQ	0.2	0.085
MGK-264	< LOQ	0.2	0.085	Myclobutanil	< LOQ	0.2	0.085
Naled	< LOQ	0.5	0.213	Oxamyl	< LOQ	1	0.426
Paclobutrazol	< LOQ	0.4	0.171	Permethrins (total)	< LOQ	0.2	0.085
Phosmet	< LOQ	0.2	0.085	Piperonyl butoxide	< LOQ	2	0.426
Prallethrin	< LOQ	0.2	0.085	Propiconazole	< LOQ	0.4	0.171
Propoxur	< LOQ	0.2	0.085	Pyrethrins (total)	< LOQ	1	0.426
Pyridaben	< LOQ	0.2	0.085	Spinosad	< LOQ	0.2	0.085
Spiromesifen	< LOQ	0.2	0.085	Spirotetramat	< LOQ	0.2	0.085
Spiroxamine	< LOQ	0.4	0.171	Tebuconazole	< LOQ	0.4	0.171
Thiacloprid	< LOQ	0.2	0.085	Thiamethoxam	< LOQ	0.2	0.085
Trifloxystrobin	< LOQ	0.2	0.085				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Mango Mints Full Spectrum Extract Primary</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>03/17/22 00:00</b>
<b>Compliance Extract</b>	Date Accepted: <b>03/17/22</b>
Laboratory ID: <b>22C0070-01</b>	Sample Metric ID: <b>1A4010300040B29000000107</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000106</b>
Lot # <b>031022-NOG 3/17/22</b>	Batch Size: <b>528.2 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 03/17/22
1,4-Dioxane	< LOQ	380	174	Date Analyzed: 03/18/22
2-Butanol	< LOQ	5000	2290	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	73.1	
2-Propanol (IPA)	< LOQ	5000	2290	
Acetone	< LOQ	5000	2290	
Acetonitrile	< LOQ	410	187	
Benzene	< LOQ	2	0.914	
Butanes	< LOQ	5000	2290	
Cyclohexane	< LOQ	3880	1770	
Dichloromethane (methylene chloride)	< LOQ	600	274	
Ethyl acetate	< LOQ	5000	2290	
Ethyl ether	< LOQ	5000	2290	
Ethylbenzene	< LOQ	2170	992	
Ethylene glycol	< LOQ	620	283	
Ethylene oxide	< LOQ	50	22.9	
Heptane	< LOQ	5000	2290	
Hexanes	< LOQ	290	133	
Isopropyl acetate	< LOQ	5000	2290	
Isopropylbenzene (cumene)	< LOQ	70	32.0	
Methanol	< LOQ	3000	1370	
Pentanes	< LOQ	5000	2290	
Propane	< LOQ	5000	2290	
Tetrahydrofuran	< LOQ	720	329	
Toluene	< LOQ	890	407	
Xylenes	< LOQ	2170	992	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel  
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Mango Mints Full Spectrum Extract Duplicate</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>03/17/22 00:00</b>
<b>Compliance Extract</b>	Date Accepted: <b>03/17/22</b>
Laboratory ID: <b>22C0070-02</b>	Sample Metric ID: <b>1A4010300040B29000000107</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000106</b>
Lot # <b>031022-NOG 3/17/22</b>	Batch Size: <b>528.2 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 03/17/22
1,4-Dioxane	< LOQ	380	170	Date Analyzed: 03/18/22
2-Butanol	< LOQ	5000	2240	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	71.7	
2-Propanol (IPA)	< LOQ	5000	2240	
Acetone	< LOQ	5000	2240	
Acetonitrile	< LOQ	410	184	
Benzene	< LOQ	2	0.897	
Butanes	< LOQ	5000	2240	
Cyclohexane	< LOQ	3880	1740	
Dichloromethane (methylene chloride)	< LOQ	600	269	
Ethyl acetate	< LOQ	5000	2240	
Ethyl ether	< LOQ	5000	2240	
Ethylbenzene	< LOQ	2170	973	
Ethylene glycol	< LOQ	620	278	
Ethylene oxide	< LOQ	50	22.4	
Heptane	< LOQ	5000	2240	
Hexanes	< LOQ	290	130	
Isopropyl acetate	< LOQ	5000	2240	
Isopropylbenzene (cumene)	< LOQ	70	31.4	
Methanol	< LOQ	3000	1350	
Pentanes	< LOQ	5000	2240	
Propane	< LOQ	5000	2240	
Tetrahydrofuran	< LOQ	720	323	
Toluene	< LOQ	890	399	
Xylenes	< LOQ	2170	973	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**Case Narrative**

**Pesticides** - Clofentazine and Tebuconazole recovered below the lower acceptance limit in the Matrix Spike and/or Matrix Spike Duplicate. The Blank Spike recovered within acceptance limits for these analytes. Additionally, no peaks were identified in the retention time window of these analytes in client samples.

**Residual Solvent** - Multiple analytes were above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.


Norflurane and Hexyl hexanoate were detected as tentatively identified compounds in samples 22C0070-01/02.

**Quality Control  
Potency**

**Batch: B220594 - Potency/Terpenes**

Blank(B220594-BLK1)			Extracted - 03/18/22 15:45 Analyzed - 03/18/22 17:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B220594-DUP1)			Extracted - 03/18/22 15:45 Analyzed - 03/18/22 16:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	25.12	%		25.28			0.665	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	41.08	%		41.01			0.170	20
CBD (Cannabidiol)	1.56	%		1.53			2.02	20
CBDA (Cannabidiolic Acid)	8.57	%		8.55			0.224	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.40	%		0.38			3.43	20
CBGA (Cannabigerolic Acid)	2.26	%		2.25			0.376	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	0.05	%		0.06			11.6	20



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)


**Batch: B220594 - Potency/Terpenes (Continued)**

Duplicate(B220594-DUP1)			Extracted - 03/18/22 15:45 Analyzed - 03/18/22 16:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	0.17	%		0.16			4.69	20

LCS(B220594-BS1)			Extracted - 03/18/22 15:45 Analyzed - 03/18/22 16:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

d9-THC (d9-Tetrahydrocannabinol)	0.19	%	0.200		92.9	80-120		
THCA (d9-Tetrahydrocannabinolic Acid)	0.21	%	0.200		105	80-120		
CBD (Cannabidiol)	0.20	%	0.200		101	80-120		
CBN (Cannabinol)	0.19	%	0.200		96.5	80-120		




Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

Batch: B220596 - Pesticide Prep

Blank(B220596-BLK1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22 17:36					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220596 - Pesticide Prep (Continued)**

Blank(B220596-BLK1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22 17:36					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B220596-BS1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22 17:52					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.17	ppm	1.98		110	36-160		
Acephate	2.02	ppm	2.00		101	68-132		
Acequinocyl	1.58	ppm	2.00		78.9	15-158		
Acetamiprid	2.03	ppm	2.00		101	69-146		
Aldicarb	2.05	ppm	2.00		102	54-150		
Azoxystrobin	2.05	ppm	2.00		103	66-145		
Bifenazate	1.95	ppm	2.00		97.5	61-139		
Bifenthrin	1.84	ppm	2.00		91.9	47-128		

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220596 - Pesticide Prep (Continued)**

LCS(B220596-BS1)		Extracted - 03/18/22 13:45 Analyzed - 03/18/22 17:52						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.96	ppm	2.00		98.0	62-147		
Carbaryl	2.02	ppm	2.00		101	76-126		
Carbofuran	2.05	ppm	2.00		102	70-133		
Chlorantraniliprole	2.08	ppm	2.00		104	41-150		
Chlorfenapyr	2.35	ppm	2.00		118	49-145		
Chlorpyrifos	1.84	ppm	2.00		92.2	66-126		
Clofentezine	1.97	ppm	2.00		98.7	72-122		
Cyfluthrin	1.93	ppm	2.00		96.7	45-152		
Cypermethrin	1.98	ppm	2.00		99.0	58-143		
Daminozide	2.04	ppm	2.00		102	39-182		
DDVP (Dichlorvos)	1.91	ppm	2.00		95.5	68-133		
Diazinon	2.01	ppm	2.00		101	79-122		
Dimethoate	1.89	ppm	2.00		94.6	72-126		
Ethoprophos	2.03	ppm	2.00		101	71-130		
Etofenprox	1.84	ppm	2.00		92.2	61-130		
Etoxazole	1.94	ppm	2.00		96.8	67-140		
Fenoxycarb	2.10	ppm	2.00		105	66-137		
Fenpyroximate	1.96	ppm	2.00		98.1	55-178		
Fipronil	2.09	ppm	2.00		105	64-140		
Flonicamid	2.02	ppm	2.00		101	61-149		
Fludioxonil	1.97	ppm	2.00		98.6	20-156		
Hexythiazox	1.90	ppm	2.00		95.2	56-141		
Imazalil	2.05	ppm	2.00		102	72-132		
Imidacloprid	2.05	ppm	2.00		103	68-146		
Kresoxim-methyl	2.02	ppm	2.00		101	75-123		
Malathion	2.02	ppm	2.00		101	62-138		
Metalaxyl	2.07	ppm	2.00		103	74-139		
Methiocarb	1.98	ppm	2.00		99.1	71-127		
Methomyl	2.06	ppm	2.00		103	57-132		
Methyl parathion	1.98	ppm	2.00		99.1	48-141		
MGK-264	1.89	ppm	2.00		94.6	58-137		
Myclobutanil	1.94	ppm	2.00		96.8	59-150		
Naled	2.06	ppm	2.00		103	60-156		
Oxamyl	2.05	ppm	2.00		102	72-126		
Paclobutrazol	2.15	ppm	2.00		108	65-138		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220596 - Pesticide Prep (Continued)**

LCS(B220596-BS1)		Extracted - 03/18/22 13:45 Analyzed - 03/18/22 17:52						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.83	ppm	2.00		91.5	55-143		
Phosmet	2.05	ppm	2.00		102	72-135		
Piperonyl butoxide	1.93	ppm	2.00		96.5	63-140		
Prallethrin	1.98	ppm	2.00		99.1	63-144		
Propiconazole	2.08	ppm	2.00		104	56-155		
Propoxur	2.06	ppm	2.00		103	69-126		
Pyrethrins (total)	1.11	ppm	1.16		95.5	55-139		
Pyridaben	1.93	ppm	2.00		96.3	60-139		
Spinosad	2.15	ppm	2.00		108	58-140		
Spiromesifen	1.94	ppm	2.00		96.9	58-149		
Spirotetramat	2.05	ppm	2.00		102	71-139		
Spiroxamine	2.04	ppm	2.00		102	71-145		
Tebuconazole	2.14	ppm	2.00		107	64-148		
Thiacloprid	1.97	ppm	2.00		98.7	72-140		
Thiamethoxam	2.11	ppm	2.00		106	70-138		
Trifloxystrobin	2.01	ppm	2.00		101	68-138		

Matrix Spike(B220596-MS1)		Extracted - 03/18/22 13:45 Analyzed - 03/18/22 18:08						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.49	ppm	1.81	< LOQ	137	33-200		
Acephate	1.83	ppm	1.83	< LOQ	100	66-133		
Acequinocyl	0.56	ppm	1.83	< LOQ	30.4	10-116		
Acetamiprid	1.80	ppm	1.83	< LOQ	98.4	67-146		
Aldicarb	1.85	ppm	1.83	< LOQ	101	58-150		
Azoxystrobin	1.84	ppm	1.83	< LOQ	100	63-134		
Bifenazate	1.96	ppm	1.83	< LOQ	107	55-137		
Bifenthrin	0.72	ppm	1.83	< LOQ	39.2	15-90		
Boscalid	1.74	ppm	1.83	< LOQ	94.7	55-136		
Carbaryl	1.75	ppm	1.83	< LOQ	95.4	74-120		
Carbofuran	1.79	ppm	1.83	< LOQ	97.5	69-129		
Chlorantraniliprole	1.84	ppm	1.83	< LOQ	100	46-134		
Chlorfenapyr	1.11	ppm	1.83	< LOQ	60.8	14-136		
Chlorpyrifos	0.91	ppm	1.83	< LOQ	49.6	30-138		
Clofentezine	0.85	ppm	1.83	< LOQ	46.5	47-131		
Cyfluthrin	1.60	ppm	1.83	< LOQ	87.3	27-200		

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220596 - Pesticide Prep (Continued)**

Matrix Spike(B220596-MS1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22 18:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.71	ppm	1.83	< LOQ	93.0	30-181		
Daminozide	1.59	ppm	1.83	< LOQ	86.5	20-171		
DDVP (Dichlorvos)	1.67	ppm	1.83	< LOQ	91.1	65-138		
Diazinon	1.78	ppm	1.83	< LOQ	96.9	70-130		
Dimethoate	1.72	ppm	1.83	< LOQ	93.9	70-130		
Ethoprophos	1.65	ppm	1.83	< LOQ	90.0	62-125		
Etofenprox	1.39	ppm	1.83	< LOQ	75.9	15-96		
Etoxazole	1.59	ppm	1.83	< LOQ	86.9	43-129		
Fenoxycarb	1.91	ppm	1.83	< LOQ	104	60-133		
Fenpyroximate	1.97	ppm	1.83	< LOQ	107	43-199		
Fipronil	1.66	ppm	1.83	< LOQ	90.5	54-140		
Flonicamid	1.55	ppm	1.83	< LOQ	84.5	60-143		
Fludioxonil	1.80	ppm	1.83	< LOQ	98.2	14-166		
Hexythiazox	2.06	ppm	1.83	< LOQ	113	28-200		
Imazalil	1.72	ppm	1.83	< LOQ	94.0	28-129		
Imidacloprid	1.72	ppm	1.83	< LOQ	94.0	65-155		
Kresoxim-methyl	1.58	ppm	1.83	< LOQ	86.2	68-131		
Malathion	1.80	ppm	1.83	< LOQ	98.2	61-127		
Metalaxyl	1.79	ppm	1.83	< LOQ	97.4	71-131		
Methiocarb	1.78	ppm	1.83	< LOQ	97.2	71-121		
Methomyl	1.77	ppm	1.83	< LOQ	96.7	55-133		
Methyl parathion	1.72	ppm	1.83	< LOQ	93.9	42-126		
MGK-264	1.46	ppm	1.83	< LOQ	79.9	37-129		
Myclobutanil	1.64	ppm	1.83	< LOQ	89.5	51-138		
Naled	1.74	ppm	1.83	< LOQ	94.6	48-150		
Oxamyl	1.82	ppm	1.83	< LOQ	99.1	68-125		
Paclbutrazol	1.67	ppm	1.83	< LOQ	91.0	55-130		
Permethrins (total)	1.59	ppm	1.83	< LOQ	86.9	18-144		
Phosmet	1.79	ppm	1.83	< LOQ	97.5	65-129		
Piperonyl butoxide	1.54	ppm	1.83	< LOQ	83.9	33-111		
Prallethrin	1.82	ppm	1.83	< LOQ	99.2	47-146		
Propiconazole	1.58	ppm	1.83	< LOQ	86.0	47-155		
Propoxur	1.69	ppm	1.83	< LOQ	92.3	68-124		
Pyrethrins (total)	1.44	ppm	1.06	< LOQ	135	19-200		
Pyridaben	1.47	ppm	1.83	< LOQ	80.3	15-130		



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220596 - Pesticide Prep (Continued)**

Matrix Spike(B220596-MS1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22 18:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.89	ppm	1.83	< LOQ	103	36-149		
Spiromesifen	1.34	ppm	1.83	< LOQ	73.3	28-139		
Spirotetramat	2.12	ppm	1.83	< LOQ	115	50-170		
Spiroxamine	1.78	ppm	1.83	< LOQ	97.2	32-148		
Tebuconazole	1.01	ppm	1.83	< LOQ	55.3	65-144		
Thiacloprid	1.77	ppm	1.83	< LOQ	96.6	69-136		
Thiamethoxam	1.89	ppm	1.83	< LOQ	103	65-133		
Trifloxystrobin	1.80	ppm	1.83	< LOQ	98.4	61-134		

Matrix Spike Dup(B220596-MSD1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	3.28	ppm	1.90	< LOQ	173	33-200	22.8	50
Acephate	1.88	ppm	1.92	< LOQ	98.1	66-133	1.94	30
Acequinocyl	0.62	ppm	1.92	< LOQ	32.1	10-116	5.52	50
Acetamiprid	1.99	ppm	1.92	< LOQ	104	67-146	5.46	30
Aldicarb	1.95	ppm	1.92	< LOQ	102	58-150	0.676	30
Azoxystrobin	1.96	ppm	1.92	< LOQ	102	63-134	2.11	30
Bifenazate	2.04	ppm	1.92	< LOQ	107	55-137	0.455	30
Bifenthrin	0.81	ppm	1.92	< LOQ	42.1	15-90	7.09	30
Boscalid	1.91	ppm	1.92	< LOQ	99.4	55-136	4.86	30
Carbaryl	1.83	ppm	1.92	< LOQ	95.6	74-120	0.220	30
Carbofuran	1.91	ppm	1.92	< LOQ	99.5	69-129	2.08	30
Chlorantraniliprole	1.98	ppm	1.92	< LOQ	103	46-134	3.05	30
Chlorfenapyr	1.52	ppm	1.92	< LOQ	79.5	14-136	26.6	50
Chlorpyrifos	1.00	ppm	1.92	< LOQ	52.0	30-138	4.66	30
Clofentezine	0.94	ppm	1.92	< LOQ	48.8	47-131	4.88	30
Cyfluthrin	1.66	ppm	1.92	< LOQ	86.7	27-200	0.684	50
Cypermethrin	1.76	ppm	1.92	< LOQ	91.8	30-181	1.35	30
Daminozide	1.64	ppm	1.92	< LOQ	85.5	20-171	1.07	50
DDVP (Dichlorvos)	1.86	ppm	1.92	< LOQ	96.8	65-138	6.06	30
Diazinon	1.91	ppm	1.92	< LOQ	99.5	70-130	2.67	30
Dimethoate	1.88	ppm	1.92	< LOQ	98.2	70-130	4.54	30
Ethoprophos	1.80	ppm	1.92	< LOQ	93.9	62-125	4.26	30
Etofenprox	1.46	ppm	1.92	< LOQ	75.9	15-96	0.0224	30
Etoxazole	1.67	ppm	1.92	< LOQ	86.9	43-129	0.0577	30

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.




## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220596 - Pesticide Prep (Continued)**

Matrix Spike Dup(B220596-MSD1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	2.01	ppm	1.92	< LOQ	105	60-133	0.333	30
Fenpyroximate	2.14	ppm	1.92	< LOQ	112	43-199	4.03	30
Fipronil	1.75	ppm	1.92	< LOQ	91.1	54-140	0.611	30
Flonicamid	1.61	ppm	1.92	< LOQ	84.1	60-143	0.374	30
Fludioxonil	1.95	ppm	1.92	< LOQ	102	14-166	3.43	50
Hexythiazox	2.19	ppm	1.92	< LOQ	114	28-200	1.24	30
Imazalil	1.90	ppm	1.92	< LOQ	98.9	28-129	5.06	30
Imidacloprid	1.90	ppm	1.92	< LOQ	99.0	65-155	5.15	30
Kresoxim-methyl	1.69	ppm	1.92	< LOQ	88.2	68-131	2.37	30
Malathion	1.91	ppm	1.92	< LOQ	99.8	61-127	1.55	30
Metalaxyl	1.91	ppm	1.92	< LOQ	99.9	71-131	2.51	30
Methiocarb	1.88	ppm	1.92	< LOQ	98.0	71-121	0.921	30
Methomyl	1.86	ppm	1.92	< LOQ	96.9	55-133	0.224	30
Methyl parathion	1.90	ppm	1.92	< LOQ	99.0	42-126	5.27	30
MGK-264	1.55	ppm	1.92	< LOQ	80.8	37-129	1.11	30
Myclobutanil	1.75	ppm	1.92	< LOQ	91.1	51-138	1.77	30
Naled	1.88	ppm	1.92	< LOQ	98.3	48-150	3.81	30
Oxamyl	1.84	ppm	1.92	< LOQ	96.2	68-125	2.94	30
Paclobutrazol	1.76	ppm	1.92	< LOQ	91.6	55-130	0.708	30
Permethrins (total)	1.61	ppm	1.92	< LOQ	84.3	18-144	3.07	30
Phosmet	1.88	ppm	1.92	< LOQ	98.0	65-129	0.489	30
Piperonyl butoxide	1.58	ppm	1.92	< LOQ	82.6	33-111	1.56	30
Prallethrin	1.91	ppm	1.92	< LOQ	99.5	47-146	0.266	30
Propiconazole	1.72	ppm	1.92	< LOQ	89.9	47-155	4.50	30
Propoxur	1.88	ppm	1.92	< LOQ	98.1	68-124	6.12	30
Pyrethrins (total)	1.45	ppm	1.11	< LOQ	130	19-200	3.47	30
Pyridaben	1.56	ppm	1.92	< LOQ	81.3	15-130	1.22	30
Spinosad	2.05	ppm	1.92	< LOQ	107	36-149	3.87	35
Spiromesifen	1.42	ppm	1.92	< LOQ	73.8	28-139	0.753	30
Spirotetramat	2.20	ppm	1.92	< LOQ	115	50-170	0.745	30
Spiroxamine	1.86	ppm	1.92	< LOQ	96.9	32-148	0.247	30
Tebuconazole	1.10	ppm	1.92	< LOQ	57.2	65-144	3.36	30
Thiacloprid	2.00	ppm	1.92	< LOQ	104	69-136	7.87	30
Thiamethoxam	1.95	ppm	1.92	< LOQ	102	65-133	1.38	30
Trifloxystrobin	1.92	ppm	1.92	< LOQ	100	61-134	1.69	30

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

# Quality Control Solvent Analysis

Batch: B220593 - Residual Solvent Prep

Blank(B220593-BLK1)		Extracted - 03/17/22 18:30 Analyzed - 03/17/22 21:14						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B220593-BS1)		Extracted - 03/17/22 18:30 Analyzed - 03/17/22 20:11						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	393	ug/g	285		138	74-137		
2,2-Dimethylbutane	292	ug/g	218		134	75-139		
2,2-Dimethylpropane (neopentane)	2500	ug/g	1560		160	71-176		
2-Butanol	2050	ug/g	1750		117	74-138		
2-Ethoxyethanol	165	ug/g	120		138	72-134		
2-Methylbutane (isopentane)	1550	ug/g	1750		88.4	76-147		
2-Methylpentane/2,3-Dimethylbutane	408	ug/g	435		93.8	76-140		



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Solvent Analysis (Continued)

**Batch: B220593 - Residual Solvent Prep (Continued)**

<b>LCS(B220593-BS1)</b>		<b>Extracted - 03/17/22 18:30 Analyzed - 03/17/22 20:11</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
2-Methylpropane (isobutane)	1820	ug/g	1560		116	39-190		
2-Propanol (IPA)	2070	ug/g	1750		119	78-146		
3-Methylpentane	289	ug/g	218		133	74-137		
Acetone	1770	ug/g	1750		101	81-151		
Acetonitrile	297	ug/g	308		96.5	76-142		
Benzene	1.82	ug/g	1.50		121	67-129		
Cyclohexane	4370	ug/g	2910		150	79-147		
Dichloromethane (methylene chloride)	655	ug/g	450		145	74-138		
Ethyl acetate	1730	ug/g	1750		99.1	79-147		
Ethyl ether	2330	ug/g	1750		133	83-155		
Ethylbenzene	2020	ug/g	1620		124	71-133		
Ethylene glycol	920	ug/g	465		198	46-115		
Ethylene oxide	285	ug/g	188		152	80-150		
Heptane	1700	ug/g	1750		97.3	77-143		
Isopropyl acetate	1740	ug/g	1750		99.5	80-148		
Isopropylbenzene (cumene)	43.6	ug/g	52.5		83.0	68-126		
m,p-Xylene	4090	ug/g	3250		126	72-134		
Methanol	1930	ug/g	1250		154	78-146		
n-Butane	1710	ug/g	1560		109	40-182		
n-Hexane	287	ug/g	218		132	73-135		
n-Pentane	1560	ug/g	1750		89.3	78-146		
Propane	1310	ug/g	625		209	41-163		
Tetrahydrofuran	479	ug/g	540		88.7	78-144		
Toluene	809	ug/g	669		121	71-131		
o-Xylene	1980	ug/g	1620		122	70-130		

<b>Matrix Spike(B220593-MS1)</b>		<b>Extracted - 03/17/22 18:30 Analyzed - 03/17/22 20:32</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
1,4-Dioxane	378	ug/g	275	< LOQ	138	71-131		
2,2-Dimethylbutane	285	ug/g	210	< LOQ	136	70-130		
2,2-Dimethylpropane (neopentane)	2420	ug/g	1510	< LOQ	161	65-168		
2-Butanol	1970	ug/g	1690	< LOQ	117	71-133		
2-Ethoxyethanol	160	ug/g	116	< LOQ	138	68-126		
2-Methylbutane (isopentane)	1510	ug/g	1690	< LOQ	89.3	68-141		
2-Methylpentane/2,3-Dimethylbutane	400	ug/g	419	< LOQ	95.5	71-133		


  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Solvent Analysis (Continued)

**Batch: B220593 - Residual Solvent Prep (Continued)**

Matrix Spike(B220593-MS1)			Extracted - 03/17/22 18:30 Analyzed - 03/17/22 20:32					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	1940	ug/g	1510	256	112	46-179		
2-Propanol (IPA)	2010	ug/g	1690	< LOQ	119	74-138		
3-Methylpentane	282	ug/g	210	< LOQ	134	69-129		
Acetone	1710	ug/g	1690	< LOQ	101	76-142		
Acetonitrile	286	ug/g	296	< LOQ	96.5	72-134		
Benzene	1.84	ug/g	1.45	< LOQ	127	64-130		
Cyclohexane	4240	ug/g	2810	< LOQ	151	78-144		
Dichloromethane (methylene chloride)	643	ug/g	434	< LOQ	148	71-131		
Ethyl acetate	1660	ug/g	1690	< LOQ	98.4	75-139		
Ethyl ether	2270	ug/g	1690	< LOQ	134	81-141		
Ethylbenzene	1960	ug/g	1570	< LOQ	125	73-135		
Ethylene glycol	862	ug/g	448	< LOQ	192	44-113		
Ethylene oxide	275	ug/g	181	< LOQ	152	63-142		
Heptane	1670	ug/g	1690	< LOQ	99.0	76-140		
Isopropyl acetate	1680	ug/g	1690	< LOQ	99.6	76-140		
Isopropylbenzene (cumene)	67.2	ug/g	50.6	< LOQ	133	61-200		
m,p-Xylene	3970	ug/g	3130	< LOQ	127	74-138		
Methanol	1860	ug/g	1200	< LOQ	154	73-135		
n-Butane	2110	ug/g	1510	613	99.4	32-176		
n-Hexane	280	ug/g	210	< LOQ	134	69-127		
n-Pentane	1500	ug/g	1690	< LOQ	89.0	71-140		
Propane	1270	ug/g	602	< LOQ	211	45-152		
Tetrahydrofuran	457	ug/g	520	< LOQ	87.9	74-137		
Toluene	792	ug/g	645	< LOQ	123	71-131		
o-Xylene	1920	ug/g	1570	< LOQ	123	72-134		

Matrix Spike Dup(B220593-MSD1)			Extracted - 03/17/22 18:30 Analyzed - 03/17/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	384	ug/g	280	< LOQ	137	71-131	1.45	25
2,2-Dimethylbutane	290	ug/g	213	< LOQ	136	70-130	1.66	25
2,2-Dimethylpropane (neopentane)	2470	ug/g	1530	< LOQ	161	65-168	2.09	25
2-Butanol	2000	ug/g	1720	< LOQ	117	71-133	1.76	25
2-Ethoxyethanol	160	ug/g	118	< LOQ	136	68-126	0.129	25
2-Methylbutane (isopentane)	1520	ug/g	1720	< LOQ	88.7	68-141	1.23	25
2-Methylpentane/2,3-Dimethylbutane	404	ug/g	427	< LOQ	94.7	71-133	0.985	25


  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Solvent Analysis (Continued)

**Batch: B220593 - Residual Solvent Prep (Continued)**

Matrix Spike Dup(B220593-MSD1)			Extracted - 03/17/22 18:30 Analyzed - 03/17/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	1960	ug/g	1530	256	111	46-179	0.683	25
2-Propanol (IPA)	2060	ug/g	1720	< LOQ	120	74-138	2.49	25
3-Methylpentane	284	ug/g	213	< LOQ	133	69-129	0.772	25
Acetone	1730	ug/g	1720	< LOQ	101	76-142	1.48	25
Acetonitrile	289	ug/g	302	< LOQ	95.9	72-134	1.20	25
Benzene	1.86	ug/g	1.47	< LOQ	126	64-130	1.13	50
Cyclohexane	4250	ug/g	2860	< LOQ	149	78-144	0.450	25
Dichloromethane (methylene chloride)	650	ug/g	442	< LOQ	147	71-131	1.08	25
Ethyl acetate	1680	ug/g	1720	< LOQ	98.0	75-139	1.36	25
Ethyl ether	2300	ug/g	1720	< LOQ	134	81-141	1.33	25
Ethylbenzene	1970	ug/g	1600	< LOQ	124	73-135	0.641	25
Ethylene glycol	862	ug/g	456	< LOQ	189	44-113	0.0678	50
Ethylene oxide	276	ug/g	184	< LOQ	150	63-142	0.574	25
Heptane	1680	ug/g	1720	< LOQ	97.8	76-140	0.616	25
Isopropyl acetate	1700	ug/g	1720	< LOQ	98.8	76-140	0.938	25
Isopropylbenzene (cumene)	67.8	ug/g	51.5	< LOQ	131	61-200	0.870	25
m,p-Xylene	4040	ug/g	3190	< LOQ	127	74-138	1.72	25
Methanol	1900	ug/g	1230	< LOQ	155	73-135	2.17	25
n-Butane	2140	ug/g	1530	613	99.3	32-176	1.23	25
n-Hexane	282	ug/g	213	< LOQ	132	69-127	0.482	25
n-Pentane	1530	ug/g	1720	< LOQ	88.9	71-140	1.71	25
Propane	1280	ug/g	613	< LOQ	208	45-152	0.451	50
Tetrahydrofuran	465	ug/g	530	< LOQ	87.7	74-137	1.58	25
Toluene	803	ug/g	656	< LOQ	122	71-131	1.40	25
o-Xylene	1990	ug/g	1600	< LOQ	125	72-134	3.48	25

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B220595 - Potency/Terpenes**

Blank(B220595-BLK1)			Extracted - 03/18/22 13:45 Analyzed - 03/18/22 18:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B220595 - Potency/Terpenes (Continued)**

Duplicate(B220595-DUP1)		Extracted - 03/18/22 13:45 Analyzed - 03/18/22 18:49						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	0.627	%		0.628			0.144	30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	0.183	%		0.182			0.806	30
alpha Pinene	0.125	%		0.127			1.81	30
beta Myrcene	3.100	%		3.104			0.107	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.350	%		0.353			0.898	30
Terpinolene	0.175	%		0.177			0.995	30
Linalool	0.253	%		0.253			0.0167	30
Fenchol	< LOQ	%		< LOQ				30
Borneol	< LOQ	%		< LOQ				30
Terpineol	< LOQ	%		< LOQ				30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.672	%		0.667			0.835	30
beta Caryophyllene	2.104	%		2.084			0.934	30
(-)-Caryophyllene Oxide	0.096	%		0.096			0.345	30
(-)-alpha Bisabolol	0.733	%		0.716			2.30	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	< LOQ	%		< LOQ				30
Ocimene	0.627	%		0.628			0.144	30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
Nerolidol	0.183	%		0.182			0.806	30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B220595 - Potency/Terpenes (Continued)**

Duplicate(B220595-DUP1)		Extracted - 03/18/22 13:45 Analyzed - 03/18/22 18:49						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30



\_\_\_\_\_  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Client: Nogero LLC Client License: 1017129044E Date Sampled: 3/17/2022 Thermometer ID: T020  
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR Requestor: Nathaniel Bruce Event ID: 22C0070 Balance ID: SAMP\_BAL\_03  
 Sampling SOP & Rev. #: SC-OR-SAMP-002 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer\_09

*Scott Forster*  
 Sampler Signature

Lab ORELAP ID: 4133  
 Lab OLCC ID: 1018619A26E

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.5	P
200		±2.5%	199.97		199.97	



Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
glass bowl	1A4010300040B29000000106				Concentrate	Mango Mints Full Spectrum Extract	031022-NOG 3/17/22	528.2
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	4	0.875	Mango Mints Full Spectrum Extract Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22C0070-01	Mango Mints Full Spectrum Extract-1		A1	0	0.88	0.88	107	
22C0070-01	Mango Mints Full Spectrum Extract-1		A2	0.88	1.76	0.88	107	
22C0070-01	Mango Mints Full Spectrum Extract-1		A2	1.76	2.64	0.88	107	
22C0070-01	Mango Mints Full Spectrum Extract-1		A2	2.64	3.54	0.9	107	
<b>Totals:</b>								
			4	4	Total Primary Mass = 3.54		Primary + Duplicate Mass = 7.06 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	4	0.875	Mango Mints Full Spectrum Extract Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22C0070-02	Mango Mints Full Spectrum Extract-1		A1	0	0.88	0.88	107	
22C0070-02	Mango Mints Full Spectrum Extract-1		A3	0.88	1.76	0.88	107	
22C0070-02	Mango Mints Full Spectrum Extract-1		A4	1.76	2.64	0.88	107	
22C0070-02	Mango Mints Full Spectrum Extract-1		A4	2.64	3.52	0.88	107	

<b>Totals:</b>		4	4		Total Duplicate Mass = 3.52		Primary + Duplicate Mass = 7.06 g
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



22C0070

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0004047058</b>	<b>Date Created</b>	<b>3/17/2022 3:25 PM</b>
<b>Originating Entity</b>	Nogero	<b>For OLCC Use Only</b>	
<b>Originating License Number</b>	030-1017129044E		
<b>Address of Originating Entity</b>	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
<b>Phone No. of Originating Entity</b>	971-712-3026		
<b>Contact Phone No. for Inquiries: 707-331-0560</b>			
<b>1. Destination</b>	SC Laboratories	<b>Destination Phone No.</b>	503-272-8838
<b>Destination License Number</b>	010-1004748743D	<b>Date and Approx. Time of Departure</b>	3/17/2022 3:30 PM
<b>Address of Destination</b>	15865 SW 74th Avenue Ste 110 Tigard, OR 97224 County: Washington	<b>Date and Approx. Time of Arrival</b>	3/17/2022 3:45 PM
		<b>Date/Time Received</b>	3/17/2022 15:06
		<b>Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)</b>	
<b>Route to be Traveled</b>			
Get on I-5 S from SW Barbur Blvd/Pacific Hwy W 5 min (1.8 mi)			
Follow I-5 S to SW Upper Boones Ferry Rd in Tigard. Take exit 291 from I-5 S 4 min (3.6 mi)			
Continue on SW Upper Boones Ferry Rd to your destination 4 min (0.9 mi) SC Labs I Oregon 15865 SW 74th Ave #110, Tigard, OR 97224			
<b>Name of Person Transporting</b>	Scott Forster	<b>Handler Permit No. of Driver</b>	SF1983
<b>State Driver's License No.</b>	A625521	<b>Signature of Person Transporting</b>	<i>SFF</i>
<b>Make, Model, License Plate No.</b>	Nissan Kicks 249MGD		
<b>1. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300040B29000000107 Lab Test: SubmittedForTesting		Mango Mints Full Spectrum Extract (Extracts)	Shp: 7.0600 g
<b>Item Details</b>			
<b>Source Harvest(s)</b>	2021-12-08_F3		
<b>Source Package(s)</b>	1A4010300040B29000000106		
<b>PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)</b>			
<b>Name of Person Receiving or Rejecting Product</b>	<i>Leonel Peraza</i>		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment not circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature</b>	<i>Leonel Peraza</i>	<b>Date</b>	3/17/2022
<b>Signature of individual taking receipt of rejected portion of this shipment</b>			

22C0070



**CHAIN OF CUSTODY**

SC Laboratories Oregon LLC  
 15865 SW 74th Avenue, Ste 110  
 Tigard OR, 97224  
 (503) 272-8830  
 ORELAP ID # 4133  
 www.scilabs.com

**Client:** Nogero LLC  
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR  
 Date Sampled: 3/17/2022  
 OLCC License #: 1017128044E  
 OLCC License Type: Processor  
 Email: nathaniel@nogero.com  
 Phone: 971.712.3026  
 Sampler OLCC License #: 1018619A26E

**COC #:** 1/1  
 Work Order #: 22C0070  
 Received By: *LSR*  
 Received Date: 3/17/2022  
 Courier: Scott Forster  
 Name of Sampler: Scott Forster  
 Transfer Manifest #: 4047058

**Sample Type Legend:**  
 U - Usable Marijuana  
 C - Concentrate  
 P - Product  
 O - Other

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	TESTS REQUESTED							Sample Specific Notes	
								Pesticide	Mokurna Content	Water Activity	Polymers	Residual Solvent	Terpene			
Mango Mints Full Spectrum Extract Primary		107	Mango Mints Full Spectrum Extract	22C0070-01	C	3.54	4	X			X	X				
Mango Mints Full Spectrum Extract Duplicate		107	Mango Mints Full Spectrum Extract	22C0070-02	C	3.52	4	X			X	X				

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

**Samples Relinquished**  
 Print Name: Nathaniel  
 Date: 3/17/2022  
 Representative of: Nogero  
 Signature: *[Signature]*  
 Time: \_\_\_\_\_

**Samples Received**  
 Print Name: Scott F  
 Date: 3/17/2022  
 Representative of: SC Labs  
 Signature: *[Signature]*  
 Time: \_\_\_\_\_

**Samples Relinquished**  
 Print Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Representative of: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Time: \_\_\_\_\_

**Samples Received**  
 Print Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Representative of: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Time: \_\_\_\_\_