

Sample Name: **Mt. Hood Magic Full Spectrum Extract Primary**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 23A0116-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000001784

Lot # 011923-NOG

Batch RFID: 1A4010300040B29000001772

Batch Size: 735 (g)

Process Date: 1/21/2023

License: 030-1017129044E

Date Sampled: 01/23/23 11:12

Date Accepted: 01/23/23




Potency Analysis

Date Extracted: 01/24/23

Analysis Method: UNODC 5.4.8

Date Analyzed: 01/26/23

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	69.33	693.3	0.08	
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	59.67	596.7	0.08	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08	
THCA (d9-Tetrahydrocannabinolic Acid)*	11.02	110.2	0.08	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.08	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.08	
CBN (Cannabinol)	0.29	2.9	0.08	
CBG (Cannabigerol)	2.53	25.3	0.08	
CBGA (Cannabigerolic Acid)	1.03	10.3	0.08	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08	
CBC (Cannabichromene)	1.69	16.9	0.17	
THCV (Tetrahydrocannabivarin)	0.44	4.4	0.08	
Total Cannabinoids	76.68	766.8	0.08	

<LOQ - Results below the Limit of Quantitation



Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mt. Hood Magic Full Spectrum Extract Duplicate**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 23A0116-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000001784

Process Date: 1/21/2023

Lot # 011923-NOG

License: 030-1017129044E

Batch RFID: 1A4010300040B29000001772

Date Sampled: 01/23/23 11:17

Batch Size: 735 (g)

Date Accepted: 01/23/23


Potency Analysis

Date Extracted: 01/24/23

Analysis Method: UNODC 5.4.8

Date Analyzed: 01/26/23

* - ORELAP certified analyte


Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
Total THC ((THCA*0.877)+d9)	70.42	704.2	0.09	 <table border="1"> <tr><td>THC</td><td>60.40</td></tr> <tr><td>THCA</td><td>11.42</td></tr> <tr><td>CBD</td><td>0.12</td></tr> <tr><td>CBN</td><td>0.23</td></tr> <tr><td>CBG</td><td>2.56</td></tr> <tr><td>CBGA</td><td>1.09</td></tr> <tr><td>CBC</td><td>1.71</td></tr> <tr><td>THCV</td><td>0.61</td></tr> <tr><td>Total</td><td>78.14</td></tr> </table>	THC	60.40	THCA	11.42	CBD	0.12	CBN	0.23	CBG	2.56	CBGA	1.09	CBC	1.71	THCV	0.61	Total	78.14
THC	60.40																					
THCA	11.42																					
CBD	0.12																					
CBN	0.23																					
CBG	2.56																					
CBGA	1.09																					
CBC	1.71																					
THCV	0.61																					
Total	78.14																					
Total CBD ((CBDA*0.877)+CBD)	0.11	1.1	0.09																			
d9-THC (d9-Tetrahydrocannabinol)*	60.40	604	0.09																			
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09																			
THCA (d9-Tetrahydrocannabinolic Acid)*	11.42	114.2	0.09																			
CBD (Cannabidiol)*	< LOQ	< LOQ	0.09																			
CBDA (Cannabidiolic Acid)*	0.12	1.2	0.09																			
CBN (Cannabinol)	0.23	2.3	0.09																			
CBG (Cannabigerol)	2.56	25.6	0.09																			
CBGA (Cannabigerolic Acid)	1.09	10.9	0.09																			
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09																			
CBC (Cannabichromene)	1.71	17.1	0.17																			
THCV (Tetrahydrocannabivarin)	0.61	6.1	0.09																			
Total Cannabinoids	78.14	781.4	0.09																			

<LOQ - Results below the Limit of Quantitation

Sample Name: **Mt. Hood Magic Full Spectrum Extract**

Sample Metrc ID: **1A4010300040B29000001784**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<10%RPD)
Total THC ((THCA*0.877)+d9)	69.33	70.42	69.88	1.56	PASS
Total CBD ((CBDA*0.877)+CBD)	< LOQ	0.11	< LOQ	NA	NA
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	< LOQ	NA	NA


 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mt. Hood Magic Full Spectrum Extra	License: 030-1017129044E
Tested for: Nogero, LLC. Compliance Extract	Date Sampled: 01/23/23 11:12
Laboratory ID: 23A0116-01	Date Accepted: 01/23/23
Matrix: Extracts and Concentrates	Sample Metrc ID: 1A4010300040B29000001784
Lot # 011923-NOG	Batch RFID: 1A4010300040B29000001772
	Batch Size: 735 (g)

Terpene Analysis

Date Extracted: 01/25/23


Analysis Method: Terpenes by GC/FID

Date Analyzed: 01/26/23

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.131	0.096	beta Myrcene	0.470	0.096
alpha Phellandrene	< LOQ	0.096	3-Carene	< LOQ	0.096
alpha Terpinene	< LOQ	0.096	Limonene	0.324	0.096
Terpinolene	2.135	0.096	Linalool	0.103	0.096
Fenchol	< LOQ	0.096	Borneol	< LOQ	0.096
Terpineol	0.162	0.096	Geraniol	< LOQ	0.096
alpha Humulene	0.565	0.096	beta Caryophyllene	1.148	0.096
(-)-Caryophyllene Oxide	0.140	0.096	(-)-alpha Bisabolol	0.205	0.096
Camphene	< LOQ	0.096	beta Pinene	0.172	0.096
Ocimene	0.302	0.096	Sabinene	< LOQ	0.096
Camphor	< LOQ	0.096	Isoborneol	< LOQ	0.096
Menthol	< LOQ	0.096	alpha Cedrene	< LOQ	0.096
Nerolidol	< LOQ	0.096	(+)-Pulegone	< LOQ	0.096
Eucalyptol	< LOQ	0.096	p-Cymene	< LOQ	0.096
(-)-Isopulegol	< LOQ	0.096	Geranyl Acetate	< LOQ	0.096
Guaiol	< LOQ	0.096	Valencene	< LOQ	0.096
Phytol	< LOQ	0.096	Citronellol	< LOQ	0.096
gamma Terpinene	< LOQ	0.096			
			Total Terpenes	5.858 %	

<LOQ - Results below the Limit of Quantitation

Terpene Analysis is not ORELAP Accredited.



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mt. Hood Magic Full Spectrum Extract Primary**

License: **030-1017129044E**

Tested for: **Nogero, LLC.**

Date Sampled: **01/23/23 11:12**

Compliance Extract


Date Accepted: **01/23/23 16:27**


Laboratory ID: **23A0116-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300040B29000001784**

Terpene Profile




 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mt. Hood Magic Full Spectrum Extract Primary** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **01/23/23 11:12**
Compliance Extract Date Accepted: **01/23/23**


Laboratory ID: **23A0116-01** Sample Metrc ID: **1A4010300040B29000001784**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000001772**
 Lot # **011923-NOG** Batch Size: **735 (g)**

Pesticide Analysis in ppm

Date Extracted: 01/25/23 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 01/26/23 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.210	Acephate	< LOQ	0.4	0.168
Acequinocyl	< LOQ	2	0.839	Acetamiprid	< LOQ	0.2	0.084
Aldicarb	< LOQ	0.4	0.168	Azoxystrobin	< LOQ	0.2	0.084
Bifenazate	< LOQ	0.2	0.084	Bifenthrin	< LOQ	0.2	0.084
Boscalid	< LOQ	0.4	0.168	Carbaryl	< LOQ	0.2	0.084
Carbofuran	< LOQ	0.2	0.084	Chlorantraniliprole	< LOQ	0.2	0.084
Chlorfenapyr	< LOQ	1	0.420	Chlorpyrifos	< LOQ	0.2	0.084
Clofentezine	< LOQ	0.2	0.084	Cyfluthrin	< LOQ	1	0.420
Cypermethrin	< LOQ	1	0.420	Daminozide	< LOQ	1	0.420
DDVP (Dichlorvos)	< LOQ	1	0.420	Diazinon	< LOQ	0.2	0.084
Dimethoate	< LOQ	0.2	0.084	Ethoprophos	< LOQ	0.2	0.084
Etofenprox	< LOQ	0.4	0.168	Etoxazole	< LOQ	0.2	0.084
Fenoxycarb	< LOQ	0.2	0.084	Fenpyroximate	< LOQ	0.4	0.168
Fipronil	< LOQ	0.4	0.168	Fonicamid	< LOQ	1	0.420
Fludioxonil	< LOQ	0.4	0.168	Hexythiazox	< LOQ	1	0.420
Imazalil	< LOQ	0.2	0.084	Imidacloprid	< LOQ	0.4	0.168
Kresoxim-methyl	< LOQ	0.4	0.168	Malathion	< LOQ	0.2	0.084
Metalaxyl	< LOQ	0.2	0.084	Methiocarb	< LOQ	0.2	0.084
Methomyl	< LOQ	0.4	0.168	Methyl parathion	< LOQ	0.2	0.084
MGK-264	< LOQ	0.2	0.084	Myclobutanil	< LOQ	0.2	0.084
Naled	< LOQ	0.5	0.210	Oxamyl	< LOQ	1	0.420
Paclobutrazol	< LOQ	0.4	0.168	Permethrins (total)	< LOQ	0.2	0.084
Phosmet	< LOQ	0.2	0.084	Piperonyl butoxide	< LOQ	2	0.420
Prallethrin	< LOQ	0.2	0.084	Propiconazole	< LOQ	0.4	0.168
Propoxur	< LOQ	0.2	0.084	Pyrethrins (total)	< LOQ	1	0.420
Pyridaben	< LOQ	0.2	0.084	Spinosad	< LOQ	0.2	0.084
Spiromesifen	< LOQ	0.2	0.084	Spirotetramat	< LOQ	0.2	0.084
Spiroxamine	< LOQ	0.4	0.168	Tebuconazole	< LOQ	0.4	0.168
Thiacloprid	< LOQ	0.2	0.084	Thiamethoxam	< LOQ	0.2	0.084
Trifloxystrobin	< LOQ	0.2	0.084				

<LOQ - Results below the Limit of Quantitation



Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mt. Hood Magic Full Spectrum Extract Duplicate **License:** 030-1017129044E
Tested for: *Nogero, LLC.* **Date Sampled:** 01/23/23 11:17
Compliance Extract **Date Accepted:** 01/23/23


Laboratory ID: 23A0116-02 **Sample Metrc ID:** 1A4010300040B29000001784
Matrix: Extracts and Concentrates **Batch RFID:** 1A4010300040B29000001772
Lot # 011923-NOG **Batch Size:** 735 (g)

Pesticide Analysis in ppm

Date Extracted: 01/25/23 **Analysis Method:** AOAC 2007.01 & EN 15662
Date Analyzed: 01/26/23 **Results above the action levels are highlighted in red #.**

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.243	Acephate	< LOQ	0.4	0.195
Acequinocyl	< LOQ	2	0.973	Acetamiprid	< LOQ	0.2	0.097
Aldicarb	< LOQ	0.4	0.195	Azoxystrobin	< LOQ	0.2	0.097
Bifenazate	< LOQ	0.2	0.097	Bifenthrin	< LOQ	0.2	0.097
Boscalid	< LOQ	0.4	0.195	Carbaryl	< LOQ	0.2	0.097
Carbofuran	< LOQ	0.2	0.097	Chlorantraniliprole	< LOQ	0.2	0.097
Chlorfenapyr	< LOQ	1	0.486	Chlorpyrifos	< LOQ	0.2	0.097
Clofentezine	< LOQ	0.2	0.097	Cyfluthrin	< LOQ	1	0.486
Cypermethrin	< LOQ	1	0.486	Daminozide	< LOQ	1	0.486
DDVP (Dichlorvos)	< LOQ	1	0.486	Diazinon	< LOQ	0.2	0.097
Dimethoate	< LOQ	0.2	0.097	Ethoprophos	< LOQ	0.2	0.097
Etofenprox	< LOQ	0.4	0.195	Etoxazole	< LOQ	0.2	0.097
Fenoxycarb	< LOQ	0.2	0.097	Fenpyroximate	< LOQ	0.4	0.195
Fipronil	< LOQ	0.4	0.195	Fonicamid	< LOQ	1	0.486
Fludioxonil	< LOQ	0.4	0.195	Hexythiazox	< LOQ	1	0.486
Imazalil	< LOQ	0.2	0.097	Imidacloprid	< LOQ	0.4	0.195
Kresoxim-methyl	< LOQ	0.4	0.195	Malathion	< LOQ	0.2	0.097
Metalaxyl	< LOQ	0.2	0.097	Methiocarb	< LOQ	0.2	0.097
Methomyl	< LOQ	0.4	0.195	Methyl parathion	< LOQ	0.2	0.097
MGK-264	< LOQ	0.2	0.097	Myclobutanil	< LOQ	0.2	0.097
Naled	< LOQ	0.5	0.243	Oxamyl	< LOQ	1	0.486
Paclobutrazol	< LOQ	0.4	0.195	Permethrins (total)	< LOQ	0.2	0.097
Phosmet	< LOQ	0.2	0.097	Piperonyl butoxide	< LOQ	2	0.486
Prallethrin	< LOQ	0.2	0.097	Propiconazole	< LOQ	0.4	0.195
Propoxur	< LOQ	0.2	0.097	Pyrethrins (total)	< LOQ	1	0.486
Pyridaben	< LOQ	0.2	0.097	Spinosad	< LOQ	0.2	0.097
Spiromesifen	< LOQ	0.2	0.097	Spirotetramat	< LOQ	0.2	0.097
Spiroxamine	< LOQ	0.4	0.195	Tebuconazole	< LOQ	0.4	0.195
Thiacloprid	< LOQ	0.2	0.097	Thiamethoxam	< LOQ	0.2	0.097
Trifloxystrobin	< LOQ	0.2	0.097				

<LOQ - Results below the Limit of Quantitation



Taylor Pearce For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mt. Hood Magic Full Spectrum Extract Primary	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 01/23/23 11:12
Compliance Extract	Date Accepted: 01/23/23
Laboratory ID: 23A0116-01	Sample Metric ID: 1A4010300040B29000001784
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000001772
Lot # 011923-NOG	Batch Size: 735 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 01/25/23
1,4-Dioxane	< LOQ	380	173	Date Analyzed: 01/25/23
2-Butanol	< LOQ	5000	2280	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	72.8	
2-Propanol (IPA)	< LOQ	5000	2280	
Acetone	< LOQ	5000	2280	
Acetonitrile	< LOQ	410	187	
Benzene	< LOQ	2	0.910	
Butanes	< LOQ	5000	2280	
Cyclohexane	< LOQ	3880	1770	
Dichloromethane (methylene chloride)	< LOQ	600	273	
Ethyl acetate	< LOQ	5000	2280	
Ethyl ether	< LOQ	5000	2280	
Ethylbenzene	< LOQ	2170	987	
Ethylene glycol	< LOQ	620	282	
Ethylene oxide	< LOQ	50	22.8	
Heptane	< LOQ	5000	2280	
Hexanes	< LOQ	290	132	
Isopropyl acetate	< LOQ	5000	2280	
Isopropylbenzene (cumene)	< LOQ	70	31.9	
Methanol	< LOQ	3000	1370	
Pentanes	< LOQ	5000	2280	
Propane	< LOQ	5000	2280	
Tetrahydrofuran	< LOQ	720	328	
Toluene	< LOQ	890	405	
Xylenes	< LOQ	2170	987	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Mt. Hood Magic Full Spectrum Extract Duplicate	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 01/23/23 11:17
Compliance Extract	Date Accepted: 01/23/23
Laboratory ID: 23A0116-02	Sample Metric ID: 1A4010300040B29000001784
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000001772
Lot # 011923-NOG	Batch Size: 735 (g)


Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	171
2-Butanol	< LOQ	5000	2250
2-Ethoxyethanol	< LOQ	160	72.0
2-Propanol (IPA)	< LOQ	5000	2250
Acetone	< LOQ	5000	2250
Acetonitrile	< LOQ	410	184
Benzene	< LOQ	2	0.900
Butanes	< LOQ	5000	2250
Cyclohexane	< LOQ	3880	1750
Dichloromethane (methylene chloride)	< LOQ	600	270
Ethyl acetate	< LOQ	5000	2250
Ethyl ether	< LOQ	5000	2250
Ethylbenzene	< LOQ	2170	976
Ethylene glycol	< LOQ	620	279
Ethylene oxide	< LOQ	50	22.5
Heptane	< LOQ	5000	2250
Hexanes	< LOQ	290	130
Isopropyl acetate	< LOQ	5000	2250
Isopropylbenzene (cumene)	< LOQ	70	31.5
Methanol	< LOQ	3000	1350
Pentanes	< LOQ	5000	2250
Propane	< LOQ	5000	2250
Tetrahydrofuran	< LOQ	720	324
Toluene	< LOQ	890	400
Xylenes	< LOQ	2170	976

Date Extracted: 01/25/23
 Date Analyzed: 01/25/23
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Mt. Hood Magic Full Spectrum Extract Primary** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **01/23/23 11:12**
Compliance Extract Date Accepted: **01/23/23**

Laboratory ID: **23A0116-01** Sample Metrc ID: **1A4010300040B29000001784**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000001772**
 Lot # **011923-NOG** Batch Size: **735 (g)**

Mycotoxin Analysis by LCMSMS

Date/Time Extracted: **01/25/23 15:45**

Analysis Method/SOP: **Mycotoxins**

Results above the action levels are highlighted in **red #**.

Analyte	Result	Action Level	LOD	LOQ	Units
Aflatoxin B1	< LOQ	0.02		0.004	ppm
Aflatoxin B2	< LOQ	0.02		0.004	ppm
Aflatoxin G1	< LOQ	0.02		0.004	ppm
Aflatoxin G2	< LOQ	0.02		0.004	ppm
Aflatoxins (Total)	< LOQ	0.02		0.004	ppm
Ochratoxin A	< LOQ	0.02		0.008	ppm

Sample Name: **Mt. Hood Magic Full Spectrum Extract Duplicate** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **01/23/23 11:17**
Compliance Extract Date Accepted: **01/23/23**

Laboratory ID: **23A0116-02** Sample Metrc ID: **1A4010300040B29000001784**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000001772**
 Lot # **011923-NOG** Batch Size: **735 (g)**

Mycotoxin Analysis by LCMSMS

Date/Time Extracted: **01/25/23 15:45**

Analysis Method/SOP: **Mycotoxins**

Results above the action levels are highlighted in **red #**.

Analyte	Result	Action Level	LOD	LOQ	Units
Aflatoxin B1	< LOQ	0.02		0.005	ppm
Aflatoxin B2	< LOQ	0.02		0.005	ppm
Aflatoxin G1	< LOQ	0.02		0.005	ppm
Aflatoxin G2	< LOQ	0.02		0.005	ppm
Aflatoxins (Total)	< LOQ	0.02		0.005	ppm
Ochratoxin A	< LOQ	0.02		0.010	ppm



Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvent - 2-Ethoxyethanol, Ethylene Glycol and Propane were above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

Multiple analytes exceeded normally accepted RPD criteria in the Matrix Spike Duplicate. Analytes recovered within or above acceptance limits in the Blank Spike, Matrix Spike and Matrix Spike Duplicate.

Terpenes - Beta Ocimene, and Geraniol results were below normally accepted recovery criteria in the Blank Spike.


Pesticides - Chlorantraniliprole recovered above the upper acceptance limit in the Blank Spike. Analyte was below the reporting limit in all client samples.

Quality Control Potency

Batch: B230248 - Potency/Terpenes

Blank(B230248-BLK1)			Extracted - 01/24/23 16:00 Analyzed - 01/25/23 21:55					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B230248-DUP1)			Extracted - 01/24/23 16:00 Analyzed - 01/25/23 22:04					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	1.17	%		1.17			0.153	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	82.10	%		79.56			3.14	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.13	%		0.14			3.64	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20



Taylor Pearce For Brian Weigel
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B230248 - Potency/Terpenes (Continued)

Duplicate(B230248-DUP1)		Extracted - 01/24/23 16:00 Analyzed - 01/25/23 22:04						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBG (Cannabigerol)	0.21	%		0.22			3.58	20
CBGA (Cannabigerolic Acid)	1.25	%		1.25			0.230	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B230248-BS1)		Extracted - 01/24/23 16:00 Analyzed - 01/25/23 21:46						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.40	%	0.399		99.2	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.32	%	0.331		97.7	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.36	%	0.381		95.2	90-110		
CBD (Cannabidiol)	0.69	%	0.694		99.9	90-110		
CBDA (Cannabidiolic Acid)	0.38	%	0.387		99.2	90-110		
CBN (Cannabinol)	< LOQ	%				80-120		
CBG (Cannabigerol)	0.01	%				80-120		
CBGA (Cannabigerolic Acid)	0.008	%				80-120		
CBDV (Cannabidivarin)	< LOQ	%				80-120		
CBDVA (Cannabidivarinic Acid)	0.003	%				80-120		
CBC (Cannabichromene)	< LOQ	%				80-120		
THCV (Tetrahydrocannabivarin)	< LOQ	%				80-120		




Taylor Pearce For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B230250 - Pesticide Prep

Blank(B230250-BLK1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:18						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B230250 - Pesticide Prep (Continued)

Blank(B230250-BLK1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B230250-BS1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:34					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.72	ppm	1.94		88.7	50-150		
Acephate	1.81	ppm	2.00		90.7	60-120		
Acequinocyl	1.30	ppm	2.00		65.0	40-160		
Acetamiprid	1.88	ppm	2.00		94.0	60-120		
Aldicarb	1.66	ppm	2.00		83.0	60-120		
Azoxystrobin	2.02	ppm	2.00		101	60-120		
Bifenazate	1.90	ppm	2.00		94.9	60-120		
Bifenthrin	1.82	ppm	2.00		90.8	50-150		



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B230250 - Pesticide Prep (Continued)

LCS(B230250-BS1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:34						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	2.08	ppm	2.00		104	60-120		
Carbaryl	2.02	ppm	2.00		101	60-120		
Carbofuran	2.03	ppm	2.00		101	60-120		
Chlorantraniliprole	2.49	ppm	2.00		124	60-120		
Chlorfenapyr	2.29	ppm	2.00		115	60-120		
Chlorpyrifos	1.68	ppm	2.00		83.8	60-120		
Clofentezine	1.79	ppm	2.00		89.5	60-120		
Cyfluthrin	2.33	ppm	2.00		117	50-150		
Cypermethrin	1.76	ppm	2.00		88.1	50-150		
Daminozide	1.66	ppm	2.00		83.0	60-120		
DDVP (Dichlorvos)	1.71	ppm	2.00		85.5	60-120		
Diazinon	1.78	ppm	2.00		88.9	60-120		
Dimethoate	2.00	ppm	2.00		100	60-120		
Ethoprophos	1.84	ppm	2.00		91.9	60-120		
Etofenprox	1.81	ppm	2.00		90.4	50-150		
Etoxazole	1.80	ppm	2.00		89.8	60-120		
Fenoxycarb	1.65	ppm	2.00		82.6	60-120		
Fenpyroximate	1.96	ppm	2.00		97.9	60-120		
Fipronil	2.33	ppm	2.00		116	60-120		
Flonicamid	2.00	ppm	2.00		100	60-120		
Fludioxonil	1.74	ppm	2.00		87.2	50-150		
Hexythiazox	1.81	ppm	2.00		90.3	60-120		
Imazalil	2.12	ppm	2.00		106	60-120		
Imidacloprid	1.91	ppm	2.00		95.7	60-120		
Kresoxim-methyl	1.93	ppm	2.00		96.6	60-120		
Malathion	1.76	ppm	2.00		87.9	60-120		
Metalaxyl	2.19	ppm	2.00		109	60-120		
Methiocarb	1.76	ppm	2.00		87.9	60-120		
Methomyl	2.18	ppm	2.00		109	60-120		
Methyl parathion	2.45	ppm	2.00		122	50-150		
MGK-264	1.96	ppm	2.00		98.1	50-150		
Myclobutanil	1.72	ppm	2.00		86.0	60-120		
Naled	2.05	ppm	2.00		103	50-150		
Oxamyl	1.74	ppm	2.00		86.8	60-120		
Paclobutrazol	1.78	ppm	2.00		89.0	60-120		



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B230250 - Pesticide Prep (Continued)

LCS(B230250-BS1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:34						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.91	ppm	2.00		95.4	50-150		
Phosmet	2.18	ppm	2.00		109	50-150		
Piperonyl butoxide	1.76	ppm	2.00		88.2	60-120		
Prallethrin	1.81	ppm	2.00		90.5	60-120		
Propiconazole	2.11	ppm	2.00		105	60-120		
Propoxur	2.23	ppm	2.00		112	60-120		
Pyrethrins (total)	0.95	ppm	1.16		81.5	60-120		
Pyridaben	1.91	ppm	2.00		95.4	50-150		
Spinosad	1.83	ppm	2.00		91.4	50-150		
Spiromesifen	1.45	ppm	2.00		72.5	60-120		
Spirotetramat	2.00	ppm	2.00		99.8	60-120		
Spiroxamine	2.12	ppm	2.00		106	60-120		
Tebuconazole	1.94	ppm	2.00		97.2	60-120		
Thiacloprid	1.81	ppm	2.00		90.4	60-120		
Thiamethoxam	1.62	ppm	2.00		81.1	60-120		
Trifloxystrobin	2.03	ppm	2.00		102	60-120		

Matrix Spike(B230250-MS1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:50						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.41	ppm	1.84	< LOQ	131	30-200		
Acephate	1.86	ppm	1.90	< LOQ	98.0	30-200		
Acequinocyl	1.29	ppm	1.90	< LOQ	68.0	30-200		
Acetamiprid	1.90	ppm	1.90	< LOQ	99.9	30-200		
Aldicarb	1.73	ppm	1.90	< LOQ	91.1	30-200		
Azoxystrobin	1.99	ppm	1.90	< LOQ	105	30-200		
Bifenazate	2.00	ppm	1.90	< LOQ	105	30-200		
Bifenthrin	0.87	ppm	1.90	< LOQ	45.9	30-200		
Boscalid	2.02	ppm	1.90	< LOQ	106	30-200		
Carbaryl	1.92	ppm	1.90	< LOQ	101	30-200		
Carbofuran	1.91	ppm	1.90	< LOQ	101	30-200		
Chlorantraniliprole	2.36	ppm	1.90	< LOQ	124	30-200		
Chlorfenapyr	1.99	ppm	1.90	< LOQ	105	30-200		
Chlorpyrifos	2.16	ppm	1.90	< LOQ	114	30-200		
Clofentezine	1.83	ppm	1.90	< LOQ	96.1	30-200		
Cyfluthrin	3.13	ppm	1.90	< LOQ	165	30-200		



 Taylor Pearce For Brian Weigel
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B230250 - Pesticide Prep (Continued)

Matrix Spike(B230250-MS1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:50					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	2.30	ppm	1.90	< LOQ	121	30-200		
Daminozide	1.78	ppm	1.90	< LOQ	93.9	30-200		
DDVP (Dichlorvos)	1.64	ppm	1.90	< LOQ	86.5	30-200		
Diazinon	1.82	ppm	1.90	0.006	95.4	30-200		
Dimethoate	2.07	ppm	1.90	< LOQ	109	30-200		
Ethoprophos	1.82	ppm	1.90	< LOQ	95.6	30-200		
Etofenprox	1.22	ppm	1.90	< LOQ	64.5	30-200		
Etoxazole	2.20	ppm	1.90	< LOQ	116	30-200		
Fenoxycarb	1.67	ppm	1.90	< LOQ	87.7	30-200		
Fenpyroximate	3.12	ppm	1.90	< LOQ	164	30-200		
Fipronil	2.24	ppm	1.90	< LOQ	118	30-200		
Flonicamid	2.03	ppm	1.90	< LOQ	107	30-200		
Fludioxonil	1.67	ppm	1.90	< LOQ	88.0	30-200		
Hexythiazox	2.92	ppm	1.90	< LOQ	154	30-200		
Imazalil	1.87	ppm	1.90	< LOQ	98.4	30-200		
Imidacloprid	1.83	ppm	1.90	< LOQ	96.1	30-200		
Kresoxim-methyl	1.89	ppm	1.90	< LOQ	99.5	30-200		
Malathion	1.76	ppm	1.90	0.01	92.2	30-200		
Metalaxyl	2.05	ppm	1.90	< LOQ	108	30-200		
Methiocarb	1.73	ppm	1.90	< LOQ	91.1	30-200		
Methomyl	2.23	ppm	1.90	< LOQ	117	30-200		
Methyl parathion	2.28	ppm	1.90	< LOQ	120	30-200		
MGK-264	1.80	ppm	1.90	< LOQ	94.9	30-200		
Myclobutanil	1.77	ppm	1.90	< LOQ	93.0	30-200		
Naled	1.96	ppm	1.90	< LOQ	103	30-200		
Oxamyl	1.78	ppm	1.90	< LOQ	93.6	30-200		
Paclobutrazol	1.69	ppm	1.90	< LOQ	89.2	30-200		
Permethrins (total)	1.81	ppm	1.90	< LOQ	95.5	30-200		
Phosmet	2.04	ppm	1.90	< LOQ	108	30-200		
Piperonyl butoxide	2.10	ppm	1.90	0.01	110	30-200		
Prallethrin	1.92	ppm	1.90	< LOQ	101	30-200		
Propiconazole	2.08	ppm	1.90	< LOQ	110	30-200		
Propoxur	2.09	ppm	1.90	< LOQ	110	30-200		
Pyrethrins (total)	1.36	ppm	1.10	< LOQ	124	30-200		
Pyridaben	1.25	ppm	1.90	< LOQ	65.6	30-200		



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Pesticide Analysis (Continued)

Batch: B230250 - Pesticide Prep (Continued)

Matrix Spike(B230250-MS1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:50					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.77	ppm	1.90	< LOQ	93.0	30-200		
Spiromesifen	1.56	ppm	1.90	< LOQ	82.2	30-200		
Spirotetramat	2.09	ppm	1.90	< LOQ	110	30-200		
Spiroxamine	1.86	ppm	1.90	< LOQ	97.8	30-200		
Tebuconazole	1.85	ppm	1.90	< LOQ	97.4	30-200		
Thiacloprid	1.81	ppm	1.90	< LOQ	95.0	30-200		
Thiamethoxam	1.59	ppm	1.90	< LOQ	83.6	30-200		
Trifloxystrobin	2.13	ppm	1.90	< LOQ	112	30-200		

Matrix Spike Dup(B230250-MSD1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.45	ppm	1.84	< LOQ	133	30-200	1.41	50
Acephate	1.77	ppm	1.90	< LOQ	93.0	30-200	5.26	30
Acequinocyl	1.22	ppm	1.90	< LOQ	64.3	30-200	5.51	50
Acetamiprid	1.82	ppm	1.90	< LOQ	95.8	30-200	4.17	30
Aldicarb	1.64	ppm	1.90	< LOQ	86.6	30-200	4.99	30
Azoxystrobin	1.97	ppm	1.90	< LOQ	104	30-200	1.16	30
Bifenazate	1.98	ppm	1.90	< LOQ	104	30-200	0.991	30
Bifenthrin	0.84	ppm	1.90	< LOQ	44.5	30-200	3.19	30
Boscalid	1.95	ppm	1.90	< LOQ	103	30-200	3.06	30
Carbaryl	1.89	ppm	1.90	< LOQ	99.7	30-200	1.33	30
Carbofuran	1.90	ppm	1.90	< LOQ	100	30-200	0.450	30
Chlorantraniliprole	2.47	ppm	1.90	< LOQ	130	30-200	4.57	30
Chlorfenapyr	1.90	ppm	1.90	< LOQ	100	30-200	4.79	50
Chlorpyrifos	2.15	ppm	1.90	< LOQ	113	30-200	0.304	30
Clofentezine	1.80	ppm	1.90	< LOQ	94.8	30-200	1.34	30
Cyfluthrin	3.40	ppm	1.90	< LOQ	179	30-200	8.30	50
Cypermethrin	2.39	ppm	1.90	< LOQ	126	30-200	3.88	30
Daminozide	1.73	ppm	1.90	< LOQ	91.3	30-200	2.83	50
DDVP (Dichlorvos)	1.60	ppm	1.90	< LOQ	84.5	30-200	2.32	30
Diazinon	1.81	ppm	1.90	0.006	95.1	30-200	0.301	30
Dimethoate	1.97	ppm	1.90	< LOQ	104	30-200	4.98	30
Ethoprophos	1.77	ppm	1.90	< LOQ	93.3	30-200	2.39	30
Etofenprox	1.19	ppm	1.90	< LOQ	62.7	30-200	2.78	30
Etoxazole	2.21	ppm	1.90	< LOQ	116	30-200	0.722	30



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B230250 - Pesticide Prep (Continued)

Matrix Spike Dup(B230250-MSD1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.62	ppm	1.90	< LOQ	85.3	30-200	2.82	30
Fenpyroximate	3.13	ppm	1.90	< LOQ	165	30-200	0.566	30
Fipronil	2.20	ppm	1.90	< LOQ	116	30-200	1.68	30
Flonicamid	1.92	ppm	1.90	< LOQ	101	30-200	5.89	30
Fludioxonil	1.60	ppm	1.90	< LOQ	84.5	30-200	4.08	50
Hexythiazox	2.97	ppm	1.90	< LOQ	156	30-200	1.57	30
Imazalil	1.93	ppm	1.90	< LOQ	102	30-200	3.22	30
Imidacloprid	1.86	ppm	1.90	< LOQ	97.9	30-200	1.86	30
Kresoxim-methyl	1.93	ppm	1.90	< LOQ	101	30-200	1.95	30
Malathion	1.72	ppm	1.90	0.01	89.8	30-200	2.57	30
Metalaxyl	2.03	ppm	1.90	< LOQ	107	30-200	0.565	30
Methiocarb	1.69	ppm	1.90	< LOQ	89.1	30-200	2.21	30
Methomyl	2.14	ppm	1.90	< LOQ	113	30-200	3.89	30
Methyl parathion	2.10	ppm	1.90	< LOQ	111	30-200	7.88	30
MGK-264	1.79	ppm	1.90	< LOQ	94.4	30-200	0.531	30
Myclobutanil	1.75	ppm	1.90	< LOQ	92.0	30-200	1.15	30
Naled	1.86	ppm	1.90	< LOQ	97.9	30-200	5.38	30
Oxamyl	1.64	ppm	1.90	< LOQ	86.4	30-200	8.00	30
Paclobutrazol	1.72	ppm	1.90	< LOQ	90.6	30-200	1.49	30
Permethrins (total)	1.75	ppm	1.90	< LOQ	92.4	30-200	3.29	30
Phosmet	2.08	ppm	1.90	< LOQ	110	30-200	1.88	30
Piperonyl butoxide	2.11	ppm	1.90	0.01	110	30-200	0.369	30
Prallethrin	1.87	ppm	1.90	< LOQ	98.7	30-200	2.09	30
Propiconazole	2.08	ppm	1.90	< LOQ	110	30-200	0.136	30
Propoxur	2.07	ppm	1.90	< LOQ	109	30-200	0.719	30
Pyrethrins (total)	1.40	ppm	1.10	< LOQ	127	30-200	3.07	30
Pyridaben	1.21	ppm	1.90	< LOQ	63.9	30-200	2.64	30
Spinosad	1.74	ppm	1.90	< LOQ	91.8	30-200	1.31	35
Spiromesifen	1.56	ppm	1.90	< LOQ	82.1	30-200	0.185	30
Spirotetramat	2.11	ppm	1.90	< LOQ	111	30-200	0.805	30
Spiroxamine	1.88	ppm	1.90	< LOQ	99.2	30-200	1.42	30
Tebuconazole	1.78	ppm	1.90	< LOQ	93.7	30-200	3.81	30
Thiacloprid	1.71	ppm	1.90	< LOQ	90.3	30-200	5.14	30
Thiamethoxam	1.55	ppm	1.90	< LOQ	81.7	30-200	2.26	30
Trifloxystrobin	2.11	ppm	1.90	< LOQ	111	30-200	0.687	30



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B230247 - Residual Solvent Prep

Blank(B230247-BLK1)			Extracted - 01/25/23 15:39 Analyzed - 01/25/23 17:39					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B230247-BS1)			Extracted - 01/25/23 15:39 Analyzed - 01/25/23 16:36					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	654	ug/g	570		115	60-120		
2,2-Dimethylbutane	426	ug/g	435		98.0	60-120		
2,2-Dimethylpropane (neopentane)	3190	ug/g	3120		102	60-120		
2-Butanol	3980	ug/g	3500		114	60-120		
2-Ethoxyethanol	292	ug/g	240		122	60-120		
2-Methylbutane (isopentane)	3470	ug/g	3500		99.1	60-120		
2-Methylpentane/2,3-Dimethylbutane	938	ug/g	870		108	60-120		



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch: B230247 - Residual Solvent Prep (Continued)

LCS(B230247-BS1)		Extracted - 01/25/23 15:39 Analyzed - 01/25/23 16:36						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3560	ug/g	3120		114	60-120		
2-Propanol (IPA)	3880	ug/g	3500		111	60-120		
3-Methylpentane	433	ug/g	435		99.6	60-120		
Acetone	3720	ug/g	3500		106	60-120		
Acetonitrile	719	ug/g	615		117	60-120		
Benzene	3.23	ug/g	3.00		108	60-120		
Cyclohexane	5670	ug/g	5820		97.3	60-120		
Dichloromethane (methylene chloride)	967	ug/g	900		107	60-120		
Ethyl acetate	3830	ug/g	3500		109	60-120		
Ethyl ether	3260	ug/g	3500		93.1	60-120		
Ethylbenzene	3380	ug/g	3250		104	60-120		
Ethylene glycol	1400	ug/g	930		150	60-120		
Ethylene oxide	428	ug/g	375		114	60-120		
Heptane	3630	ug/g	3500		104	60-120		
Isopropyl acetate	3820	ug/g	3500		109	60-120		
Isopropylbenzene (cumene)	99.1	ug/g	105		94.4	60-120		
m,p-Xylene	6430	ug/g	6510		98.7	60-120		
Methanol	2960	ug/g	2500		119	60-120		
n-Butane	2920	ug/g	3120		93.4	60-120		
n-Hexane	441	ug/g	435		101	60-120		
n-Pentane	3620	ug/g	3500		103	60-120		
Propane	1640	ug/g	1250		131	60-120		
Tetrahydrofuran	1200	ug/g	1080		111	60-120		
Toluene	1410	ug/g	1340		106	60-120		
o-Xylene	3370	ug/g	3250		104	60-120		

Matrix Spike(B230247-MS1)		Extracted - 01/25/23 15:39 Analyzed - 01/25/23 16:57						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	573	ug/g	521	< LOQ	110	71-131		
2,2-Dimethylbutane	340	ug/g	398	< LOQ	85.5	70-130		
2,2-Dimethylpropane (neopentane)	2540	ug/g	2860	< LOQ	88.9	65-168		
2-Butanol	3500	ug/g	3200	< LOQ	109	71-133		
2-Ethoxyethanol	261	ug/g	219	< LOQ	119	68-126		
2-Methylbutane (isopentane)	2710	ug/g	3200	< LOQ	84.6	68-141		
2-Methylpentane/2,3-Dimethylbutane	750	ug/g	795	< LOQ	94.3	71-133		



Taylor Pearce
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Solvent Analysis (Continued)

Batch: B230247 - Residual Solvent Prep (Continued)

Matrix Spike(B230247-MS1)			Extracted - 01/25/23 15:39 Analyzed - 01/25/23 16:57					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2760	ug/g	2860	< LOQ	96.5	46-179		
2-Propanol (IPA)	3350	ug/g	3200	< LOQ	105	74-138		
3-Methylpentane	351	ug/g	398	< LOQ	88.4	69-129		
Acetone	3110	ug/g	3200	45.7	95.9	76-142		
Acetonitrile	618	ug/g	562	< LOQ	110	72-134		
Benzene	2.82	ug/g	2.74	< LOQ	103	64-130		
Cyclohexane	4870	ug/g	5330	< LOQ	91.4	78-144		
Dichloromethane (methylene chloride)	824	ug/g	823	< LOQ	100	71-131		
Ethyl acetate	3220	ug/g	3200	< LOQ	101	75-139		
Ethyl ether	2750	ug/g	3200	< LOQ	85.9	81-141		
Ethylbenzene	3070	ug/g	2970	< LOQ	103	73-135		
Ethylene glycol	1240	ug/g	850	< LOQ	146	44-113		
Ethylene oxide	318	ug/g	343	< LOQ	92.7	63-142		
Heptane	3100	ug/g	3200	< LOQ	96.8	76-140		
Isopropyl acetate	3260	ug/g	3200	< LOQ	102	76-140		
Isopropylbenzene (cumene)	95.9	ug/g	96.0	< LOQ	99.9	61-200		
m,p-Xylene	6020	ug/g	5950	< LOQ	101	74-138		
Methanol	2460	ug/g	2290	< LOQ	107	73-135		
n-Butane	2400	ug/g	2860	136	79.2	32-176		
n-Hexane	355	ug/g	398	< LOQ	89.2	69-127		
n-Pentane	2880	ug/g	3200	< LOQ	90.1	71-140		
Propane	1260	ug/g	1140	< LOQ	110	45-152		
Tetrahydrofuran	1000	ug/g	987	< LOQ	102	74-137		
Toluene	1280	ug/g	1220	< LOQ	105	71-131		
o-Xylene	3110	ug/g	2970	< LOQ	105	72-134		

Matrix Spike Dup(B230247-MSD1)			Extracted - 01/25/23 15:39 Analyzed - 01/25/23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	595	ug/g	545	< LOQ	109	71-131	3.72	25
2,2-Dimethylbutane	445	ug/g	416	< LOQ	107	70-130	26.7	25
2,2-Dimethylpropane (neopentane)	3710	ug/g	2990	< LOQ	124	65-168	37.4	25
2-Butanol	3340	ug/g	3350	< LOQ	99.8	71-133	4.54	25
2-Ethoxyethanol	228	ug/g	230	< LOQ	99.4	68-126	13.6	25
2-Methylbutane (isopentane)	3780	ug/g	3350	< LOQ	113	68-141	33.2	25
2-Methylpentane/2,3-Dimethylbutane	937	ug/g	833	< LOQ	113	71-133	22.1	25



Taylor Pearce
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B230247 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B230247-MSD1)			Extracted - 01/25/23 15:39 Analyzed - 01/25/23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	4040	ug/g	2990	< LOQ	135	46-179	37.7	25
2-Propanol (IPA)	3390	ug/g	3350	< LOQ	101	74-138	1.18	25
3-Methylpentane	431	ug/g	416	< LOQ	103	69-129	20.3	25
Acetone	3610	ug/g	3350	45.7	106	76-142	14.7	25
Acetonitrile	591	ug/g	589	< LOQ	100	72-134	4.39	25
Benzene	3.33	ug/g	2.87	< LOQ	116	64-130	16.5	50
Cyclohexane	6350	ug/g	5570	< LOQ	114	78-144	26.4	25
Dichloromethane (methylene chloride)	854	ug/g	861	< LOQ	99.2	71-131	3.59	25
Ethyl acetate	3560	ug/g	3350	< LOQ	106	75-139	10.2	25
Ethyl ether	3650	ug/g	3350	< LOQ	109	81-141	28.1	25
Ethylbenzene	3310	ug/g	3110	< LOQ	106	73-135	7.31	25
Ethylene glycol	982	ug/g	890	< LOQ	110	44-113	23.3	50
Ethylene oxide	376	ug/g	359	< LOQ	105	63-142	16.8	25
Heptane	3840	ug/g	3350	< LOQ	115	76-140	21.3	25
Isopropyl acetate	3580	ug/g	3350	< LOQ	107	76-140	9.43	25
Isopropylbenzene (cumene)	97.5	ug/g	100	< LOQ	97.0	61-200	1.59	25
m,p-Xylene	6590	ug/g	6230	< LOQ	106	74-138	8.98	25
Methanol	2500	ug/g	2390	< LOQ	104	73-135	1.74	25
n-Butane	3320	ug/g	2990	136	106	32-176	32.1	25
n-Hexane	436	ug/g	416	< LOQ	105	69-127	20.5	25
n-Pentane	3920	ug/g	3350	< LOQ	117	71-140	30.4	25
Propane	1710	ug/g	1200	< LOQ	143	45-152	30.8	50
Tetrahydrofuran	1130	ug/g	1030	< LOQ	109	74-137	11.7	25
Toluene	1340	ug/g	1280	< LOQ	104	71-131	4.26	25
o-Xylene	3260	ug/g	3110	< LOQ	105	72-134	4.55	25




Taylor Pearce For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B230249 - Potency/Terpenes

Blank(B230249-BLK1)			Extracted - 01/25/23 16:00 Analyzed - 01/25/23 20:28					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						



 Taylor Pearce For Brian Weigel
 Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B230249 - Potency/Terpenes (Continued)

Duplicate(B230249-DUP1)			Extracted - 01/25/23 16:00 Analyzed - 01/25/23 21:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	< LOQ	%		< LOQ				30
beta Myrcene	0.128	%		0.128			0.394	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.543	%		0.552			1.68	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.591	%		0.603			2.10	30
Fenchol	0.106	%		0.109			2.58	30
Borneol	< LOQ	%		< LOQ				30
Terpineol	0.110	%		0.113			2.52	30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.335	%		0.338			0.837	30
beta Caryophyllene	1.087	%		1.117			2.78	30
(-)-Caryophyllene Oxide	< LOQ	%		0.117				30
(-)-alpha Bisabolol	< LOQ	%		0.139				30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.107	%		0.109			2.45	30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Quality Control

Terpene Analysis (Continued)

Batch: B230249 - Potency/Terpenes (Continued)

Duplicate(B230249-DUP1)			Extracted - 01/25/23 16:00 Analyzed - 01/25/23 21:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30

LCS(B230249-BS1)			Extracted - 01/25/23 16:00 Analyzed - 01/25/23 20:55					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
beta Ocimene	< LOQ	%	0.144			70-130		
cis-Nerolidol	0.182	%	0.200		91.2	70-130		
trans-Nerolidol	0.174	%	0.200		87.1	70-130		
alpha Pinene	0.150	%	0.200		75.1	70-130		
beta Myrcene	0.144	%	0.200		71.8	70-130		
alpha Phellandrene	0.161	%	0.200		80.7	70-130		
3-Carene	0.170	%	0.200		85.2	70-130		
alpha Terpinene	0.156	%	0.200		78.1	70-130		
Limonene	0.153	%	0.200		76.3	70-130		
Terpinolene	0.151	%	0.200		75.4	70-130		
Linalool	0.144	%	0.200		72.0	70-130		
Fenchol	0.170	%	0.200		84.8	70-130		
Borneol	0.166	%	0.200		83.1	70-130		
Terpineol	0.143	%	0.200		71.6	70-130		
Geraniol	0.107	%	0.200		53.5	70-130		
alpha Humulene	0.176	%	0.200		88.2	70-130		
beta Caryophyllene	0.176	%	0.200		87.8	70-130		
(-)-Caryophyllene Oxide	0.201	%	0.200		101	70-130		
(-)-alpha Bisabolol	0.185	%	0.200		92.3	70-130		
Camphene	0.158	%	0.200		79.1	70-130		
beta Pinene	0.154	%	0.200		77.0	70-130		
Sabinene	0.150	%	0.200		74.8	70-130		
Camphor	0.172	%	0.200		85.8	70-130		
Isoborneol	0.181	%	0.200		90.3	70-130		
Menthol	0.168	%	0.200		83.8	70-130		
alpha Cedrene	0.164	%	0.200		82.2	70-130		
(+)-Pulegone	0.174	%	0.200		87.0	70-130		
Eucalyptol	0.187	%	0.200		93.7	70-130		
(-)-Isopulegol	0.158	%	0.200		79.2	70-130		
Geranyl Acetate	0.169	%	0.200		84.5	70-130		



 Taylor Pearce For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B230249 - Potency/Terpenes (Continued)

LCS(B230249-BS1)		Extracted - 01/25/23 16:00 Analyzed - 01/25/23 20:55						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Guaiol	0.177	%	0.200		88.4	70-130		
Valencene	0.194	%	0.200		97.0	70-130		
gamma Terpinene	0.150	%	0.200		75.2	70-130		

Batch: B230251 - Mycotoxin Prep

Blank(B230251-BLK1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:18						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	< LOQ	ppm						
Aflatoxin G2	< LOQ	ppm						
Aflatoxin G1	< LOQ	ppm						
Aflatoxin B2	< LOQ	ppm						
Aflatoxin B1	< LOQ	ppm						
Aflatoxins (Total)	< LOQ	ppm						

LCS(B230251-BS1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:34						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.20	ppm	0.228		87.2	60-120		
Aflatoxin G2	0.08	ppm	0.100		75.1	60-120		
Aflatoxin G1	0.08	ppm	0.100		77.5	60-120		
Aflatoxin B2	0.06	ppm	0.100		64.8	60-120		
Aflatoxin B1	0.08	ppm	0.100		75.5	60-120		

Matrix Spike(B230251-MS1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23 8:50						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.19	ppm	0.217	< LOQ	89.2	0-200		
Aflatoxin G2	0.07	ppm	0.0950	< LOQ	75.3	0-200		
Aflatoxin G1	0.07	ppm	0.0950	< LOQ	78.8	0-200		
Aflatoxin B2	0.06	ppm	0.0950	< LOQ	65.7	0-200		
Aflatoxin B1	0.07	ppm	0.0950	< LOQ	72.9	0-200		

Matrix Spike Dup(B230251-MSD1)		Extracted - 01/25/23 15:45 Analyzed - 01/26/23						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Ochratoxin A	0.19	ppm	0.216	< LOQ	89.8	0-200	0.672	200
Aflatoxin G2	0.07	ppm	0.0949	< LOQ	75.3	0-200	0.000263	200



Taylor Pearce For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Mycotoxin Analysis (Continued)

Batch: B230251 - Mycotoxin Prep (Continued)

Matrix Spike Dup(B230251-MSD1)			Extracted - 01/25/23 15:45 Analyzed - 01/26/23					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aflatoxin G1	0.08	ppm	0.0949	< LOQ	80.4	0-200	2.06	200
Aflatoxin B2	0.06	ppm	0.0949	< LOQ	64.9	0-200	1.24	200
Aflatoxin B1	0.07	ppm	0.0949	< LOQ	71.3	0-200	2.10	200



Taylor Pearce For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



23A0116

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.	0004889178	Date Created	1/23/2023 11:17 AM
Originating Entity	Nogero	For OLCC Use Only	
Originating License Number	030-1017129044E		
Address of Originating Entity	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
Phone No. of Originating Entity	971-712-3026		
Contact Phone No. for Inquiries: 7073310560			
1. Destination	SC Labs	Destination Phone No.	503-272-8830
Destination License Number	010-1018619A26E	Date and Approx. Time of Departure	1/23/2023 11:16 AM
Address of Destination	15865 SW 74th Ave., #110 Tigard, OR 97224 County: Washington	Date and Approx. Time of Arrival	1/23/2023 4:00 PM
		Date/Time Received	1/23/23 1627
		Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
Route to be Traveled	follow gps		
Name of Person Transporting	Scott Forster	Handler Permit No. of Driver	Z49L11
State Driver's License No.	A625521	Signature of Person Transporting	
Make, Model, License Plate No.	Nissan Kicks 249MGD		
1. Package Shipped	Production Batch No.	Item Name	Quantity
1A4010300040B29000001784 Lab Test: SubmittedForTesting		Mt. Hood Magic Full Spectrum Extract (Extracts)	Shp: 7.0700 g
Item Details			
Source Harvest(s)	(multi-harvest)		
Source Package(s)	1A4010300040B29000001772		

PRODUCT REJECTION <i>(if only a portion of shipment is rejected, circle that portion above)</i>			
Name of Person Receiving or Rejecting Product	Luisa Romero		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
Signature		Date	1/23/23
Signature of individual taking receipt of rejected portion of this shipment			

Client: Nogero LLC Sampler: Scott Forster Event ID: 23A0116 Thermometer ID: T020
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR Transporter: Scott Forster Date Sampled: 1/23/2023 Balance ID: SAMP_BAL_03
 Client License: 1017129044E Time Sampled: Anemometer ID: Anemometer_09
 Requestor: Nathaniel Sampling SOP & Revision #: SC-OR-SAMP-002 rev. 1.03

Scott Forster
 Sampler Signature

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_01	±2.5%	0.5	P	0.5	P
200		±2.5%	199.94		199.94	



Container Type	Harvest or Process Lot:			Sample Type	Client Sample Name	Harvest or Process Date	Batch Size (g)	
mason jars	011923-NOG			Concentrate	Mt. Hood Magic Full Spectrum Extract	1/21/2023	735	
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1772	16.3	57.8	2	vial/mylar	4	2	1.7	Mt. Hood Magic Full Spectrum Extract Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
23A0116-01	Mt. Hood Magic Full Spectrum Extract		A1	0	1.8	1.8	1784	
23A0116-01	Mt. Hood Magic Full Spectrum Extract		A2	1.8	3.55	1.75	1784	
Totals:		2		2	Total Primary Mass = 3.55		Primary + Duplicate Mass = 7.06 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1772	16.3	57.8	2	vial/mylar	4	2	1.7	Mt. Hood Magic Full Spectrum Extract Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
23A0116-02	Mt. Hood Magic Full Spectrum Extract		A4	0	1.8	1.8	1784	
23A0116-02	Mt. Hood Magic Full Spectrum Extract		A3	1.8	3.51	1.71	1784	
Totals:		2		2	Total Duplicate Mass = 3.51		Primary + Duplicate Mass = 7.06 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

