

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract Prima**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22D0015-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000133

Lot # 032822-NOG 3/28/22

Batch RFID: 1A4010300040B29000000132

Batch Size: 461 (g)

Process Date: 3/28/22

License: 030-1017129044E

Date Sampled: 04/04/22 00:00

Date Accepted: 04/04/22



Potency Analysis

Date Extracted: 04/06/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 04/06/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																		
Total THC ((THCA*0.877)+d9)	65.16	651.6	0.08	<table border="1"> <tr><td>THC</td><td>51.02</td></tr> <tr><td>THCA</td><td>16.13</td></tr> <tr><td>CBD</td><td>0.08</td></tr> <tr><td>CBDA</td><td>0.13</td></tr> <tr><td>CBG</td><td>1.14</td></tr> <tr><td>CBGA</td><td>0.60</td></tr> <tr><td>CBC</td><td>0.51</td></tr> <tr><td>THCV</td><td>0.17</td></tr> <tr><td>Total:</td><td>69.78</td></tr> </table>	THC	51.02	THCA	16.13	CBD	0.08	CBDA	0.13	CBG	1.14	CBGA	0.60	CBC	0.51	THCV	0.17	Total:	69.78
THC	51.02																					
THCA	16.13																					
CBD	0.08																					
CBDA	0.13																					
CBG	1.14																					
CBGA	0.60																					
CBC	0.51																					
THCV	0.17																					
Total:	69.78																					
Total CBD ((CBDA*0.877)+CBD)	0.20	2	0.08																			
d9-THC (d9-Tetrahydrocannabinol)*	51.02	510.2	0.08																			
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08																			
THCA (d9-Tetrahydrocannabinolic Acid)*	16.13	161.3	0.08																			
CBD (Cannabidiol)*	0.08	0.8	0.08																			
CBDA (Cannabidiolic Acid)*	0.13	1.3	0.08																			
CBN (Cannabinol)	< LOQ	< LOQ	0.08																			
CBG (Cannabigerol)	1.14	11.4	0.08																			
CBGA (Cannabigerolic Acid)	0.60	6	0.08																			
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08																			
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08																			
CBC (Cannabichromene)	0.51	5.1	0.08																			
THCV (Tetrahydrocannabivarin)	0.17	1.7	0.08																			
Total Cannabinoids	69.78	697.8	0.08																			

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract Duplic**
Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22D0015-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000133

Process Date: 3/28/22

Lot # 032822-NOG 3/28/22

License: 030-1017129044E

Batch RFID: 1A4010300040B29000000132

Date Sampled: 04/04/22 00:00

Batch Size: 461 (g)

Date Accepted: 04/04/22


Potency Analysis

Date Extracted: 04/06/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 04/06/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	65.99	659.9	0.08	
Total CBD ((CBDA*0.877)+CBD)	0.12	1.2	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	51.88	518.8	0.08	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08	
THCA (d9-Tetrahydrocannabinolic Acid)*	16.10	161	0.08	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.08	
CBDA (Cannabidiolic Acid)*	0.14	1.4	0.08	
CBN (Cannabinol)	< LOQ	< LOQ	0.08	
CBG (Cannabigerol)	1.11	11.1	0.08	
CBGA (Cannabigerolic Acid)	0.61	6.1	0.08	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08	
CBC (Cannabichromene)	0.50	5	0.08	
THCV (Tetrahydrocannabivarin)	0.20	2	0.08	
Total Cannabinoids	70.61	706.1	0.08	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract**

Sample Metrc ID: 1A4010300040B29000000133

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
Total THC ((THCA*0.877)+d9)	65.16	65.99	65.58	1.27	PASS
Total CBD ((CBDA*0.877)+CBD)	0.20	0.12	0.160	NA	PASS


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Platinum Girl Scout Cookies Full Sp	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 04/04/22 00:00
Compliance Extract	Date Accepted: 04/04/22
Laboratory ID: 22D0015-01	Sample Metrc ID: 1A4010300040B29000000133
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000132
Lot # 032822-NOG 3/28/22	Batch Size: 461 (g)

Terpene Analysis

Date Extracted: 04/06/22

Analysis Method: Terpenes by GCFID

Date Analyzed: 04/07/22

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.094	0.093	beta Myrcene	0.488	0.093
alpha Phellandrene	< LOQ	0.093	3-Carene	< LOQ	0.093
alpha Terpinene	< LOQ	0.093	Limonene	1.093	0.093
Terpinolene	0.104	0.093	Linalool	1.025	0.093
Fenchol	0.211	0.093	Borneol	< LOQ	0.093
Terpineol	0.366	0.093	Geraniol	< LOQ	0.093
alpha Humulene	1.764	0.093	beta Caryophyllene	4.435	0.093
(-)-Caryophyllene Oxide	< LOQ	0.093	(-)-alpha Bisabolol	0.414	0.093
Camphene	< LOQ	0.093	beta Pinene	0.184	0.093
Ocimene	< LOQ	0.093	Sabinene	< LOQ	0.093
Camphor	< LOQ	0.093	Isoborneol	< LOQ	0.093
Menthol	< LOQ	0.093	alpha Cedrene	< LOQ	0.093
Nerolidol	< LOQ	0.093	(+)-Pulegone	< LOQ	0.093
Eucalyptol	< LOQ	0.093	p-Cymene	< LOQ	0.093
(-)-Isopulegol	< LOQ	0.093	Geranyl Acetate	< LOQ	0.093
Guaiol	< LOQ	0.093	Valencene	< LOQ	0.093
Phytol	< LOQ	0.093	Citronellol	< LOQ	0.093
gamma Terpinene	< LOQ	0.093			
Total Terpenes				10.18 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected


Terpene Analysis is not ORELAP Accredited.


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract Pri** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **04/04/22 00:00**
Compliance Extract Date Accepted: **04/04/22 16:13**
 Laboratory ID: **22D0015-01** Matrix: **Extracts and** Client/Metric ID: **1A4010300040B29000000133**

Terpene Profile



Breeanna Hamilton
 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract Pri** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **04/04/22 00:00**
Compliance Extract Date Accepted: **04/04/22**

Laboratory ID: **22D0015-01** Sample Metrc ID: **1A4010300040B29000000133**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000132**
 Lot # **032822-NOG 3/28/22** Batch Size: **461 (g)**

Pesticide Analysis in ppm

Date Extracted: 04/06/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 04/07/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.216	Acephate	< LOQ	0.4	0.172
Acequinocyl	< LOQ	2	0.862	Acetamiprid	< LOQ	0.2	0.086
Aldicarb	< LOQ	0.4	0.172	Azoxystrobin	< LOQ	0.2	0.086
Bifenazate	< LOQ	0.2	0.086	Bifenthrin	< LOQ	0.2	0.086
Boscalid	< LOQ	0.4	0.172	Carbaryl	< LOQ	0.2	0.086
Carbofuran	< LOQ	0.2	0.086	Chlorantraniliprole	< LOQ	0.2	0.086
Chlorfenapyr	< LOQ	1	0.431	Chlorpyrifos	< LOQ	0.2	0.086
Clofentezine	< LOQ	0.2	0.086	Cyfluthrin	< LOQ	1	0.431
Cypermethrin	< LOQ	1	0.431	Daminozide	< LOQ	1	0.431
DDVP (Dichlorvos)	< LOQ	1	0.431	Diazinon	< LOQ	0.2	0.086
Dimethoate	< LOQ	0.2	0.086	Ethoprophos	< LOQ	0.2	0.086
Etofenprox	< LOQ	0.4	0.172	Etoxazole	< LOQ	0.2	0.086
Fenoxycarb	< LOQ	0.2	0.086	Fenpyroximate	< LOQ	0.4	0.172
Fipronil	< LOQ	0.4	0.172	Fonicamid	< LOQ	1	0.431
Fludioxonil	< LOQ	0.4	0.172	Hexythiazox	< LOQ	1	0.431
Imazalil	< LOQ	0.2	0.086	Imidacloprid	< LOQ	0.4	0.172
Kresoxim-methyl	< LOQ	0.4	0.172	Malathion	< LOQ	0.2	0.086
Metalaxyl	< LOQ	0.2	0.086	Methiocarb	< LOQ	0.2	0.086
Methomyl	< LOQ	0.4	0.172	Methyl parathion	< LOQ	0.2	0.086
MGK-264	< LOQ	0.2	0.086	Myclobutanil	< LOQ	0.2	0.086
Naled	< LOQ	0.5	0.216	Oxamyl	< LOQ	1	0.431
Paclobutrazol	< LOQ	0.4	0.172	Permethrins (total)	< LOQ	0.2	0.086
Phosmet	< LOQ	0.2	0.086	Piperonyl butoxide	< LOQ	2	0.431
Prallethrin	< LOQ	0.2	0.086	Propiconazole	< LOQ	0.4	0.172
Propoxur	< LOQ	0.2	0.086	Pyrethrins (total)	< LOQ	1	0.431
Pyridaben	< LOQ	0.2	0.086	Spinosad	< LOQ	0.2	0.086
Spiromesifen	< LOQ	0.2	0.086	Spirotetramat	< LOQ	0.2	0.086
Spiroxamine	< LOQ	0.4	0.172	Tebuconazole	< LOQ	0.4	0.172
Thiacloprid	< LOQ	0.2	0.086	Thiamethoxam	< LOQ	0.2	0.086
Trifloxystrobin	< LOQ	0.2	0.086				

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract Du** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **04/04/22 00:00**
Compliance Extract Date Accepted: **04/04/22**

Laboratory ID: **22D0015-02** Sample Metrc ID: **1A4010300040B29000000133**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000132**
 Lot # **032822-NOG 3/28/22** Batch Size: **461 (g)**

Pesticide Analysis in ppm

Date Extracted: 04/06/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 04/07/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.234	Acephate	< LOQ	0.4	0.187
Acequinocyl	< LOQ	2	0.934	Acetamiprid	< LOQ	0.2	0.093
Aldicarb	< LOQ	0.4	0.187	Azoxystrobin	< LOQ	0.2	0.093
Bifenazate	< LOQ	0.2	0.093	Bifenthrin	< LOQ	0.2	0.093
Boscalid	< LOQ	0.4	0.187	Carbaryl	< LOQ	0.2	0.093
Carbofuran	< LOQ	0.2	0.093	Chlorantraniliprole	< LOQ	0.2	0.093
Chlorfenapyr	< LOQ	1	0.467	Chlorpyrifos	< LOQ	0.2	0.093
Clofentezine	< LOQ	0.2	0.093	Cyfluthrin	< LOQ	1	0.467
Cypermethrin	< LOQ	1	0.467	Daminozide	< LOQ	1	0.467
DDVP (Dichlorvos)	< LOQ	1	0.467	Diazinon	< LOQ	0.2	0.093
Dimethoate	< LOQ	0.2	0.093	Ethoprophos	< LOQ	0.2	0.093
Etofenprox	< LOQ	0.4	0.187	Etoxazole	< LOQ	0.2	0.093
Fenoxycarb	< LOQ	0.2	0.093	Fenpyroximate	< LOQ	0.4	0.187
Fipronil	< LOQ	0.4	0.187	Fonicamid	< LOQ	1	0.467
Fludioxonil	< LOQ	0.4	0.187	Hexythiazox	< LOQ	1	0.467
Imazalil	< LOQ	0.2	0.093	Imidacloprid	< LOQ	0.4	0.187
Kresoxim-methyl	< LOQ	0.4	0.187	Malathion	< LOQ	0.2	0.093
Metalaxyl	< LOQ	0.2	0.093	Methiocarb	< LOQ	0.2	0.093
Methomyl	< LOQ	0.4	0.187	Methyl parathion	< LOQ	0.2	0.093
MGK-264	< LOQ	0.2	0.093	Myclobutanil	< LOQ	0.2	0.093
Naled	< LOQ	0.5	0.234	Oxamyl	< LOQ	1	0.467
Paclobutrazol	< LOQ	0.4	0.187	Permethrins (total)	< LOQ	0.2	0.093
Phosmet	< LOQ	0.2	0.093	Piperonyl butoxide	< LOQ	2	0.467
Prallethrin	< LOQ	0.2	0.093	Propiconazole	< LOQ	0.4	0.187
Propoxur	< LOQ	0.2	0.093	Pyrethrins (total)	< LOQ	1	0.467
Pyridaben	< LOQ	0.2	0.093	Spinosad	< LOQ	0.2	0.093
Spiromesifen	< LOQ	0.2	0.093	Spirotetramat	< LOQ	0.2	0.093
Spiroxamine	< LOQ	0.4	0.187	Tebuconazole	< LOQ	0.4	0.187
Thiacloprid	< LOQ	0.2	0.093	Thiamethoxam	< LOQ	0.2	0.093
Trifloxystrobin	< LOQ	0.2	0.093				

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Platinum Girl Scout Cookies Full Spectrum Extract Pr** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **04/04/22 00:00**
Compliance Extract Date Accepted: **04/04/22**

Laboratory ID: **22D0015-01** Sample Metric ID: **1A4010300040B29000000133**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000132**
 Lot # **032822-NOG 3/28/22** Batch Size: **461 (g)**

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	169
2-Butanol	< LOQ	5000	2220
2-Ethoxyethanol	< LOQ	160	71.2
2-Propanol (IPA)	< LOQ	5000	2220
Acetone	< LOQ	5000	2220
Acetonitrile	< LOQ	410	182
Benzene	< LOQ	2	0.890
Butanes	< LOQ	5000	2220
Cyclohexane	< LOQ	3880	1730
Dichloromethane (methylene chloride)	< LOQ	600	267
Ethyl acetate	< LOQ	5000	2220
Ethyl ether	< LOQ	5000	2220
Ethylbenzene	< LOQ	2170	966
Ethylene glycol	< LOQ	620	276
Ethylene oxide	< LOQ	50	22.2
Heptane	< LOQ	5000	2220
Hexanes	< LOQ	290	129
Isopropyl acetate	< LOQ	5000	2220
Isopropylbenzene (cumene)	< LOQ	70	31.1
Methanol	< LOQ	3000	1330
Pentanes	< LOQ	5000	2220
Propane	< LOQ	5000	2220
Tetrahydrofuran	< LOQ	720	320
Toluene	< LOQ	890	396
Xylenes	< LOQ	2170	966

Date Extracted: 04/05/22
 Date Analyzed: 04/06/22
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Platinum Girl Scout Cookies Full Spectrum Extract D	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 04/04/22 00:00
Compliance Extract	Date Accepted: 04/04/22
Laboratory ID: 22D0015-02	Sample Metric ID: 1A4010300040B29000000133
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000132
Lot # 032822-NOG 3/28/22	Batch Size: 461 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	178
2-Butanol	< LOQ	5000	2340
2-Ethoxyethanol	< LOQ	160	74.8
2-Propanol (IPA)	< LOQ	5000	2340
Acetone	< LOQ	5000	2340
Acetonitrile	< LOQ	410	192
Benzene	< LOQ	2	0.935
Butanes	< LOQ	5000	2340
Cyclohexane	< LOQ	3880	1810
Dichloromethane (methylene chloride)	< LOQ	600	280
Ethyl acetate	< LOQ	5000	2340
Ethyl ether	< LOQ	5000	2340
Ethylbenzene	< LOQ	2170	1010
Ethylene glycol	< LOQ	620	290
Ethylene oxide	< LOQ	50	23.4
Heptane	< LOQ	5000	2340
Hexanes	< LOQ	290	136
Isopropyl acetate	< LOQ	5000	2340
Isopropylbenzene (cumene)	< LOQ	70	32.7
Methanol	< LOQ	3000	1400
Pentanes	< LOQ	5000	2340
Propane	< LOQ	5000	2340
Tetrahydrofuran	< LOQ	720	336
Toluene	< LOQ	890	416
Xylenes	< LOQ	2170	1010

Date Extracted: 04/05/22
 Date Analyzed: 04/06/22
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvent - 2-Ethoxyethanol and ethylene glycol were above normally accepted recovery criteria in the Blank Spike, Matrix Spike, and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

Hexadecane detected as a tentatively identified compound in samples 22D0015-01.
Norflurane detected as a tentatively identified compound in samples 22D0015-01/02

**Quality Control
Potency**

Batch: B220720 - Potency/Terpenes

Blank(B220720-BLK1)			Extracted - 04/06/22 15:45 Analyzed - 04/06/22 21:06					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B220720-DUP1)			Extracted - 04/06/22 15:45 Analyzed - 04/06/22 20:57					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	2.08	%		2.31			10.6	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		0.13				20
THCA (d9-Tetrahydrocannabinolic Acid)	78.39	%		77.51			1.13	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.14	%		0.14			1.03	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.13	%		0.14			9.03	20
CBGA (Cannabigerolic Acid)	1.24	%		1.25			0.916	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B220720 - Potency/Terpenes (Continued)

Duplicate(B220720-DUP1)			Extracted - 04/06/22 15:45		Analyzed - 04/06/22 20:57			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B220720-BS1)			Extracted - 04/06/22 15:45		Analyzed - 04/06/22 20:48			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.21	%	0.200		106	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.20	%	0.200		99.8	90-110		
CBD (Cannabidiol)	0.21	%	0.200		103	90-110		
CBDA (Cannabidiolic Acid)	0.20	%	0.200		98.4	90-110		
CBN (Cannabinol)	0.19	%	0.200		95.8	80-120		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B220722 - Pesticide Prep

Blank(B220722-BLK1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22 22:31					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B220722 - Pesticide Prep (Continued)

Blank(B220722-BLK1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22 22:31					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B220722-BS1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22 22:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.49	ppm	1.98		75.1	50-150		
Acephate	1.75	ppm	2.00		87.6	60-120		
Acequinocyl	1.54	ppm	2.00		76.8	40-160		
Acetamiprid	1.90	ppm	2.00		94.8	60-120		
Aldicarb	1.87	ppm	2.00		93.6	60-120		
Azoxystrobin	1.91	ppm	2.00		95.4	60-120		
Bifenazate	1.66	ppm	2.00		83.1	60-120		
Bifenthrin	1.74	ppm	2.00		86.9	50-150		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B220722 - Pesticide Prep (Continued)

LCS(B220722-BS1)		Extracted - 04/06/22 15:33 Analyzed - 04/06/22 22:47						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.73	ppm	2.00		86.7	60-120		
Carbaryl	1.88	ppm	2.00		94.1	60-120		
Carbofuran	1.88	ppm	2.00		94.0	60-120		
Chlorantraniliprole	1.68	ppm	2.00		83.9	60-120		
Chlorfenapyr	1.61	ppm	2.00		80.7	60-120		
Chlorpyrifos	2.06	ppm	2.00		103	60-120		
Clofentezine	1.66	ppm	2.00		83.0	60-120		
Cyfluthrin	1.89	ppm	2.00		94.5	50-150		
Cypermethrin	1.89	ppm	2.00		94.7	50-150		
Daminozide	1.87	ppm	2.00		93.6	60-120		
DDVP (Dichlorvos)	1.73	ppm	2.00		86.5	60-120		
Diazinon	1.92	ppm	2.00		96.1	60-120		
Dimethoate	1.92	ppm	2.00		96.1	60-120		
Ethoprophos	1.89	ppm	2.00		94.3	60-120		
Etofenprox	1.85	ppm	2.00		92.4	50-150		
Etoxazole	2.15	ppm	2.00		107	60-120		
Fenoxycarb	1.67	ppm	2.00		83.4	60-120		
Fenpyroximate	1.77	ppm	2.00		88.7	60-120		
Fipronil	1.78	ppm	2.00		88.9	60-120		
Flonicamid	1.82	ppm	2.00		90.8	60-120		
Fludioxonil	1.65	ppm	2.00		82.7	50-150		
Hexythiazox	1.62	ppm	2.00		81.0	60-120		
Imazalil	1.93	ppm	2.00		96.3	60-120		
Imidacloprid	1.90	ppm	2.00		94.9	60-120		
Kresoxim-methyl	1.95	ppm	2.00		97.5	60-120		
Malathion	1.96	ppm	2.00		97.8	60-120		
Metalaxyl	1.87	ppm	2.00		93.3	60-120		
Methiocarb	1.92	ppm	2.00		95.8	60-120		
Methomyl	1.89	ppm	2.00		94.3	60-120		
Methyl parathion	1.82	ppm	2.00		91.2	50-150		
MGK-264	1.48	ppm	2.00		73.8	50-150		
Myclobutanil	1.44	ppm	2.00		72.0	60-120		
Naled	1.80	ppm	2.00		90.2	50-150		
Oxamyl	1.77	ppm	2.00		88.6	60-120		
Paclobutrazol	1.92	ppm	2.00		95.8	60-120		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B220722 - Pesticide Prep (Continued)

LCS(B220722-BS1)		Extracted - 04/06/22 15:33 Analyzed - 04/06/22 22:47						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.61	ppm	2.00		80.4	50-150		
Phosmet	1.85	ppm	2.00		92.5	50-150		
Piperonyl butoxide	2.09	ppm	2.00		104	60-120		
Prallethrin	1.52	ppm	2.00		76.1	60-120		
Propiconazole	1.70	ppm	2.00		85.1	60-120		
Propoxur	1.99	ppm	2.00		99.6	60-120		
Pyrethrins (total)	0.92	ppm	1.16		78.9	60-120		
Pyridaben	1.95	ppm	2.00		97.3	50-150		
Spinosad	1.62	ppm	2.00		81.0	50-150		
Spiromesifen	2.04	ppm	2.00		102	60-120		
Spirotetramat	1.84	ppm	2.00		92.1	60-120		
Spiroxamine	1.95	ppm	2.00		97.3	60-120		
Tebuconazole	1.88	ppm	2.00		93.9	60-120		
Thiacloprid	1.89	ppm	2.00		94.7	60-120		
Thiamethoxam	1.93	ppm	2.00		96.6	60-120		
Trifloxystrobin	1.90	ppm	2.00		95.1	60-120		

Matrix Spike(B220722-MS1)		Extracted - 04/06/22 15:33 Analyzed - 04/06/22 23:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.65	ppm	1.67	< LOQ	98.9	33-200		
Acephate	1.38	ppm	1.69	< LOQ	81.9	66-133		
Acequinocyl	1.36	ppm	1.69	< LOQ	80.5	10-116		
Acetamiprid	1.50	ppm	1.69	< LOQ	88.8	67-146		
Aldicarb	1.53	ppm	1.69	< LOQ	90.6	58-150		
Azoxystrobin	1.56	ppm	1.69	< LOQ	92.5	63-134		
Bifenazate	1.53	ppm	1.69	< LOQ	90.4	55-137		
Bifenthrin	0.59	ppm	1.69	0.02	33.8	15-90		
Boscalid	1.40	ppm	1.69	< LOQ	82.9	55-136		
Carbaryl	1.57	ppm	1.69	< LOQ	93.1	74-120		
Carbofuran	1.62	ppm	1.69	< LOQ	95.7	69-129		
Chlorantraniliprole	1.38	ppm	1.69	< LOQ	81.5	46-134		
Chlorfenapyr	1.22	ppm	1.69	< LOQ	72.1	14-136		
Chlorpyrifos	1.78	ppm	1.69	0.03	104	30-138		
Clofentezine	1.39	ppm	1.69	< LOQ	82.6	47-131		
Cyfluthrin	1.80	ppm	1.69	< LOQ	106	27-200		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B220722 - Pesticide Prep (Continued)

Matrix Spike(B220722-MS1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22 23:03					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.66	ppm	1.69	< LOQ	98.0	30-181		
Daminozide	1.56	ppm	1.69	< LOQ	92.4	20-171		
DDVP (Dichlorvos)	1.52	ppm	1.69	< LOQ	89.7	65-138		
Diazinon	1.66	ppm	1.69	< LOQ	98.1	70-130		
Dimethoate	1.54	ppm	1.69	< LOQ	91.3	70-130		
Ethoprophos	1.58	ppm	1.69	< LOQ	93.4	62-125		
Etofenprox	0.75	ppm	1.69	< LOQ	44.4	15-96		
Etoxazole	1.61	ppm	1.69	< LOQ	95.6	43-129		
Fenoxycarb	1.48	ppm	1.69	< LOQ	87.4	60-133		
Fenpyroximate	1.40	ppm	1.69	< LOQ	83.1	43-199		
Fipronil	1.44	ppm	1.69	< LOQ	85.3	54-140		
Flonicamid	1.48	ppm	1.69	< LOQ	87.3	60-143		
Fludioxonil	1.35	ppm	1.69	< LOQ	79.8	14-166		
Hexythiazox	1.57	ppm	1.69	< LOQ	92.8	28-200		
Imazalil	1.59	ppm	1.69	< LOQ	94.4	28-129		
Imidacloprid	1.59	ppm	1.69	< LOQ	94.2	65-155		
Kresoxim-methyl	1.56	ppm	1.69	< LOQ	92.4	68-131		
Malathion	1.61	ppm	1.69	< LOQ	95.1	61-127		
Metalaxyl	1.56	ppm	1.69	< LOQ	92.1	71-131		
Methiocarb	1.59	ppm	1.69	< LOQ	94.2	71-121		
Methomyl	1.45	ppm	1.69	< LOQ	86.1	55-133		
Methyl parathion	1.54	ppm	1.69	< LOQ	91.3	42-126		
MGK-264	1.26	ppm	1.69	< LOQ	74.7	37-129		
Myclobutanil	1.22	ppm	1.69	< LOQ	72.0	51-138		
Naled	1.50	ppm	1.69	< LOQ	88.8	48-150		
Oxamyl	1.40	ppm	1.69	< LOQ	82.8	68-125		
Paclbutrazol	1.52	ppm	1.69	< LOQ	89.8	55-130		
Permethrins (total)	1.25	ppm	1.69	< LOQ	73.8	18-144		
Phosmet	1.55	ppm	1.69	< LOQ	91.6	65-129		
Piperonyl butoxide	1.40	ppm	1.69	< LOQ	83.1	33-111		
Prallethrin	1.29	ppm	1.69	< LOQ	76.3	47-146		
Propiconazole	1.39	ppm	1.69	< LOQ	82.3	47-155		
Propoxur	1.63	ppm	1.69	< LOQ	96.7	68-124		
Pyrethrins (total)	0.80	ppm	0.980	< LOQ	81.6	19-200		
Pyridaben	1.36	ppm	1.69	< LOQ	80.3	15-130		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B220722 - Pesticide Prep (Continued)

Matrix Spike(B220722-MS1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22 23:03					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.12	ppm	1.69	< LOQ	66.5	36-149		
Spiromesifen	1.28	ppm	1.69	< LOQ	75.5	28-139		
Spirotetramat	1.55	ppm	1.69	< LOQ	92.0	50-170		
Spiroxamine	1.64	ppm	1.69	< LOQ	97.1	32-148		
Tebuconazole	1.59	ppm	1.69	< LOQ	94.2	65-144		
Thiacloprid	1.51	ppm	1.69	< LOQ	89.6	69-136		
Thiamethoxam	1.60	ppm	1.69	< LOQ	95.0	65-133		
Trifloxystrobin	1.62	ppm	1.69	< LOQ	96.2	61-134		

Matrix Spike Dup(B220722-MSD1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.89	ppm	1.68	< LOQ	113	33-200	12.9	50
Acephate	1.41	ppm	1.69	< LOQ	83.4	66-133	1.84	30
Acequinocyl	1.27	ppm	1.69	< LOQ	74.7	10-116	7.51	50
Acetamiprid	1.54	ppm	1.69	< LOQ	90.6	67-146	2.04	30
Aldicarb	1.62	ppm	1.69	< LOQ	95.7	58-150	5.50	30
Azoxystrobin	1.55	ppm	1.69	< LOQ	91.7	63-134	0.809	30
Bifenazate	1.57	ppm	1.69	< LOQ	92.7	55-137	2.58	30
Bifenthrin	0.60	ppm	1.69	0.02	34.4	15-90	1.99	30
Boscalid	1.37	ppm	1.69	< LOQ	81.1	55-136	2.30	30
Carbaryl	1.54	ppm	1.69	< LOQ	90.8	74-120	2.49	30
Carbofuran	1.56	ppm	1.69	< LOQ	92.2	69-129	3.69	30
Chlorantraniliprole	1.31	ppm	1.69	< LOQ	77.2	46-134	5.39	30
Chlorfenapyr	1.42	ppm	1.69	< LOQ	83.6	14-136	14.8	50
Chlorpyrifos	1.81	ppm	1.69	0.03	105	30-138	1.31	30
Clofentezine	1.40	ppm	1.69	< LOQ	82.5	47-131	0.0664	30
Cyfluthrin	1.55	ppm	1.69	< LOQ	91.6	27-200	15.0	50
Cypermethrin	1.77	ppm	1.69	< LOQ	104	30-181	6.07	30
Daminozide	1.49	ppm	1.69	< LOQ	88.0	20-171	4.89	50
DDVP (Dichlorvos)	1.48	ppm	1.69	< LOQ	87.3	65-138	2.70	30
Diazinon	1.64	ppm	1.69	< LOQ	96.5	70-130	1.61	30
Dimethoate	1.59	ppm	1.69	< LOQ	93.5	70-130	2.39	30
Ethoprophos	1.58	ppm	1.69	< LOQ	93.0	62-125	0.348	30
Etofenprox	0.76	ppm	1.69	< LOQ	44.7	15-96	0.803	30
Etoxazole	1.63	ppm	1.69	< LOQ	96.0	43-129	0.424	30


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B220722 - Pesticide Prep (Continued)

Matrix Spike Dup(B220722-MSD1)			Extracted - 04/06/22 15:33 Analyzed - 04/06/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.49	ppm	1.69	< LOQ	87.7	60-133	0.308	30
Fenpyroximate	1.46	ppm	1.69	< LOQ	86.4	43-199	3.82	30
Fipronil	1.40	ppm	1.69	< LOQ	82.4	54-140	3.50	30
Flonicamid	1.47	ppm	1.69	< LOQ	86.9	60-143	0.508	30
Fludioxonil	1.33	ppm	1.69	< LOQ	78.5	14-166	1.65	50
Hexythiazox	1.58	ppm	1.69	< LOQ	93.3	28-200	0.583	30
Imazalil	1.55	ppm	1.69	< LOQ	91.6	28-129	2.95	30
Imidacloprid	1.61	ppm	1.69	< LOQ	94.9	65-155	0.664	30
Kresoxim-methyl	1.59	ppm	1.69	< LOQ	93.9	68-131	1.68	30
Malathion	1.57	ppm	1.69	< LOQ	92.6	61-127	2.61	30
Metalaxyl	1.53	ppm	1.69	< LOQ	90.1	71-131	2.27	30
Methiocarb	1.55	ppm	1.69	< LOQ	91.5	71-121	3.00	30
Methomyl	1.49	ppm	1.69	< LOQ	87.6	55-133	1.77	30
Methyl parathion	1.55	ppm	1.69	< LOQ	91.4	42-126	0.187	30
MGK-264	1.25	ppm	1.69	< LOQ	74.0	37-129	0.853	30
Myclobutanil	1.11	ppm	1.69	< LOQ	65.7	51-138	9.10	30
Naled	1.51	ppm	1.69	< LOQ	89.2	48-150	0.471	30
Oxamyl	1.43	ppm	1.69	< LOQ	84.4	68-125	1.91	30
Paclobutrazol	1.48	ppm	1.69	< LOQ	87.4	55-130	2.70	30
Permethrins (total)	1.23	ppm	1.69	< LOQ	72.5	18-144	1.75	30
Phosmet	1.52	ppm	1.69	< LOQ	89.9	65-129	1.79	30
Piperonyl butoxide	1.42	ppm	1.69	< LOQ	83.9	33-111	0.900	30
Prallethrin	1.30	ppm	1.69	< LOQ	76.4	47-146	0.122	30
Propiconazole	1.35	ppm	1.69	< LOQ	79.4	47-155	3.59	30
Propoxur	1.61	ppm	1.69	< LOQ	95.2	68-124	1.59	30
Pyrethrins (total)	0.84	ppm	0.983	< LOQ	85.1	19-200	4.21	30
Pyridaben	1.37	ppm	1.69	< LOQ	80.8	15-130	0.639	30
Spinosad	1.15	ppm	1.69	< LOQ	68.0	36-149	2.21	35
Spiromesifen	1.39	ppm	1.69	< LOQ	81.9	28-139	8.06	30
Spirotetramat	1.53	ppm	1.69	< LOQ	90.5	50-170	1.69	30
Spiroxamine	1.53	ppm	1.69	< LOQ	90.3	32-148	7.26	30
Tebuconazole	1.54	ppm	1.69	< LOQ	91.1	65-144	3.36	30
Thiacloprid	1.52	ppm	1.69	< LOQ	89.6	69-136	0.0854	30
Thiamethoxam	1.59	ppm	1.69	< LOQ	93.8	65-133	1.31	30
Trifloxystrobin	1.60	ppm	1.69	< LOQ	94.7	61-134	1.55	30


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B220719 - Residual Solvent Prep

Blank(B220719-BLK1)			Extracted - 04/05/22 18:11 Analyzed - 04/06/22 15:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B220719-BS1)			Extracted - 04/05/22 18:11 Analyzed - 04/06/22 14:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	605	ug/g	570		106	60-120		
2,2-Dimethylbutane	399	ug/g	435		91.7	60-120		
2,2-Dimethylpropane (neopentane)	3170	ug/g	3120		101	60-120		
2-Butanol	3950	ug/g	3500		113	60-120		
2-Ethoxyethanol	319	ug/g	240		133	60-120		
2-Methylbutane (isopentane)	3100	ug/g	3500		88.6	60-120		
2-Methylpentane/2,3-Dimethylbutane	797	ug/g	870		91.6	60-120		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B220719 - Residual Solvent Prep (Continued)

LCS(B220719-BS1)		Extracted - 04/05/22 18:11 Analyzed - 04/06/22 14:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3060	ug/g	3120		97.9	60-120		
2-Propanol (IPA)	3960	ug/g	3500		113	60-120		
3-Methylpentane	401	ug/g	435		92.3	60-120		
Acetone	3640	ug/g	3500		104	60-120		
Acetonitrile	674	ug/g	615		110	60-120		
Benzene	3.10	ug/g	3.00		103	60-120		
Cyclohexane	5790	ug/g	5820		99.5	60-120		
Dichloromethane (methylene chloride)	898	ug/g	900		99.8	60-120		
Ethyl acetate	3530	ug/g	3500		101	60-120		
Ethyl ether	3350	ug/g	3500		95.8	60-120		
Ethylbenzene	3400	ug/g	3250		105	60-120		
Ethylene glycol	1310	ug/g	930		141	60-120		
Ethylene oxide	352	ug/g	375		93.9	60-120		
Heptane	3340	ug/g	3500		95.3	60-120		
Isopropyl acetate	3650	ug/g	3500		104	60-120		
Isopropylbenzene (cumene)	116	ug/g	105		110	60-120		
m,p-Xylene	6860	ug/g	6510		105	60-120		
Methanol	2950	ug/g	2500		118	60-120		
n-Butane	2900	ug/g	3120		92.9	60-120		
n-Hexane	381	ug/g	435		87.5	60-120		
n-Pentane	2990	ug/g	3500		85.4	60-120		
Propane	1140	ug/g	1250		91.2	60-120		
Tetrahydrofuran	1030	ug/g	1080		95.6	60-120		
Toluene	1380	ug/g	1340		103	60-120		
o-Xylene	3490	ug/g	3250		107	60-120		

Matrix Spike(B220719-MS1)		Extracted - 04/05/22 18:11 Analyzed - 04/06/22 14:26						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	552	ug/g	535	< LOQ	103	71-131		
2,2-Dimethylbutane	340	ug/g	408	< LOQ	83.4	70-130		
2,2-Dimethylpropane (neopentane)	2820	ug/g	2930	< LOQ	96.2	65-168		
2-Butanol	3620	ug/g	3280	< LOQ	110	71-133		
2-Ethoxyethanol	280	ug/g	225	< LOQ	125	68-126		
2-Methylbutane (isopentane)	2500	ug/g	3280	< LOQ	76.3	68-141		
2-Methylpentane/2,3-Dimethylbutane	672	ug/g	816	< LOQ	82.4	71-133		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B220719 - Residual Solvent Prep (Continued)

Matrix Spike(B220719-MS1)			Extracted - 04/05/22 18:11 Analyzed - 04/06/22 14:26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2730	ug/g	2930	4.28	93.1	46-179		
2-Propanol (IPA)	3600	ug/g	3280	< LOQ	110	74-138		
3-Methylpentane	344	ug/g	408	< LOQ	84.2	69-129		
Acetone	3190	ug/g	3280	< LOQ	97.1	76-142		
Acetonitrile	607	ug/g	577	< LOQ	105	72-134		
Benzene	2.77	ug/g	2.81	< LOQ	98.5	64-130		
Cyclohexane	5230	ug/g	5460	< LOQ	95.7	78-144		
Dichloromethane (methylene chloride)	819	ug/g	844	< LOQ	97.0	71-131		
Ethyl acetate	3220	ug/g	3280	< LOQ	98.1	75-139		
Ethyl ether	2870	ug/g	3280	< LOQ	87.3	81-141		
Ethylbenzene	3260	ug/g	3050	< LOQ	107	73-135		
Ethylene glycol	1110	ug/g	872	< LOQ	128	44-113		
Ethylene oxide	265	ug/g	352	< LOQ	75.5	63-142		
Heptane	3010	ug/g	3280	< LOQ	91.6	76-140		
Isopropyl acetate	3290	ug/g	3280	< LOQ	100	76-140		
Isopropylbenzene (cumene)	113	ug/g	98.5	< LOQ	114	61-200		
m,p-Xylene	6660	ug/g	6110	< LOQ	109	74-138		
Methanol	2520	ug/g	2340	< LOQ	108	73-135		
n-Butane	2730	ug/g	2930	264	84.3	32-176		
n-Hexane	332	ug/g	408	< LOQ	81.3	69-127		
n-Pentane	2500	ug/g	3280	< LOQ	76.1	71-140		
Propane	1140	ug/g	1170	< LOQ	97.0	45-152		
Tetrahydrofuran	930	ug/g	1010	< LOQ	91.8	74-137		
Toluene	1280	ug/g	1250	< LOQ	102	71-131		
o-Xylene	3370	ug/g	3050	< LOQ	111	72-134		

Matrix Spike Dup(B220719-MSD1)			Extracted - 04/05/22 18:11 Analyzed - 04/06/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	561	ug/g	544	< LOQ	103	71-131	1.69	25
2,2-Dimethylbutane	349	ug/g	415	< LOQ	84.0	70-130	2.52	25
2,2-Dimethylpropane (neopentane)	2910	ug/g	2980	< LOQ	97.4	65-168	3.06	25
2-Butanol	3720	ug/g	3340	< LOQ	111	71-133	2.53	25
2-Ethoxyethanol	294	ug/g	229	< LOQ	128	68-126	4.82	25
2-Methylbutane (isopentane)	2610	ug/g	3340	< LOQ	78.0	68-141	4.01	25
2-Methylpentane/2,3-Dimethylbutane	702	ug/g	831	< LOQ	84.5	71-133	4.23	25


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B220719 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B220719-MSD1)			Extracted - 04/05/22 18:11 Analyzed - 04/06/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2880	ug/g	2980	4.28	96.5	46-179	5.38	25
2-Propanol (IPA)	3680	ug/g	3340	< LOQ	110	74-138	2.31	25
3-Methylpentane	357	ug/g	415	< LOQ	86.0	69-129	3.79	25
Acetone	3310	ug/g	3340	< LOQ	99.1	76-142	3.82	25
Acetonitrile	624	ug/g	587	< LOQ	106	72-134	2.85	25
Benzene	2.77	ug/g	2.86	< LOQ	96.7	64-130	0.00848	50
Cyclohexane	5300	ug/g	5560	< LOQ	95.4	78-144	1.44	25
Dichloromethane (methylene chloride)	839	ug/g	859	< LOQ	97.7	71-131	2.45	25
Ethyl acetate	3300	ug/g	3340	< LOQ	98.7	75-139	2.45	25
Ethyl ether	2970	ug/g	3340	< LOQ	88.9	81-141	3.62	25
Ethylbenzene	3300	ug/g	3100	< LOQ	107	73-135	1.23	25
Ethylene glycol	1130	ug/g	888	< LOQ	127	44-113	0.954	50
Ethylene oxide	281	ug/g	358	< LOQ	78.4	63-142	5.60	25
Heptane	3070	ug/g	3340	< LOQ	91.8	76-140	1.99	25
Isopropyl acetate	3350	ug/g	3340	< LOQ	100	76-140	1.98	25
Isopropylbenzene (cumene)	116	ug/g	100	< LOQ	116	61-200	3.19	25
m,p-Xylene	6630	ug/g	6220	< LOQ	107	74-138	0.549	25
Methanol	2580	ug/g	2390	< LOQ	108	73-135	2.39	25
n-Butane	2860	ug/g	2980	264	87.1	32-176	4.59	25
n-Hexane	339	ug/g	415	< LOQ	81.5	69-127	2.08	25
n-Pentane	2590	ug/g	3340	< LOQ	77.7	71-140	3.87	25
Propane	1190	ug/g	1190	< LOQ	99.5	45-152	4.36	50
Tetrahydrofuran	954	ug/g	1030	< LOQ	92.5	74-137	2.51	25
Toluene	1290	ug/g	1280	< LOQ	101	71-131	0.827	25
o-Xylene	3420	ug/g	3100	< LOQ	110	72-134	1.54	25


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B220721 - Potency/Terpenes

Blank(B220721-BLK1)			Extracted - 04/06/22 15:45 Analyzed - 04/06/22 20:09					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B220721 - Potency/Terpenes (Continued)

Duplicate(B220721-DUP1)		Extracted - 04/06/22 15:45 Analyzed - 04/06/22 20:36						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.185	%		0.186			0.334	30
beta Myrcene	0.714	%		0.718			0.476	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.555	%		0.558			0.544	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.251	%		0.252			0.240	30
Fenchol	0.170	%		0.173			1.68	30
Borneol	< LOQ	%		< LOQ				30
Terpineol	0.169	%		0.170			0.289	30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.584	%		0.588			0.602	30
beta Caryophyllene	1.393	%		1.392			0.0643	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.177	%		0.175			0.704	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.135	%		0.139			2.74	30
Ocimene	< LOQ	%		< LOQ				30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
Nerolidol	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B220721 - Potency/Terpenes (Continued)

Duplicate(B220721-DUP1)		Extracted - 04/06/22 15:45 Analyzed - 04/06/22 20:36						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Scott Forster

Client: Nogero LLC Client License: 1017129044E Date Sampled: 4/4/2022 Thermometer ID: T020
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR Requestor: Nathaniel Bruce Event ID: 22D0015 Balance ID: SAMP_BAL_03
 Sampling SOP & Rev. #: SC-OR-SAMP-002 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer_09

Sampler Signature

Lab ORELAP ID: 4133
 Lab OLCC ID: 1018619A26E

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.5	P
200		±2.5%	199.96		199.96	



Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
glass bowl	1A4010300040B29000000132				Concentrate	Girl Scout Cookies Full Spectrum	032822-NOG 3/28/22	461
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	4	0.875	um Girl Scout Cookies Full Spectrum Extract Pr
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22D0015-01	Platinum Girl Scout Cookies Full Spectrum Extract-1		A1	0	0.88	0.88	133	
22D0015-01	Platinum Girl Scout Cookies Full Spectrum Extract-1		A2	0.88	1.76	0.88	133	
22D0015-01	Platinum Girl Scout Cookies Full Spectrum Extract-1		A4	1.76	2.64	0.88	133	
22D0015-01	Platinum Girl Scout Cookies Full Spectrum Extract-1		A4	2.64	3.51	0.87	133	

Totals: 4 4 Total Primary Mass = 3.51 Primary + Duplicate Mass = 7.04 g

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	4	0.875	um Girl Scout Cookies Full Spectrum Extract Dup

Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#
22D0015-02	Platinum Girl Scout Cookies Full Spectrum Extract-1		A1	0	0.88	0.88	133
22D0015-02	Platinum Girl Scout Cookies Full Spectrum Extract-1		A1	0.88	1.76	0.88	133
22D0015-02	Platinum Girl Scout Cookies Full Spectrum Extract-1		A3	1.76	2.64	0.88	133
22D0015-02	Platinum Girl Scout Cookies Full Spectrum Extract-1		A4	2.64	3.53	0.89	133

Totals:		4	4		Total Duplicate Mass = 3.53		Primary + Duplicate Mass = 7.04 g
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



22D0015

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.	0004092204	Date Created	4/4/2022 1:44 PM
Originating Entity	Nogero	For OLCC Use Only	
Originating License Number	030-1017129044E		
Address of Originating Entity	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
Phone No. of Originating Entity	971-712-3026		
Contact Phone No. for Inquiries: 707-331-0560			
1. Destination	SC Labs	Destination Phone No.	503-272-8830
Destination License Number	010-1018619A26E	Date and Approx. Time of Departure	4/4/2022 1:45 PM
Address of Destination	15865 SW 74th Ave., #110 Tigard, OR 97224 County: Washington	Date and Approx. Time of Arrival	4/4/2022 2:00 PM
		Date/Time Received	4/4/22 15:13pm
Route to be Traveled Barbur to I5 South to Carmen Dr. Exit turn left on Boones Ferry. Turn right into your address.		Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
Name of Person Transporting	Scott Forster	Handler Permit No. of Driver	SF1983
State Driver's License No.	A625521	Signature of Person Transporting	<i>Scott Forster</i>
Make, Model, License Plate No.	Nissan Kicks 249MGD		
1. Package Shipped	Production Batch No.	Item Name	Quantity
1A4010300040B29000000133 Lab Test: SubmittedForTesting		Platinum GSC Full Spectrum Extract (Extracts)	Shp: 7.0400 g
Item Details			
Source Harvest(s)	(multi-harvest)		
Source Package(s)	1A4010300040B29000000132		

PRODUCT REJECTION <i>(if only a portion of shipment is rejected, circle that portion above)</i>			
Name of Person Receiving or Rejecting Product	<i>Luisa Romero</i>		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
Signature	<i>Luisa Romero</i>	Date	4/4/22
Signature of individual taking receipt of rejected portion of this shipment			

CHAIN OF CUSTODY

SC Laboratories Oregon LLC
 15865 SW 74th Avenue, Ste 110
 Tigard OR, 97224
 (503) 272-8930
 ORELAP ID # 4133
 www.sclabs.com

Client: Nogero LLC
 Address Where Sampled: 8700 sw Barber Suite X Portland OR
 Date Sampled: 4/4/2022
 OLCC License #: 1017128044E
 OLCC License Type: Processor
 Email: nathaniel@nogero.com
 Phone: 971.712.3026
 Sampler OLCC License #: 1018619A26E

COC #: 22D0015
 Work Order #: 22D0016
 Received By: LSR
 Received Date: 4/4/22
 Courier: Scott Forster
 Name of Sampler: Scott Forster
 Transfer Manifest #: 409 22.04
 Place where Sampled: 8700 sw Barber Suite X Portland OR



Sample Type Legend
 U - Usable Marijuana
 C - Concentrate
 P - Product
 O - Other

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	TESTS REQUESTED						Sample Specific Notes
								Potency	Mutar Activity	Molecular Content	Pesticide	Residual Solvent	Terpene	
Platinum Girl Scout Cookies Full Spectrum Extract Prim		133	Platinum Girl Scout Cookies	22D0015-01	C	3.51	4	X		X	X	X		
Platinum Girl Scout Cookies Full Spectrum Extract Dupl		133	Platinum Girl Scout Cookies	22D0015-02	C	3.53	4	X		X	X	X		

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes No

Samples Relinquished Print Name: Nathaniel Representative of: Nogero Signature: <i>[Signature]</i>	Samples Received Print Name: Scott F Representative of: SC Labs Signature: <i>[Signature]</i>
Date: 4/4/2022 Time: 2:	Date: 4/4/2022 Time: 2:
Print Name: _____ Representative of: _____ Signature: _____	Print Name: _____ Representative of: _____ Signature: _____
Date: _____ Time: _____	Date: _____ Time: _____