

Sample Name: **Pineapple Passion Zmoothie Full Spectrum Extract Prima**
Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22F0042-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000296

Lot # 052522-NOG

Batch RFID: 1A4010300040B29000000290

Batch Size: 713 (g)

Process Date: 6/7/2022

License: 030-1017129044E

Date Sampled: 06/08/22 09:06

Date Accepted: 06/08/22




Potency Analysis

Date Extracted: 06/09/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 06/10/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																
Total THC ((THCA*0.877)+d9)	70.14	701.4	0.09	 <table border="1"> <tr><td>THC</td><td>56.62</td></tr> <tr><td>THCA</td><td>15.42</td></tr> <tr><td>CBDA</td><td>0.09</td></tr> <tr><td>CBN</td><td>0.19</td></tr> <tr><td>CBG</td><td>1.54</td></tr> <tr><td>CBGA</td><td>0.54</td></tr> <tr><td>THCV</td><td>0.29</td></tr> <tr><td>Total:</td><td>74.69</td></tr> </table>	THC	56.62	THCA	15.42	CBDA	0.09	CBN	0.19	CBG	1.54	CBGA	0.54	THCV	0.29	Total:	74.69
THC	56.62																			
THCA	15.42																			
CBDA	0.09																			
CBN	0.19																			
CBG	1.54																			
CBGA	0.54																			
THCV	0.29																			
Total:	74.69																			
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ	0.09																	
d9-THC (d9-Tetrahydrocannabinol)*	56.62	566.2	0.09																	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09																	
THCA (d9-Tetrahydrocannabinolic Acid)*	15.42	154.2	0.09																	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.09																	
CBDA (Cannabidiolic Acid)*	0.09	0.9	0.09																	
CBN (Cannabinol)	0.19	1.9	0.09																	
CBG (Cannabigerol)	1.54	15.4	0.09																	
CBGA (Cannabigerolic Acid)	0.54	5.4	0.09																	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09																	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09																	
CBC (Cannabichromene)	< LOQ	< LOQ	0.09																	
THCV (Tetrahydrocannabivarin)	0.29	2.9	0.09																	
Total Cannabinoids	74.69	746.9	0.09																	

<LOQ - Results below the Limit of Quantitation - Compound not detected


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Pineapple Passion Zmoothie Full Spectrum Extract Duplic**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22F0042-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000296

Process Date: 6/7/2022

Lot # 052522-NOG

License: 030-1017129044E

Batch RFID: 1A4010300040B29000000290

Date Sampled: 06/08/22 09:11

Batch Size: 713 (g)

Date Accepted: 06/08/22


Potency Analysis

Date Extracted: 06/09/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 06/10/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	69.12	691.2	0.09	
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ	0.09	
d9-THC (d9-Tetrahydrocannabinol)*	55.99	559.9	0.09	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09	
THCA (d9-Tetrahydrocannabinolic Acid)*	14.97	149.7	0.09	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.09	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.09	
CBN (Cannabinol)	0.19	1.9	0.09	
CBG (Cannabigerol)	1.49	14.9	0.09	
CBGA (Cannabigerolic Acid)	0.53	5.3	0.09	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09	
CBC (Cannabichromene)	< LOQ	< LOQ	0.09	
THCV (Tetrahydrocannabivarin)	0.27	2.7	0.09	
Total Cannabinoids	73.45	734.5	0.09	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Pineapple Passion Zmoothie Full Spectrum Extract**

Sample Metrc ID: **1A4010300040B29000000296**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
Total THC ((THCA*0.877)+d9)	70.14	69.12	69.63	1.46	PASS
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ	< LOQ	NA	PASS


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Pineapple Passion Zmoothie Full S	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 06/08/22 09:06
Compliance Extract	Date Accepted: 06/08/22
Laboratory ID: 22F0042-01	Sample Metrc ID: 1A4010300040B29000000296
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000290
Lot # 052522-NOG	Batch Size: 713 (g)

Terpene Analysis

Date Extracted: 06/09/22	Analysis Method: Terpenes by GCFID				
Date Analyzed: 06/09/22					
Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	< LOQ	0.099	beta Myrcene	0.642	0.099
alpha Phellandrene	< LOQ	0.099	3-Carene	< LOQ	0.099
alpha Terpinene	< LOQ	0.099	Limonene	0.401	0.099
Terpinolene	0.140	0.099	Linalool	1.367	0.099
Fenchol	0.136	0.099	Borneol	< LOQ	0.099
Terpineol	0.276	0.099	Geraniol	< LOQ	0.099
alpha Humulene	0.875	0.099	beta Caryophyllene	2.166	0.099
(-)-Caryophyllene Oxide	< LOQ	0.099	(-)-alpha Bisabolol	1.073	0.099
Camphene	< LOQ	0.099	beta Pinene	< LOQ	0.099
Ocimene	< LOQ	0.099	Sabinene	< LOQ	0.099
Camphor	< LOQ	0.099	Isoborneol	< LOQ	0.099
Menthol	< LOQ	0.099	alpha Cedrene	< LOQ	0.099
Nerolidol	0.266	0.099	(+)-Pulegone	< LOQ	0.099
Eucalyptol	< LOQ	0.099	p-Cymene	< LOQ	0.099
(-)-Isopulegol	< LOQ	0.099	Geranyl Acetate	< LOQ	0.099
Guaiol	0.604	0.099	Valencene	< LOQ	0.099
Phytol	0.141	0.099	Citronellol	< LOQ	0.099
gamma Terpinene	< LOQ	0.099			
			Total Terpenes	8.088 %	


<LOQ - Results below the Limit of Quantitation - Compound not detected
Terpene Analysis is not ORELAP Accredited.


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Pineapple Passion Zmoothie Full Spectrum Extract Pri** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **06/08/22 09:06**
Compliance Extract Date Accepted: **06/08/22 09:42**
 Laboratory ID: **22F0042-01** Matrix: **Extracts and** Client/Metrc ID: **1A4010300040B29000000296**

Terpene Profile



Breeanna Hamilton
 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Pineapple Passion Zmoothie Full Spectrum Extract Pri** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **06/08/22 09:06**
Compliance Extract Date Accepted: **06/08/22**

Laboratory ID: **22F0042-01** Sample Metrc ID: **1A4010300040B29000000296**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000290**
 Lot # **052522-NOG** Batch Size: **713 (g)**

Pesticide Analysis in ppm

Date Extracted: 06/09/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 06/11/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.211	Acephate	< LOQ	0.4	0.169
Acequinocyl	< LOQ	2	0.844	Acetamiprid	< LOQ	0.2	0.084
Aldicarb	< LOQ	0.4	0.169	Azoxystrobin	< LOQ	0.2	0.084
Bifenazate	< LOQ	0.2	0.084	Bifenthrin	< LOQ	0.2	0.084
Boscalid	< LOQ	0.4	0.169	Carbaryl	< LOQ	0.2	0.084
Carbofuran	< LOQ	0.2	0.084	Chlorantraniliprole	< LOQ	0.2	0.084
Chlorfenapyr	< LOQ	1	0.422	Chlorpyrifos	< LOQ	0.2	0.084
Clofentezine	< LOQ	0.2	0.084	Cyfluthrin	< LOQ	1	0.422
Cypermethrin	< LOQ	1	0.422	Daminozide	< LOQ	1	0.422
DDVP (Dichlorvos)	< LOQ	1	0.422	Diazinon	< LOQ	0.2	0.084
Dimethoate	< LOQ	0.2	0.084	Ethoprophos	< LOQ	0.2	0.084
Etofenprox	< LOQ	0.4	0.169	Etoxazole	< LOQ	0.2	0.084
Fenoxycarb	< LOQ	0.2	0.084	Fenpyroximate	< LOQ	0.4	0.169
Fipronil	< LOQ	0.4	0.169	Fonicamid	< LOQ	1	0.422
Fludioxonil	< LOQ	0.4	0.169	Hexythiazox	< LOQ	1	0.422
Imazalil	< LOQ	0.2	0.084	Imidacloprid	< LOQ	0.4	0.169
Kresoxim-methyl	< LOQ	0.4	0.169	Malathion	< LOQ	0.2	0.084
Metalaxyl	< LOQ	0.2	0.084	Methiocarb	< LOQ	0.2	0.084
Methomyl	< LOQ	0.4	0.169	Methyl parathion	< LOQ	0.2	0.084
MGK-264	< LOQ	0.2	0.084	Myclobutanil	< LOQ	0.2	0.084
Naled	< LOQ	0.5	0.211	Oxamyl	< LOQ	1	0.422
Paclobutrazol	< LOQ	0.4	0.169	Permethrins (total)	< LOQ	0.2	0.084
Phosmet	< LOQ	0.2	0.084	Piperonyl butoxide	< LOQ	2	0.422
Prallethrin	< LOQ	0.2	0.084	Propiconazole	< LOQ	0.4	0.169
Propoxur	< LOQ	0.2	0.084	Pyrethrins (total)	< LOQ	1	0.422
Pyridaben	< LOQ	0.2	0.084	Spinosad	< LOQ	0.2	0.084
Spiromesifen	< LOQ	0.2	0.084	Spirotetramat	< LOQ	0.2	0.084
Spiroxamine	< LOQ	0.4	0.169	Tebuconazole	< LOQ	0.4	0.169
Thiacloprid	< LOQ	0.2	0.084	Thiamethoxam	< LOQ	0.2	0.084
Trifloxystrobin	< LOQ	0.2	0.084				

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Pineapple Passion Zmoothie Full Spectrum Extract Du** License: **030-1017129044E**
 Tested for: **Nogero, LLC.** Date Sampled: **06/08/22 09:11**
Compliance Extract Date Accepted: **06/08/22**

Laboratory ID: **22F0042-02** Sample Metrc ID: **1A4010300040B29000000296**
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000290**
 Lot # **052522-NOG** Batch Size: **713 (g)**

Pesticide Analysis in ppm

Date Extracted: 06/09/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 06/11/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.248	Acephate	< LOQ	0.4	0.198
Acequinocyl	< LOQ	2	0.992	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.198	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.198	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.496	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.496
Cypermethrin	< LOQ	1	0.496	Daminozide	< LOQ	1	0.496
DDVP (Dichlorvos)	< LOQ	1	0.496	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.198	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.198
Fipronil	< LOQ	0.4	0.198	Fonicamid	< LOQ	1	0.496
Fludioxonil	< LOQ	0.4	0.198	Hexythiazox	< LOQ	1	0.496
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.198
Kresoxim-methyl	< LOQ	0.4	0.198	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.198	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.248	Oxamyl	< LOQ	1	0.496
Paclobutrazol	< LOQ	0.4	0.198	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.496
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.198
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.496
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.198	Tebuconazole	< LOQ	0.4	0.198
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Pineapple Passion Zmoothie Full Spectrum Extract Pi	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 06/08/22 09:06
Compliance Extract	Date Accepted: 06/08/22
Laboratory ID: 22F0042-01	Sample Metric ID: 1A4010300040B29000000296
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000290
Lot # 052522-NOG	Batch Size: 713 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	185
2-Butanol	< LOQ	5000	2430
2-Ethoxyethanol	< LOQ	160	77.9
2-Propanol (IPA)	< LOQ	5000	2430
Acetone	< LOQ	5000	2430
Acetonitrile	< LOQ	410	200
Benzene	< LOQ	2	0.973
Butanes	< LOQ	5000	2430
Cyclohexane	< LOQ	3880	1890
Dichloromethane (methylene chloride)	< LOQ	600	292
Ethyl acetate	< LOQ	5000	2430
Ethyl ether	< LOQ	5000	2430
Ethylbenzene	< LOQ	2170	1060
Ethylene glycol	< LOQ	620	302
Ethylene oxide	< LOQ	50	24.3
Heptane	< LOQ	5000	2430
Hexanes	< LOQ	290	141
Isopropyl acetate	< LOQ	5000	2430
Isopropylbenzene (cumene)	< LOQ	70	34.1
Methanol	< LOQ	3000	1460
Pentanes	< LOQ	5000	2430
Propane	< LOQ	5000	2430
Tetrahydrofuran	< LOQ	720	350
Toluene	< LOQ	890	433
Xylenes	< LOQ	2170	1060

Date Extracted: 06/11/22
 Date Analyzed: 06/11/22
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: Pineapple Passion Zmoothie Full Spectrum Extract D	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 06/08/22 09:11
Compliance Extract	Date Accepted: 06/08/22
Laboratory ID: 22F0042-02	Sample Metric ID: 1A4010300040B29000000296
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000290
Lot # 052522-NOG	Batch Size: 713 (g)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 06/11/22
1,4-Dioxane	< LOQ	380	187	Date Analyzed: 06/11/22
2-Butanol	< LOQ	5000	2460	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	78.7	
2-Propanol (IPA)	< LOQ	5000	2460	
Acetone	< LOQ	5000	2460	
Acetonitrile	< LOQ	410	202	
Benzene	< LOQ	2	0.984	
Butanes	< LOQ	5000	2460	
Cyclohexane	< LOQ	3880	1910	
Dichloromethane (methylene chloride)	< LOQ	600	295	
Ethyl acetate	< LOQ	5000	2460	
Ethyl ether	< LOQ	5000	2460	
Ethylbenzene	< LOQ	2170	1070	
Ethylene glycol	< LOQ	620	305	
Ethylene oxide	< LOQ	50	24.6	
Heptane	< LOQ	5000	2460	
Hexanes	< LOQ	290	143	
Isopropyl acetate	< LOQ	5000	2460	
Isopropylbenzene (cumene)	< LOQ	70	34.4	
Methanol	< LOQ	3000	1480	
Pentanes	< LOQ	5000	2460	
Propane	< LOQ	5000	2460	
Tetrahydrofuran	< LOQ	720	354	
Toluene	< LOQ	890	438	
Xylenes	< LOQ	2170	1070	

<LOQ - Results below the Limit of Quantitation - Compound not detected
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Pesticides - Abamectin recovered above the upper acceptance limit in the Matrix Spike and/or Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.

Residual Solvent - Propane recovered below normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate. This analyte recovered within acceptance limits in the Blank Spike. Additionally, no peaks were identified in the retention time window of this analyte in client samples.

Norflurane was detected as a tentatively identified compound in samples 22F0042-01/02.

Quality Control Potency

Batch: B221295 - Potency/Terpenes

Blank(B221295-BLK1)			Extracted - 06/09/22 17:35 Analyzed - 06/10/22 0:30					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B221295-DUP1)			Extracted - 06/09/22 17:35 Analyzed - 06/10/22 0:21					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	3.70	%		3.94			6.33	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		0.12				20
THCA (d9-Tetrahydrocannabinolic Acid)	90.03	%		87.92			2.37	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.20	%		0.19			2.10	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.21	%		0.21			0.242	20
CBGA (Cannabigerolic Acid)	0.56	%		0.54			3.10	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B221295 - Potency/Terpenes (Continued)

Duplicate(B221295-DUP1)		Extracted - 06/09/22 17:35 Analyzed - 06/10/22 0:21						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B221295-BS1)		Extracted - 06/09/22 17:35 Analyzed - 06/10/22 0:12						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.20	%	0.200		101	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.19	%	0.200		96.0	80-120		
THCA (d9-Tetrahydrocannabinolic Acid)	0.20	%	0.200		101	90-110		
CBD (Cannabidiol)	0.20	%	0.200		101	90-110		
CBDA (Cannabidiolic Acid)	0.20	%	0.200		101	90-110		
CBN (Cannabinol)	0.19	%	0.200		96.7	80-120		
CBG (Cannabigerol)	0.20	%	0.200		99.7	80-120		
CBGA (Cannabigerolic Acid)	0.20	%	0.200		102	80-120		
CBDV (Cannabidivarin)	0.20	%	0.200		99.0	80-120		
CBDVA (Cannabidivarinic Acid)	0.20	%	0.200		98.0	80-120		
CBC (Cannabichromene)	0.20	%	0.200		99.6	80-120		
THCV (Tetrahydrocannabivarin)	0.19	%	0.200		94.0	80-120		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis

Batch: B221297 - Pesticide Prep

Blank(B221297-BLK1)			Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:03					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221297 - Pesticide Prep (Continued)

Blank(B221297-BLK1)		Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B221297-BS1)		Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:19						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.60	ppm	1.94		82.3	50-150		
Acephate	2.04	ppm	2.00		102	60-120		
Acequinocyl	1.37	ppm	2.00		68.3	40-160		
Acetamiprid	2.07	ppm	2.00		104	60-120		
Aldicarb	1.60	ppm	2.00		80.1	60-120		
Azoxystrobin	2.06	ppm	2.00		103	60-120		
Bifenazate	1.47	ppm	2.00		73.6	60-120		
Bifenthrin	2.09	ppm	2.00		104	50-150		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221297 - Pesticide Prep (Continued)

LCS(B221297-BS1)		Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:19						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.83	ppm	2.00		91.6	60-120		
Carbaryl	2.05	ppm	2.00		102	60-120		
Carbofuran	2.09	ppm	2.00		105	60-120		
Chlorantraniliprole	1.85	ppm	2.00		92.6	60-120		
Chlorfenapyr	1.68	ppm	2.00		83.8	60-120		
Chlorpyrifos	2.28	ppm	2.00		114	60-120		
Clofentezine	1.87	ppm	2.00		93.7	60-120		
Cyfluthrin	2.18	ppm	2.00		109	50-150		
Cypermethrin	2.03	ppm	2.00		101	50-150		
Daminozide	1.81	ppm	2.00		90.7	60-120		
DDVP (Dichlorvos)	2.05	ppm	2.00		102	60-120		
Diazinon	2.10	ppm	2.00		105	60-120		
Dimethoate	2.01	ppm	2.00		101	60-120		
Ethoprophos	2.11	ppm	2.00		106	60-120		
Etofenprox	2.03	ppm	2.00		102	50-150		
Etoxazole	2.35	ppm	2.00		118	60-120		
Fenoxycarb	1.66	ppm	2.00		83.1	60-120		
Fenpyroximate	1.58	ppm	2.00		79.0	60-120		
Fipronil	1.64	ppm	2.00		82.0	60-120		
Flonicamid	1.85	ppm	2.00		92.3	60-120		
Fludioxonil	1.91	ppm	2.00		95.7	50-150		
Hexythiazox	1.83	ppm	2.00		91.6	60-120		
Imazalil	1.95	ppm	2.00		97.7	60-120		
Imidacloprid	2.05	ppm	2.00		103	60-120		
Kresoxim-methyl	2.05	ppm	2.00		102	60-120		
Malathion	2.09	ppm	2.00		105	60-120		
Metalaxyl	1.98	ppm	2.00		99.1	60-120		
Methiocarb	1.84	ppm	2.00		91.8	60-120		
Methomyl	1.90	ppm	2.00		95.2	60-120		
Methyl parathion	2.27	ppm	2.00		113	50-150		
MGK-264	1.68	ppm	2.00		84.0	50-150		
Myclobutanil	1.57	ppm	2.00		78.5	60-120		
Naled	1.97	ppm	2.00		98.3	50-150		
Oxamyl	1.97	ppm	2.00		98.7	60-120		
Paclobutrazol	1.50	ppm	2.00		74.9	60-120		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221297 - Pesticide Prep (Continued)

LCS(B221297-BS1)		Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:19						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.92	ppm	2.00		95.9	50-150		
Phosmet	1.78	ppm	2.00		88.8	50-150		
Piperonyl butoxide	2.13	ppm	2.00		106	60-120		
Prallethrin	1.46	ppm	2.00		73.2	60-120		
Propiconazole	1.66	ppm	2.00		83.0	60-120		
Propoxur	2.04	ppm	2.00		102	60-120		
Pyrethrins (total)	1.03	ppm	1.16		88.7	60-120		
Pyridaben	2.12	ppm	2.00		106	50-150		
Spinosad	1.79	ppm	2.00		89.3	50-150		
Spiromesifen	2.21	ppm	2.00		111	60-120		
Spirotetramat	1.76	ppm	2.00		87.8	60-120		
Spiroxamine	2.11	ppm	2.00		105	60-120		
Tebuconazole	1.46	ppm	2.00		72.8	60-120		
Thiacloprid	2.00	ppm	2.00		99.9	60-120		
Thiamethoxam	2.20	ppm	2.00		110	60-120		
Trifloxystrobin	1.99	ppm	2.00		99.4	60-120		

Matrix Spike(B221297-MS1)		Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:35						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	3.30	ppm	1.60	< LOQ	207	30-200		
Acephate	1.79	ppm	1.64	< LOQ	109	30-200		
Acequinocyl	1.14	ppm	1.64	< LOQ	69.2	30-200		
Acetamiprid	1.84	ppm	1.64	< LOQ	112	30-200		
Aldicarb	1.42	ppm	1.64	< LOQ	86.3	30-200		
Azoxystrobin	1.87	ppm	1.64	< LOQ	114	30-200		
Bifenazate	1.53	ppm	1.64	0.006	92.4	30-200		
Bifenthrin	0.61	ppm	1.64	< LOQ	36.9	30-200		
Boscalid	1.56	ppm	1.64	< LOQ	94.9	30-200		
Carbaryl	1.74	ppm	1.64	< LOQ	106	30-200		
Carbofuran	1.72	ppm	1.64	< LOQ	104	30-200		
Chlorantraniliprole	1.72	ppm	1.64	< LOQ	104	30-200		
Chlorfenapyr	0.60	ppm	1.64	< LOQ	36.6	30-200		
Chlorpyrifos	1.77	ppm	1.64	< LOQ	108	30-200		
Clofentezine	1.22	ppm	1.64	< LOQ	74.3	30-200		
Cyfluthrin	1.78	ppm	1.64	< LOQ	108	30-200		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Pesticide Analysis (Continued)

Batch: B221297 - Pesticide Prep (Continued)

Matrix Spike(B221297-MS1)			Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:35					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.99	ppm	1.64	< LOQ	121	30-200		
Daminozide	1.51	ppm	1.64	< LOQ	91.7	30-200		
DDVP (Dichlorvos)	1.71	ppm	1.64	< LOQ	104	30-200		
Diazinon	1.81	ppm	1.64	0.005	110	30-200		
Dimethoate	1.68	ppm	1.64	< LOQ	102	30-200		
Ethoprophos	1.84	ppm	1.64	< LOQ	112	30-200		
Etofenprox	1.16	ppm	1.64	< LOQ	70.4	30-200		
Etoxazole	2.25	ppm	1.64	< LOQ	137	30-200		
Fenoxycarb	1.49	ppm	1.64	< LOQ	90.8	30-200		
Fenpyroximate	1.99	ppm	1.64	0.02	120	30-200		
Fipronil	1.01	ppm	1.64	< LOQ	61.5	30-200		
Flonicamid	1.15	ppm	1.64	< LOQ	69.8	30-200		
Fludioxonil	1.49	ppm	1.64	< LOQ	90.5	30-200		
Hexythiazox	1.82	ppm	1.64	0.01	110	30-200		
Imazalil	1.69	ppm	1.64	< LOQ	103	30-200		
Imidacloprid	1.68	ppm	1.64	< LOQ	102	30-200		
Kresoxim-methyl	1.57	ppm	1.64	< LOQ	95.3	30-200		
Malathion	1.82	ppm	1.64	< LOQ	111	30-200		
Metalaxyl	1.72	ppm	1.64	< LOQ	105	30-200		
Methiocarb	1.62	ppm	1.64	< LOQ	98.5	30-200		
Methomyl	1.53	ppm	1.64	< LOQ	92.8	30-200		
Methyl parathion	2.00	ppm	1.64	< LOQ	121	30-200		
MGK-264	1.06	ppm	1.64	< LOQ	64.6	30-200		
Myclobutanil	1.39	ppm	1.64	< LOQ	84.4	30-200		
Naled	1.67	ppm	1.64	< LOQ	102	30-200		
Oxamyl	1.74	ppm	1.64	< LOQ	106	30-200		
Paclbutrazol	1.12	ppm	1.64	< LOQ	68.3	30-200		
Permethrins (total)	1.30	ppm	1.64	< LOQ	79.1	30-200		
Phosmet	1.57	ppm	1.64	< LOQ	95.6	30-200		
Piperonyl butoxide	2.06	ppm	1.64	< LOQ	125	30-200		
Prallethrin	1.23	ppm	1.64	0.009	74.2	30-200		
Propiconazole	1.44	ppm	1.64	< LOQ	87.4	30-200		
Propoxur	1.77	ppm	1.64	< LOQ	108	30-200		
Pyrethrins (total)	1.34	ppm	0.954	< LOQ	140	30-200		
Pyridaben	1.01	ppm	1.64	< LOQ	61.3	30-200		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221297 - Pesticide Prep (Continued)

Matrix Spike(B221297-MS1)			Extracted - 06/09/22 17:35 Analyzed - 06/11/22 13:35					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.35	ppm	1.64	0.01	81.1	30-200		
Spiromesifen	1.97	ppm	1.64	< LOQ	120	30-200		
Spirotetramat	3.06	ppm	1.64	< LOQ	186	30-200		
Spiroxamine	1.64	ppm	1.64	0.003	99.4	30-200		
Tebuconazole	0.96	ppm	1.64	< LOQ	58.3	30-200		
Thiacloprid	1.59	ppm	1.64	< LOQ	96.9	30-200		
Thiamethoxam	1.74	ppm	1.64	< LOQ	106	30-200		
Trifloxystrobin	1.66	ppm	1.64	0.01	101	30-200		

Matrix Spike Dup(B221297-MSD1)			Extracted - 06/09/22 17:35 Analyzed - 06/11/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.39	ppm	1.62	< LOQ	147	30-200	33.5	50
Acephate	1.73	ppm	1.68	< LOQ	103	30-200	5.43	30
Acequinocyl	1.20	ppm	1.68	< LOQ	71.8	30-200	3.69	50
Acetamiprid	1.81	ppm	1.68	< LOQ	108	30-200	3.24	30
Aldicarb	1.36	ppm	1.68	< LOQ	81.2	30-200	6.17	30
Azoxystrobin	1.87	ppm	1.68	< LOQ	111	30-200	2.06	30
Bifenazate	1.56	ppm	1.68	0.006	92.5	30-200	0.133	30
Bifenthrin	0.61	ppm	1.68	< LOQ	36.7	30-200	0.606	30
Boscalid	1.55	ppm	1.68	< LOQ	92.4	30-200	2.67	30
Carbaryl	1.78	ppm	1.68	< LOQ	106	30-200	0.0585	30
Carbofuran	1.76	ppm	1.68	< LOQ	105	30-200	0.301	30
Chlorantraniliprole	1.75	ppm	1.68	< LOQ	104	30-200	0.118	30
Chlorfenapyr	0.91	ppm	1.68	< LOQ	54.4	30-200	39.2	50
Chlorpyrifos	1.79	ppm	1.68	< LOQ	107	30-200	0.844	30
Clofentezine	1.21	ppm	1.68	< LOQ	72.0	30-200	3.24	30
Cyfluthrin	1.63	ppm	1.68	< LOQ	97.4	30-200	10.7	50
Cypermethrin	1.80	ppm	1.68	< LOQ	107	30-200	12.0	30
Daminozide	1.51	ppm	1.68	< LOQ	90.1	30-200	1.78	50
DDVP (Dichlorvos)	1.73	ppm	1.68	< LOQ	104	30-200	0.479	30
Diazinon	1.79	ppm	1.68	0.005	106	30-200	2.83	30
Dimethoate	1.67	ppm	1.68	< LOQ	100	30-200	2.28	30
Ethoprophos	1.80	ppm	1.68	< LOQ	108	30-200	4.04	30
Etofenprox	1.13	ppm	1.68	< LOQ	67.2	30-200	4.73	30
Etoxazole	2.26	ppm	1.68	< LOQ	135	30-200	1.31	30


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221297 - Pesticide Prep (Continued)

Matrix Spike Dup(B221297-MSD1)			Extracted - 06/09/22 17:35 Analyzed - 06/11/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.52	ppm	1.68	< LOQ	90.5	30-200	0.353	30
Fenpyroximate	2.03	ppm	1.68	0.02	120	30-200	0.0646	30
Fipronil	0.95	ppm	1.68	< LOQ	56.8	30-200	7.94	30
Flonicamid	1.13	ppm	1.68	< LOQ	67.3	30-200	3.69	30
Fludioxonil	1.46	ppm	1.68	< LOQ	87.1	30-200	3.90	50
Hexythiazox	1.76	ppm	1.68	0.01	104	30-200	4.89	30
Imazalil	1.74	ppm	1.68	< LOQ	104	30-200	1.17	30
Imidacloprid	1.71	ppm	1.68	< LOQ	102	30-200	0.469	30
Kresoxim-methyl	1.48	ppm	1.68	< LOQ	88.4	30-200	7.43	30
Malathion	1.82	ppm	1.68	< LOQ	108	30-200	2.07	30
Metalaxyl	1.78	ppm	1.68	< LOQ	106	30-200	1.72	30
Methiocarb	1.59	ppm	1.68	< LOQ	94.9	30-200	3.67	30
Methomyl	1.58	ppm	1.68	< LOQ	94.4	30-200	1.64	30
Methyl parathion	1.71	ppm	1.68	< LOQ	102	30-200	17.0	30
MGK-264	1.04	ppm	1.68	< LOQ	62.3	30-200	3.58	30
Myclobutanil	1.36	ppm	1.68	< LOQ	81.0	30-200	4.10	30
Naled	1.74	ppm	1.68	< LOQ	104	30-200	2.39	30
Oxamyl	1.77	ppm	1.68	< LOQ	106	30-200	0.103	30
Paclobutrazol	1.11	ppm	1.68	< LOQ	66.3	30-200	3.01	30
Permethrins (total)	1.30	ppm	1.68	< LOQ	77.7	30-200	1.71	30
Phosmet	1.64	ppm	1.68	< LOQ	98.0	30-200	2.50	30
Piperonyl butoxide	2.10	ppm	1.68	< LOQ	125	30-200	0.214	30
Prallethrin	1.21	ppm	1.68	0.009	72.0	30-200	3.05	30
Propiconazole	1.41	ppm	1.68	< LOQ	84.3	30-200	3.56	30
Propoxur	1.77	ppm	1.68	< LOQ	105	30-200	2.38	30
Pyrethrins (total)	1.36	ppm	0.972	< LOQ	140	30-200	0.342	30
Pyridaben	1.02	ppm	1.68	< LOQ	60.7	30-200	0.885	30
Spinosad	1.51	ppm	1.68	0.01	89.2	30-200	9.53	35
Spiromesifen	1.99	ppm	1.68	< LOQ	119	30-200	0.966	30
Spirotetramat	3.02	ppm	1.68	< LOQ	180	30-200	3.25	30
Spiroxamine	1.91	ppm	1.68	0.003	114	30-200	13.6	30
Tebuconazole	0.95	ppm	1.68	< LOQ	56.7	30-200	2.78	30
Thiacloprid	1.56	ppm	1.68	< LOQ	93.4	30-200	3.70	30
Thiamethoxam	1.77	ppm	1.68	< LOQ	106	30-200	0.244	30
Trifloxystrobin	1.68	ppm	1.68	0.01	99.5	30-200	1.08	30


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B221294 - Residual Solvent Prep

Blank(B221294-BLK1)			Extracted - 06/11/22 11:30 Analyzed - 06/11/22 17:27					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B221294-BS1)			Extracted - 06/11/22 11:30 Analyzed - 06/11/22 16:03					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	580	ug/g	570		102	60-120		
2,2-Dimethylbutane	467	ug/g	435		107	60-120		
2,2-Dimethylpropane (neopentane)	3060	ug/g	3120		97.9	60-120		
2-Butanol	3680	ug/g	3500		105	60-120		
2-Ethoxyethanol	191	ug/g	240		79.4	60-120		
2-Methylbutane (isopentane)	3180	ug/g	3500		90.8	60-120		
2-Methylpentane/2,3-Dimethylbutane	870	ug/g	870		100	60-120		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B221294 - Residual Solvent Prep (Continued)

LCS(B221294-BS1)		Extracted - 06/11/22 11:30 Analyzed - 06/11/22 16:03						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2470	ug/g	3120		79.0	60-120		
2-Propanol (IPA)	3530	ug/g	3500		101	60-120		
3-Methylpentane	450	ug/g	435		103	60-120		
Acetone	3290	ug/g	3500		94.1	60-120		
Acetonitrile	621	ug/g	615		101	60-120		
Benzene	2.72	ug/g	3.00		90.8	60-120		
Cyclohexane	6600	ug/g	5820		113	60-120		
Dichloromethane (methylene chloride)	948	ug/g	900		105	60-120		
Ethyl acetate	3460	ug/g	3500		98.8	60-120		
Ethyl ether	3920	ug/g	3500		112	60-120		
Ethylbenzene	3220	ug/g	3250		99.0	60-120		
Ethylene glycol	720	ug/g	930		77.4	60-120		
Ethylene oxide	308	ug/g	375		82.1	60-120		
Heptane	3420	ug/g	3500		97.7	60-120		
Isopropyl acetate	3460	ug/g	3500		98.9	60-120		
Isopropylbenzene (cumene)	115	ug/g	105		110	60-120		
m,p-Xylene	6210	ug/g	6510		95.4	60-120		
Methanol	2180	ug/g	2500		87.3	60-120		
n-Butane	2620	ug/g	3120		83.7	60-120		
n-Hexane	452	ug/g	435		104	60-120		
n-Pentane	3190	ug/g	3500		91.2	60-120		
Propane	802	ug/g	1250		64.2	60-120		
Tetrahydrofuran	1090	ug/g	1080		101	60-120		
Toluene	1360	ug/g	1340		102	60-120		
o-Xylene	3250	ug/g	3250		99.8	60-120		

Matrix Spike(B221294-MS1)		Extracted - 06/11/22 11:30 Analyzed - 06/11/22 16:45						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	538	ug/g	525	< LOQ	103	71-131		
2,2-Dimethylbutane	464	ug/g	400	< LOQ	116	70-130		
2,2-Dimethylpropane (neopentane)	2520	ug/g	2880	< LOQ	87.5	65-168		
2-Butanol	3470	ug/g	3220	< LOQ	108	71-133		
2-Ethoxyethanol	183	ug/g	221	< LOQ	82.7	68-126		
2-Methylbutane (isopentane)	3170	ug/g	3220	< LOQ	98.4	68-141		
2-Methylpentane/2,3-Dimethylbutane	703	ug/g	801	< LOQ	87.8	71-133		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B221294 - Residual Solvent Prep (Continued)

Matrix Spike(B221294-MS1)			Extracted - 06/11/22 11:30 Analyzed - 06/11/22 16:45					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	1800	ug/g	2880	< LOQ	62.7	46-179		
2-Propanol (IPA)	3330	ug/g	3220	< LOQ	103	74-138		
3-Methylpentane	432	ug/g	400	< LOQ	108	69-129		
Acetone	3110	ug/g	3220	71.4	94.4	76-142		
Acetonitrile	587	ug/g	566	< LOQ	104	72-134		
Benzene	2.31	ug/g	2.76	< LOQ	83.8	64-130		
Cyclohexane	5910	ug/g	5360	< LOQ	110	78-144		
Dichloromethane (methylene chloride)	893	ug/g	829	< LOQ	108	71-131		
Ethyl acetate	3160	ug/g	3220	< LOQ	97.9	75-139		
Ethyl ether	3760	ug/g	3220	< LOQ	117	81-141		
Ethylbenzene	2810	ug/g	2990	< LOQ	94.0	73-135		
Ethylene glycol	618	ug/g	856	< LOQ	72.1	44-113		
Ethylene oxide	259	ug/g	345	< LOQ	75.0	63-142		
Heptane	3060	ug/g	3220	< LOQ	94.9	76-140		
Isopropyl acetate	3100	ug/g	3220	< LOQ	96.1	76-140		
Isopropylbenzene (cumene)	94.3	ug/g	96.7	< LOQ	97.5	61-200		
m,p-Xylene	5450	ug/g	6000	< LOQ	91.0	74-138		
Methanol	2020	ug/g	2300	< LOQ	87.8	73-135		
n-Butane	1560	ug/g	2880	< LOQ	54.3	32-176		
n-Hexane	427	ug/g	400	< LOQ	107	69-127		
n-Pentane	3110	ug/g	3220	< LOQ	96.7	71-140		
Propane	476	ug/g	1150	< LOQ	41.4	45-152		
Tetrahydrofuran	1060	ug/g	994	< LOQ	107	74-137		
Toluene	1200	ug/g	1230	< LOQ	97.3	71-131		
o-Xylene	2770	ug/g	2990	< LOQ	92.7	72-134		

Matrix Spike Dup(B221294-MSD1)			Extracted - 06/11/22 11:30 Analyzed - 06/11/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	522	ug/g	527	< LOQ	98.9	71-131	3.08	25
2,2-Dimethylbutane	453	ug/g	402	< LOQ	112	70-130	2.58	25
2,2-Dimethylpropane (neopentane)	2430	ug/g	2890	< LOQ	83.9	65-168	3.65	25
2-Butanol	3400	ug/g	3240	< LOQ	105	71-133	2.12	25
2-Ethoxyethanol	178	ug/g	222	< LOQ	80.1	68-126	2.76	25
2-Methylbutane (isopentane)	3090	ug/g	3240	< LOQ	95.6	68-141	2.37	25
2-Methylpentane/2,3-Dimethylbutane	687	ug/g	805	< LOQ	85.4	71-133	2.35	25


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis (Continued)

Batch: B221294 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B221294-MSD1)			Extracted - 06/11/22 11:30 Analyzed - 06/11/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	1760	ug/g	2890	< LOQ	61.0	46-179	2.28	25
2-Propanol (IPA)	3290	ug/g	3240	< LOQ	102	74-138	1.12	25
3-Methylpentane	424	ug/g	402	< LOQ	105	69-129	1.94	25
Acetone	3050	ug/g	3240	71.4	92.1	76-142	1.98	25
Acetonitrile	576	ug/g	569	< LOQ	101	72-134	1.94	25
Benzene	2.21	ug/g	2.77	< LOQ	79.7	64-130	4.52	50
Cyclohexane	5710	ug/g	5390	< LOQ	106	78-144	3.33	25
Dichloromethane (methylene chloride)	873	ug/g	832	< LOQ	105	71-131	2.23	25
Ethyl acetate	3100	ug/g	3240	< LOQ	95.8	75-139	1.76	25
Ethyl ether	3650	ug/g	3240	< LOQ	113	81-141	2.79	25
Ethylbenzene	2780	ug/g	3010	< LOQ	92.5	73-135	1.12	25
Ethylene glycol	605	ug/g	860	< LOQ	70.4	44-113	2.05	50
Ethylene oxide	255	ug/g	347	< LOQ	73.5	63-142	1.59	25
Heptane	2990	ug/g	3240	< LOQ	92.5	76-140	2.05	25
Isopropyl acetate	3040	ug/g	3240	< LOQ	93.9	76-140	1.81	25
Isopropylbenzene (cumene)	95.8	ug/g	97.1	< LOQ	98.6	61-200	1.54	25
m,p-Xylene	5340	ug/g	6020	< LOQ	88.6	74-138	2.18	25
Methanol	2000	ug/g	2310	< LOQ	86.3	73-135	1.22	25
n-Butane	1520	ug/g	2890	< LOQ	52.5	32-176	2.96	25
n-Hexane	414	ug/g	402	< LOQ	103	69-127	3.14	25
n-Pentane	3030	ug/g	3240	< LOQ	93.7	71-140	2.68	25
Propane	459	ug/g	1160	< LOQ	39.7	45-152	3.70	50
Tetrahydrofuran	1040	ug/g	999	< LOQ	104	74-137	2.29	25
Toluene	1170	ug/g	1240	< LOQ	94.3	71-131	2.74	25
o-Xylene	2760	ug/g	3010	< LOQ	91.7	72-134	0.630	25


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Terpene Analysis

Batch: B221296 - Potency/Terpenes

Blank(B221296-BLK1)			Extracted - 06/09/22 17:35 Analyzed - 06/09/22 20:29					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221296 - Potency/Terpenes (Continued)

Duplicate(B221296-DUP1)		Extracted - 06/09/22 17:35 Analyzed - 06/09/22 21:23						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.502	%		0.466			7.42	30
beta Myrcene	0.509	%		0.471			7.91	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.126	%		0.115			9.62	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.219	%		0.214			2.28	30
Fenchol	< LOQ	%		< LOQ				30
Borneol	< LOQ	%		< LOQ				30
Terpineol	< LOQ	%		< LOQ				30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.271	%		0.248			8.90	30
beta Caryophyllene	0.733	%		0.709			3.24	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.141	%		0.132			6.49	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.224	%		0.212			5.50	30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30
Valencene	< LOQ	%		< LOQ				30
Phytol	0.109	%		0.103			5.89	30


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221296 - Potency/Terpenes (Continued)

Duplicate(B221296-DUP1)		Extracted - 06/09/22 17:35 Analyzed - 06/09/22 21:23						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30

LCS(B221296-BS1)		Extracted - 06/09/22 17:35 Analyzed - 06/09/22 20:56						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

alpha Ocimene	0.107	%	0.120		89.3	70-130		
beta Ocimene	0.251	%	0.280		89.6	70-130		
cis-Nerolidol	0.406	%	0.400		101	70-130		
trans-Nerolidol	0.441	%	0.400		110	70-130		
alpha Pinene	0.365	%	0.400		91.3	70-130		
beta Myrcene	0.368	%	0.400		91.9	70-130		
alpha Phellandrene	0.364	%	0.400		91.0	70-130		
3-Carene	0.371	%	0.400		92.7	70-130		
alpha Terpinene	0.387	%	0.400		96.8	70-130		
Limonene	0.370	%	0.400		92.5	70-130		
Terpinolene	0.365	%	0.400		91.2	70-130		
Linalool	0.390	%	0.400		97.4	70-130		
Fenchol	0.388	%	0.400		97.1	70-130		
Borneol	0.405	%	0.400		101	70-130		
Terpineol	0.409	%	0.400		102	70-130		
Geraniol	0.385	%	0.400		96.3	70-130		
alpha Humulene	0.398	%	0.400		99.4	70-130		
beta Caryophyllene	0.395	%	0.400		98.8	70-130		
(-)-Caryophyllene Oxide	0.410	%	0.400		103	70-130		
(-)-alpha Bisabolol	0.424	%	0.400		106	70-130		
Camphene	0.363	%	0.400		90.9	70-130		
beta Pinene	0.368	%	0.400		91.9	70-130		
Sabinene	0.362	%	0.400		90.4	70-130		
Camphor	0.381	%	0.400		95.3	70-130		
Isoborneol	0.403	%	0.400		101	70-130		
Menthol	0.408	%	0.400		102	70-130		
alpha Cedrene	0.387	%	0.400		96.8	70-130		
(+)-Pulegone	0.400	%	0.400		99.9	70-130		
Eucalyptol	0.375	%	0.400		93.8	70-130		
(-)-Isopulegol	0.396	%	0.400		99.0	70-130		


Breeanna Hamilton For Brian Weigel
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221296 - Potency/Terpenes (Continued)

LCS(B221296-BS1)		Extracted - 06/09/22 17:35 Analyzed - 06/09/22 20:56						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Geranyl Acetate	0.384	%	0.400		96.0	70-130		
Guaiol	0.449	%	0.400		112	70-130		
Valencene	0.386	%	0.400		96.6	70-130		
gamma Terpinene	0.367	%	0.400		91.7	70-130		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Client: Nogero LLC
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR
 Client License: 1017129044E

Sampler: Scott Forster
 Transporter: Scott Forster
 Date Sampled: 6/8/2022
 Time Sampled:

Thermometer ID: T020
 Balance ID: SAMP_BAL_03
 Anemometer ID: Anemometer_09
 Sampling SOP & Revision #: SC-OR-SAMP-002 rev. 1.03

Scott Forster
 Sampler Signature

Requestor: Nathaniel
 Lab ORELAP ID: 4133
 Lab OLCC ID: 010-1018619A26E

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.5	P
200		±2.5%	199.96		199.96	



Container Type	Harvest or Process Lot:				Sample Type	Client Sample Name	Harvest or Process Date	Batch Size (g)
mason jars	05252-NOG				Concentrate	Pineapple Passion Zmoothie Full Spectrum Extract	6/7/2022	713
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1A4010300040B29000000290	16.3	57.8	2	vial/mylar	4	2	1.7	Apple Passion Zmoothie Full Spectrum Extract Prim
Lab Sample ID	Container ID			Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#
22F0042-01	Pineapple Passion Zmoothie Full Spectrum Extract			B4	0	1.8	1.8	296
22F0042-01	Pineapple Passion Zmoothie Full Spectrum Extract			B1	1.8	3.6	1.8	296
Totals:				2	2	Total Primary Mass = 3.6		Primary + Duplicate Mass = 7.17 g
Observations and Abnormalities:		Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1A4010300040B29000000290	16.3	57.8	2	vial/mylar	4	2	1.7	Apple Passion Zmoothie Full Spectrum Extract Duplic
Lab Sample ID	Container ID			Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#
22F0042-02	Pineapple Passion Zmoothie Full Spectrum Extract			B2	0	1.8	1.8	296
22F0042-02	Pineapple Passion Zmoothie Full Spectrum Extract			A3	1.8	3.57	1.77	296
Totals:				2	2	Total Duplicate Mass = 3.57		Primary + Duplicate Mass = 7.17 g
Observations and Abnormalities:		Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



22F0042

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.	0004265422	Date Created	6/8/2022 9:14 AM
Originating Entity	Nogero	For OLCC Use Only	
Originating License Number	030-1017129044E		
Address of Originating Entity	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
Phone No. of Originating Entity	971-712-3026		
Contact Phone No. for Inquiries: 707-331-0560			
1. Destination	SC Labs	Destination Phone No.	503-272-8830
Destination License Number	010-1018619A26E	Date and Approx. Time of Departure	6/8/2022 9:13 AM
Address of Destination	15865 SW 74th Ave., #110 Tigard, OR 97224 County: Washington	Date and Approx. Time of Arrival	6/8/2022 9:30 AM
		Date/Time Received	6/8/22 9:42
		Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
Route to be Traveled			
Get on I-5 S from SW Barbur Blvd/Pacific Hwy W 5 min (1.7 mi)			
Follow I-5 S to SW Upper Boones Ferry Rd in Tigard. Take exit 291 from I-5 S 4 min (3.6 mi)			
Continue on SW Upper Boones Ferry Rd to your destination 4 min (0.9 mi) SC Labs I Oregon 15865 SW 74th Ave #110, Tigard, OR 97224			
Name of Person Transporting	Scott Forster	Handler Permit No. of Driver	SF1983
State Driver's License No.	A625521	Signature of Person Transporting	<i>SAF</i>
Make, Model, License Plate No.	Nissan Kicks 249MGD		
1. Package I Shipped	Production Batch No.	Item Name	Quantity
1A4010300040B29000000296 Lab Test: SubmittedForTesting		Pineapple Passion Zmoothie Full Spectrum Extract (Extracts)	Shp: 7.1700 g
Item Details			
Source Harvest(s)	4/1/22 PPZ		
Source Package(s)	1A4010300040B29000000290		
PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)			
Name of Person Receiving or Rejecting Product	<i>Whitney O'Orta</i>		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
Signature	<i>Whitney O'Orta</i>	Date	6/8/22
Signature of individual taking receipt of rejected portion of this shipment			

