

Sample Name: **Tropicanna Cherry Full Spectrum Extract Primary**  
Tested for: **Nogero, LLC.**  
**Compliance Extract**

Laboratory ID: 22B0140-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000061

Lot # 021822-NOG 2/28/22

Batch RFID: 1A4010300040B290000000060

Batch Size: 802.4 (g)

Process Date: 02/28/2022

License: 030-1017129044E

Date Sampled: 02/28/22 14:15

Date Accepted: 02/28/22




### Potency Analysis

Date Extracted: 03/02/22


Analysis Method: UNODC 5.4.8

Date Analyzed: 03/02/22

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile																
<b>Total THC ((THCA*0.877)+d9)</b>	72.99	729.9	0.08	 <table border="1"> <tr><td>THC</td><td>57.88</td></tr> <tr><td>THCA</td><td>17.22</td></tr> <tr><td>CBDA</td><td>0.11</td></tr> <tr><td>CBN</td><td>0.19</td></tr> <tr><td>CBG</td><td>1.87</td></tr> <tr><td>CBGA</td><td>0.90</td></tr> <tr><td>THCV</td><td>0.62</td></tr> <tr><td><b>Total:</b></td><td><b>78.80</b></td></tr> </table>	THC	57.88	THCA	17.22	CBDA	0.11	CBN	0.19	CBG	1.87	CBGA	0.90	THCV	0.62	<b>Total:</b>	<b>78.80</b>
THC	57.88																			
THCA	17.22																			
CBDA	0.11																			
CBN	0.19																			
CBG	1.87																			
CBGA	0.90																			
THCV	0.62																			
<b>Total:</b>	<b>78.80</b>																			
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.10	1	0.08																	
d9-THC (d9-Tetrahydrocannabinol)*	57.88	578.8	0.08																	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08																	
THCA (d9-Tetrahydrocannabinolic Acid)*	17.22	172.2	0.08																	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.08																	
CBDA (Cannabidiolic Acid)*	0.11	1.1	0.08																	
CBN (Cannabinol)	0.19	1.9	0.08																	
CBG (Cannabigerol)	1.87	18.7	0.08																	
CBGA (Cannabigerolic Acid)	0.90	9	0.08																	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08																	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08																	
CBC (Cannabichromene)	< LOQ	< LOQ	0.08																	
THCV (Tetrahydrocannabivarin)	0.62	6.2	0.08																	
<b>Total Cannabinoids</b>	<b>78.80</b>	<b>788</b>	<b>0.08</b>																	

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Tropicanna Cherry Full Spectrum Extract Duplicate**  
 Tested for: **Nogero, LLC.**  
**Compliance Extract**

Laboratory ID: 22B0140-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000061

Process Date: 02/28/2022

Lot # 021822-NOG 2/28/22

License: 030-1017129044E

Batch RFID: 1A4010300040B290000000060

Date Sampled: 02/28/22 14:29

Batch Size: 802.4 (g)

Date Accepted: 02/28/22


### Potency Analysis

Date Extracted: 03/02/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 03/02/22

\* - ORELAP certified analyte


Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC ((THCA*0.877)+d9)</b>	72.41	724.1	0.09	
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.09	0.9	0.09	
d9-THC (d9-Tetrahydrocannabinol)*	57.33	573.3	0.09	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09	
THCA (d9-Tetrahydrocannabinolic Acid)*	17.20	172	0.09	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.09	
CBDA (Cannabidiolic Acid)*	0.11	1.1	0.09	
CBN (Cannabinol)	0.19	1.9	0.09	
CBG (Cannabigerol)	1.81	18.1	0.09	
CBGA (Cannabigerolic Acid)	0.89	8.9	0.09	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09	
CBC (Cannabichromene)	< LOQ	< LOQ	0.09	
THCV (Tetrahydrocannabivarin)	0.61	6.1	0.09	
<b>Total Cannabinoids</b>	<b>78.14</b>	<b>781.4</b>	<b>0.09</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Sample Name: **Tropicanna Cherry Full Spectrum Extract**

Sample Metrc ID: **1A4010300040B29000000061**

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<15%RPD)
<b>Total THC ((THCA*0.877)+d9)</b>	72.99	72.41	72.70	0.798	PASS
<b>Total CBD ((CBDA*0.877)+CBD)</b>	0.10	0.09	0.095	10.5	PASS

  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

<b>Sample Name:</b> Tropicanna Cherry Full Spectrum E)	<b>License:</b> 030-1017129044E
<b>Tested for:</b> Nogero, LLC. Compliance Extract	<b>Date Sampled:</b> 02/28/22 14:15
<b>Laboratory ID:</b> 22B0140-01	<b>Date Accepted:</b> 02/28/22
<b>Matrix:</b> Extracts and Concentrates	<b>Sample Metrc ID:</b> 1A4010300040B29000000061
<b>Lot #</b> 021822-NOG 2/28/22	<b>Batch RFID:</b> 1A4010300040B29000000060
	<b>Batch Size:</b> 802.4 (g)

### Terpene Analysis

Date Extracted: 03/02/22


Analysis Method: Terpenes by GCFID

Date Analyzed: 03/02/22

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.108	0.095	beta Myrcene	< LOQ	0.095
alpha Phellandrene	< LOQ	0.095	3-Carene	< LOQ	0.095
alpha Terpinene	< LOQ	0.095	Limonene	0.907	0.095
Terpinolene	< LOQ	0.095	Linalool	0.933	0.095
Fenchol	0.190	0.095	Borneol	< LOQ	0.095
Terpineol	0.330	0.095	Geraniol	< LOQ	0.095
alpha Humulene	0.469	0.095	beta Caryophyllene	1.524	0.095
(-)-Caryophyllene Oxide	< LOQ	0.095	(-)-alpha Bisabolol	0.236	0.095
Camphene	< LOQ	0.095	beta Pinene	0.149	0.095
Ocimene	< LOQ	0.095	Sabinene	< LOQ	0.095
Camphor	< LOQ	0.095	Isoborneol	< LOQ	0.095
Menthol	< LOQ	0.095	alpha Cedrene	< LOQ	0.095
Nerolidol	< LOQ	0.095	(+)-Pulegone	< LOQ	0.095
Eucalyptol	< LOQ	0.095	p-Cymene	< LOQ	0.095
(-)-Isopulegol	< LOQ	0.095	Geranyl Acetate	< LOQ	0.095
Guaiol	< LOQ	0.095	Valencene	< LOQ	0.095
Phytol	0.101	0.095	Citronellol	< LOQ	0.095
gamma Terpinene	< LOQ	0.095			
<b>Total Terpenes</b>				<b>4.947 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Terpene Analysis is not ORELAP Accredited.





Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Tropicanna Cherry Full Spectrum Extract Primary** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **02/28/22 14:15**  
**Compliance Extract** Date Accepted: **02/28/22 15:56**  
 Laboratory ID: **22B0140-01** Matrix: **Extracts and** Client/Metrc ID: **1A4010300040B29000000061**

**Terpene Profile**



  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Tropicanna Cherry Full Spectrum Extract Primary** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **02/28/22 14:15**  
**Compliance Extract** Date Accepted: **02/28/22**


Laboratory ID: **22B0140-01** Sample Metrc ID: **1A4010300040B29000000061**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000060**  
 Lot # **021822-NOG 2/28/22** Batch Size: **802.4 (g)**

## Pesticide Analysis in ppm

Date Extracted: 03/02/22 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 03/02/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.244	Acephate	< LOQ	0.4	0.195
Acequinocyl	< LOQ	2	0.977	Acetamiprid	< LOQ	0.2	0.098
Aldicarb	< LOQ	0.4	0.195	Azoxystrobin	< LOQ	0.2	0.098
Bifenazate	< LOQ	0.2	0.098	Bifenthrin	< LOQ	0.2	0.098
Boscalid	< LOQ	0.4	0.195	Carbaryl	< LOQ	0.2	0.098
Carbofuran	< LOQ	0.2	0.098	Chlorantraniliprole	< LOQ	0.2	0.098
Chlorfenapyr	< LOQ	1	0.489	Chlorpyrifos	< LOQ	0.2	0.098
Clofentezine	< LOQ	0.2	0.098	Cyfluthrin	< LOQ	1	0.489
Cypermethrin	< LOQ	1	0.489	Daminozide	< LOQ	1	0.489
DDVP (Dichlorvos)	< LOQ	1	0.489	Diazinon	< LOQ	0.2	0.098
Dimethoate	< LOQ	0.2	0.098	Ethoprophos	< LOQ	0.2	0.098
Etofenprox	< LOQ	0.4	0.195	Etoxazole	< LOQ	0.2	0.098
Fenoxycarb	< LOQ	0.2	0.098	Fenpyroximate	< LOQ	0.4	0.195
Fipronil	< LOQ	0.4	0.195	Fonicamid	< LOQ	1	0.489
Fludioxonil	< LOQ	0.4	0.195	Hexythiazox	< LOQ	1	0.489
Imazalil	< LOQ	0.2	0.098	Imidacloprid	< LOQ	0.4	0.195
Kresoxim-methyl	< LOQ	0.4	0.195	Malathion	< LOQ	0.2	0.098
Metalaxyl	< LOQ	0.2	0.098	Methiocarb	< LOQ	0.2	0.098
Methomyl	< LOQ	0.4	0.195	Methyl parathion	< LOQ	0.2	0.098
MGK-264	< LOQ	0.2	0.098	Myclobutanil	< LOQ	0.2	0.098
Naled	< LOQ	0.5	0.244	Oxamyl	< LOQ	1	0.489
Paclobutrazol	< LOQ	0.4	0.195	Permethrins (total)	< LOQ	0.2	0.098
Phosmet	< LOQ	0.2	0.098	Piperonyl butoxide	< LOQ	2	0.489
Prallethrin	< LOQ	0.2	0.098	Propiconazole	< LOQ	0.4	0.195
Propoxur	< LOQ	0.2	0.098	Pyrethrins (total)	< LOQ	1	0.489
Pyridaben	< LOQ	0.2	0.098	Spinosad	< LOQ	0.2	0.098
Spiromesifen	< LOQ	0.2	0.098	Spirotetramat	< LOQ	0.2	0.098
Spiroxamine	< LOQ	0.4	0.195	Tebuconazole	< LOQ	0.4	0.195
Thiacloprid	< LOQ	0.2	0.098	Thiamethoxam	< LOQ	0.2	0.098
Trifloxystrobin	< LOQ	0.2	0.098				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **Tropicanna Cherry Full Spectrum Extract Duplicate** License: **030-1017129044E**  
 Tested for: **Nogero, LLC.** Date Sampled: **02/28/22 14:29**  
**Compliance Extract** Date Accepted: **02/28/22**

Laboratory ID: **22B0140-02** Sample Metrc ID: **1A4010300040B29000000061**  
 Matrix: **Extracts and Concentrates** Batch RFID: **1A4010300040B29000000060**  
 Lot # **021822-NOG 2/28/22** Batch Size: **802.4 (g)**

## Pesticide Analysis in ppm

Date Extracted: 03/02/22 Analysis Method: AOAC 2007.01 & EN 15662  
 Date Analyzed: 03/02/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.247	Acephate	< LOQ	0.4	0.197
Acequinocyl	< LOQ	2	0.987	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.197	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.197	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.493	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.493
Cypermethrin	< LOQ	1	0.493	Daminozide	< LOQ	1	0.493
DDVP (Dichlorvos)	< LOQ	1	0.493	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.197	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.197
Fipronil	< LOQ	0.4	0.197	Fonicamid	< LOQ	1	0.493
Fludioxonil	< LOQ	0.4	0.197	Hexythiazox	< LOQ	1	0.493
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.197
Kresoxim-methyl	< LOQ	0.4	0.197	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.197	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.247	Oxamyl	< LOQ	1	0.493
Paclobutrazol	< LOQ	0.4	0.197	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.493
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.197
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.493
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.197	Tebuconazole	< LOQ	0.4	0.197
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


Sample Name: <b>Tropicanna Cherry Full Spectrum Extract Primary</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>02/28/22 14:15</b>
<b>Compliance Extract</b>	Date Accepted: <b>02/28/22</b>
Laboratory ID: <b>22B0140-01</b>	Sample Metric ID: <b>1A4010300040B29000000061</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000060</b>
Lot # <b>021822-NOG 2/28/22</b>	Batch Size: <b>802.4 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	179
2-Butanol	< LOQ	5000	2360
2-Ethoxyethanol	< LOQ	160	75.4
2-Propanol (IPA)	< LOQ	5000	2360
Acetone	< LOQ	5000	2360
Acetonitrile	< LOQ	410	193
Benzene	< LOQ	2	0.942
Butanes	< LOQ	5000	2360
Cyclohexane	< LOQ	3880	1830
Dichloromethane (methylene chloride)	< LOQ	600	283
Ethyl acetate	< LOQ	5000	2360
Ethyl ether	< LOQ	5000	2360
Ethylbenzene	< LOQ	2170	1020
Ethylene glycol	< LOQ	620	292
Ethylene oxide	< LOQ	50	23.6
Heptane	< LOQ	5000	2360
Hexanes	< LOQ	290	137
Isopropyl acetate	< LOQ	5000	2360
Isopropylbenzene (cumene)	< LOQ	70	33.0
Methanol	< LOQ	3000	1410
Pentanes	< LOQ	5000	2360
Propane	< LOQ	5000	2360
Tetrahydrofuran	< LOQ	720	339
Toluene	< LOQ	890	419
Xylenes	< LOQ	2170	1020

Date Extracted: 03/01/22  
 Date Analyzed: 03/01/22  
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>Tropicanna Cherry Full Spectrum Extract Duplicate</b>	License: <b>030-1017129044E</b>
Tested for: <b>Nogero, LLC.</b>	Date Sampled: <b>02/28/22 14:29</b>
<b>Compliance Extract</b>	Date Accepted: <b>02/28/22</b>
Laboratory ID: <b>22B0140-02</b>	Sample Metric ID: <b>1A4010300040B29000000061</b>
Matrix: <b>Extracts and Concentrates</b>	Batch RFID: <b>1A4010300040B29000000060</b>
Lot # <b>021822-NOG 2/28/22</b>	Batch Size: <b>802.4 (g)</b>

### Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ
1,4-Dioxane	< LOQ	380	181
2-Butanol	< LOQ	5000	2380
2-Ethoxyethanol	< LOQ	160	76.3
2-Propanol (IPA)	< LOQ	5000	2380
Acetone	< LOQ	5000	2380
Acetonitrile	< LOQ	410	195
Benzene	< LOQ	2	0.954
Butanes	< LOQ	5000	2380
Cyclohexane	< LOQ	3880	1850
Dichloromethane (methylene chloride)	< LOQ	600	286
Ethyl acetate	< LOQ	5000	2380
Ethyl ether	< LOQ	5000	2380
Ethylbenzene	< LOQ	2170	1030
Ethylene glycol	< LOQ	620	296
Ethylene oxide	< LOQ	50	23.8
Heptane	< LOQ	5000	2380
Hexanes	< LOQ	290	138
Isopropyl acetate	< LOQ	5000	2380
Isopropylbenzene (cumene)	< LOQ	70	33.4
Methanol	< LOQ	3000	1430
Pentanes	< LOQ	5000	2380
Propane	< LOQ	5000	2380
Tetrahydrofuran	< LOQ	720	343
Toluene	< LOQ	890	424
Xylenes	< LOQ	2170	1030

Date Extracted: 03/01/22  
 Date Analyzed: 03/01/22  
 Analysis Method: USP 467

<LOQ - Results below the Limit of Quantitation - Compound not detected  
 Results above the Action Level fail state testing requirements and will be highlighted **Red #**.



Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



**Case Narrative**

**Pesticides** - Bifenthrin recovered below the lower acceptance limit in the Matrix Spike and Matrix Spike Duplicate. The Blank Spike recovered within acceptance limits for this analyte. Additionally, no peaks were identified in the retention time window of this analyte in client samples.

**Residual Solvent** - n-Pentane, Ethyl Ether, and Isopentane were above normally accepted recovery criteria in the Matrix Spike and Matrix Spike Duplicate. Analytes were below the reporting limit in all client samples.


Norflurane was detected as a tentatively identified compound in samples 22B0140-01/02.

**Quality Control  
Potency**

**Batch: B220471 - Potency/Terpenes**

Blank(B220471-BLK1)			Extracted - 03/02/22 13:30 Analyzed - 03/02/22 16:43					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B220471-DUP1)			Extracted - 03/02/22 13:30 Analyzed - 03/02/22 16:52					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	57.13	%		57.88			1.31	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	16.95	%		17.22			1.59	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.11	%		0.11			2.04	20
CBN (Cannabinol)	0.19	%		0.19			0.480	20
CBG (Cannabigerol)	1.81	%		1.87			3.25	20
CBGA (Cannabigerolic Acid)	0.88	%		0.90			1.85	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B220471 - Potency/Terpenes (Continued)**

Duplicate(B220471-DUP1)			Extracted - 03/02/22 13:30		Analyzed - 03/02/22 16:52			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	0.65	%		0.62			5.42	20

LCS(B220471-BS1)			Extracted - 03/02/22 13:30		Analyzed - 03/02/22 16:34			
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.19	%	0.200		93.4	80-120		
CBD (Cannabidiol)	0.20	%	0.200		102	80-120		
CBDA (Cannabidiolic Acid)	0.19	%	0.200		95.1	80-120		
CBN (Cannabinol)	0.19	%	0.200		97.2	80-120		

  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B220473 - Pesticide Prep**

Blank(B220473-BLK1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220473 - Pesticide Prep (Continued)**

Blank(B220473-BLK1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B220473-BS1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.79	ppm	1.98		90.6	36-160		
Acephate	1.94	ppm	2.00		97.0	68-132		
Acequinocyl	1.32	ppm	2.00		66.2	15-158		
Acetamiprid	1.96	ppm	2.00		97.9	69-146		
Aldicarb	1.82	ppm	2.00		91.2	54-150		
Azoxystrobin	1.88	ppm	2.00		93.9	66-145		
Bifenazate	1.81	ppm	2.00		90.5	61-139		
Bifenthrin	1.70	ppm	2.00		85.1	47-128		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220473 - Pesticide Prep (Continued)**

LCS(B220473-BS1)		Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:38						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.76	ppm	2.00		88.0	62-147		
Carbaryl	1.93	ppm	2.00		96.7	76-126		
Carbofuran	1.91	ppm	2.00		95.7	70-133		
Chlorantraniliprole	1.70	ppm	2.00		85.0	41-150		
Chlorfenapyr	1.91	ppm	2.00		95.6	49-145		
Chlorpyrifos	1.83	ppm	2.00		91.4	66-126		
Clofentezine	1.76	ppm	2.00		87.8	72-122		
Cyfluthrin	1.87	ppm	2.00		93.3	45-152		
Cypermethrin	1.82	ppm	2.00		91.0	58-143		
Daminozide	1.61	ppm	2.00		80.7	39-182		
DDVP (Dichlorvos)	1.93	ppm	2.00		96.7	68-133		
Diazinon	1.88	ppm	2.00		94.1	79-122		
Dimethoate	1.94	ppm	2.00		96.9	72-126		
Ethoprophos	1.92	ppm	2.00		95.9	71-130		
Etofenprox	1.72	ppm	2.00		85.9	61-130		
Etoxazole	1.99	ppm	2.00		99.7	67-140		
Fenoxycarb	1.80	ppm	2.00		89.8	66-137		
Fenpyroximate	1.83	ppm	2.00		91.6	55-178		
Fipronil	1.89	ppm	2.00		94.4	64-140		
Flonicamid	1.60	ppm	2.00		80.2	61-149		
Fludioxonil	1.82	ppm	2.00		90.8	20-156		
Hexythiazox	1.76	ppm	2.00		87.8	56-141		
Imazalil	2.09	ppm	2.00		105	72-132		
Imidacloprid	1.77	ppm	2.00		88.7	68-146		
Kresoxim-methyl	1.82	ppm	2.00		91.1	75-123		
Malathion	1.85	ppm	2.00		92.3	62-138		
Metalaxyl	1.92	ppm	2.00		96.0	74-139		
Methiocarb	1.93	ppm	2.00		96.6	71-127		
Methomyl	1.87	ppm	2.00		93.3	57-132		
Methyl parathion	1.88	ppm	2.00		94.2	48-141		
MGK-264	1.72	ppm	2.00		86.2	58-137		
Myclobutanil	1.65	ppm	2.00		82.5	59-150		
Naled	1.82	ppm	2.00		91.1	60-156		
Oxamyl	1.98	ppm	2.00		98.9	72-126		
Paclobutrazol	1.79	ppm	2.00		89.5	65-138		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220473 - Pesticide Prep (Continued)**

LCS(B220473-BS1)		Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:38						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.76	ppm	2.00		88.2	55-143		
Phosmet	1.84	ppm	2.00		92.0	72-135		
Piperonyl butoxide	1.87	ppm	2.00		93.6	63-140		
Prallethrin	1.66	ppm	2.00		83.1	63-144		
Propiconazole	1.89	ppm	2.00		94.7	56-155		
Propoxur	1.93	ppm	2.00		96.7	69-126		
Pyrethrins (total)	0.99	ppm	1.16		85.4	55-139		
Pyridaben	1.85	ppm	2.00		92.7	60-139		
Spinosad	1.95	ppm	2.00		97.5	58-140		
Spiromesifen	1.88	ppm	2.00		94.2	58-149		
Spirotetramat	1.89	ppm	2.00		94.7	71-139		
Spiroxamine	1.97	ppm	2.00		98.5	71-145		
Tebuconazole	1.80	ppm	2.00		89.9	64-148		
Thiacloprid	1.92	ppm	2.00		96.0	72-140		
Thiamethoxam	1.81	ppm	2.00		90.4	70-138		
Trifloxystrobin	1.90	ppm	2.00		94.9	68-138		

Matrix Spike(B220473-MS1)		Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:54						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.62	ppm	1.96	< LOQ	134	33-200		
Acephate	1.86	ppm	1.98	< LOQ	94.1	66-133		
Acequinocyl	0.51	ppm	1.98	< LOQ	25.9	10-116		
Acetamiprid	1.82	ppm	1.98	< LOQ	91.9	67-146		
Aldicarb	1.77	ppm	1.98	< LOQ	89.3	58-150		
Azoxystrobin	1.91	ppm	1.98	< LOQ	96.5	63-134		
Bifenazate	2.04	ppm	1.98	< LOQ	103	55-137		
Bifenthrin	0.22	ppm	1.98	< LOQ	11.2	15-90		
Boscalid	1.74	ppm	1.98	< LOQ	87.8	55-136		
Carbaryl	1.97	ppm	1.98	< LOQ	99.8	74-120		
Carbofuran	1.93	ppm	1.98	< LOQ	97.5	69-129		
Chlorantraniliprole	1.76	ppm	1.98	< LOQ	89.2	46-134		
Chlorfenapyr	1.75	ppm	1.98	< LOQ	88.5	14-136		
Chlorpyrifos	1.39	ppm	1.98	< LOQ	70.2	30-138		
Clofentezine	1.68	ppm	1.98	< LOQ	84.8	47-131		
Cyfluthrin	2.16	ppm	1.98	< LOQ	109	27-200		

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220473 - Pesticide Prep (Continued)**

Matrix Spike(B220473-MS1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:54					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.89	ppm	1.98	< LOQ	95.4	30-181		
Daminozide	1.59	ppm	1.98	< LOQ	80.3	20-171		
DDVP (Dichlorvos)	1.88	ppm	1.98	< LOQ	94.8	65-138		
Diazinon	1.93	ppm	1.98	< LOQ	97.7	70-130		
Dimethoate	1.90	ppm	1.98	< LOQ	95.9	70-130		
Ethoprophos	1.96	ppm	1.98	< LOQ	98.9	62-125		
Etofenprox	0.82	ppm	1.98	< LOQ	41.6	15-96		
Etoxazole	1.95	ppm	1.98	< LOQ	98.3	43-129		
Fenoxycarb	1.93	ppm	1.98	< LOQ	97.6	60-133		
Fenpyroximate	2.49	ppm	1.98	< LOQ	126	43-199		
Fipronil	1.88	ppm	1.98	< LOQ	94.9	54-140		
Flonicamid	1.60	ppm	1.98	< LOQ	81.0	60-143		
Fludioxonil	1.92	ppm	1.98	< LOQ	97.0	14-166		
Hexythiazox	2.23	ppm	1.98	< LOQ	113	28-200		
Imazalil	2.08	ppm	1.98	< LOQ	105	28-129		
Imidacloprid	1.63	ppm	1.98	< LOQ	82.2	65-155		
Kresoxim-methyl	1.83	ppm	1.98	< LOQ	92.7	68-131		
Malathion	1.97	ppm	1.98	< LOQ	99.5	61-127		
Metalaxyl	1.93	ppm	1.98	< LOQ	97.7	71-131		
Methiocarb	2.04	ppm	1.98	< LOQ	103	71-121		
Methomyl	1.82	ppm	1.98	< LOQ	92.1	55-133		
Methyl parathion	1.92	ppm	1.98	< LOQ	97.1	42-126		
MGK-264	1.67	ppm	1.98	< LOQ	84.3	37-129		
Myclobutanil	1.64	ppm	1.98	< LOQ	82.9	51-138		
Naled	1.84	ppm	1.98	< LOQ	93.2	48-150		
Oxamyl	1.94	ppm	1.98	< LOQ	97.9	68-125		
Paclbutrazol	1.80	ppm	1.98	< LOQ	90.9	55-130		
Permethrins (total)	2.15	ppm	1.98	< LOQ	108	18-144		
Phosmet	1.94	ppm	1.98	< LOQ	98.1	65-129		
Piperonyl butoxide	1.73	ppm	1.98	< LOQ	87.2	33-111		
Prallethrin	1.77	ppm	1.98	< LOQ	89.4	47-146		
Propiconazole	1.94	ppm	1.98	< LOQ	98.2	47-155		
Propoxur	1.95	ppm	1.98	< LOQ	98.5	68-124		
Pyrethrins (total)	1.51	ppm	1.15	< LOQ	132	19-200		
Pyridaben	1.20	ppm	1.98	< LOQ	60.8	15-130		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220473 - Pesticide Prep (Continued)**

Matrix Spike(B220473-MS1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22 19:54					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.93	ppm	1.98	< LOQ	97.4	36-149		
Spiromesifen	1.87	ppm	1.98	< LOQ	94.4	28-139		
Spirotetramat	2.06	ppm	1.98	< LOQ	104	50-170		
Spiroxamine	2.00	ppm	1.98	< LOQ	101	32-148		
Tebuconazole	1.76	ppm	1.98	< LOQ	89.0	65-144		
Thiacloprid	1.78	ppm	1.98	< LOQ	89.9	69-136		
Thiamethoxam	1.76	ppm	1.98	< LOQ	89.1	65-133		
Trifloxystrobin	1.85	ppm	1.98	< LOQ	93.3	61-134		

Matrix Spike Dup(B220473-MSD1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.40	ppm	1.88	< LOQ	128	33-200	4.70	50
Acephate	1.77	ppm	1.90	< LOQ	93.3	66-133	0.817	30
Acequinocyl	0.48	ppm	1.90	< LOQ	25.4	10-116	1.98	50
Acetamiprid	1.77	ppm	1.90	< LOQ	93.6	67-146	1.79	30
Aldicarb	1.55	ppm	1.90	< LOQ	81.7	58-150	8.90	30
Azoxystrobin	1.74	ppm	1.90	< LOQ	91.6	63-134	5.23	30
Bifenazate	1.78	ppm	1.90	< LOQ	93.8	55-137	9.67	30
Bifenthrin	0.24	ppm	1.90	< LOQ	12.4	15-90	10.2	30
Boscalid	1.59	ppm	1.90	< LOQ	83.8	55-136	4.68	30
Carbaryl	1.77	ppm	1.90	< LOQ	93.4	74-120	6.60	30
Carbofuran	1.78	ppm	1.90	< LOQ	94.0	69-129	3.63	30
Chlorantraniliprole	1.59	ppm	1.90	< LOQ	83.8	46-134	6.23	30
Chlorfenapyr	1.71	ppm	1.90	< LOQ	90.1	14-136	1.79	50
Chlorpyrifos	1.23	ppm	1.90	< LOQ	64.8	30-138	8.01	30
Clofentezine	1.46	ppm	1.90	< LOQ	77.1	47-131	9.62	30
Cyfluthrin	1.61	ppm	1.90	< LOQ	85.1	27-200	24.9	50
Cypermethrin	1.67	ppm	1.90	< LOQ	88.1	30-181	7.96	30
Daminozide	1.39	ppm	1.90	< LOQ	73.1	20-171	9.37	50
DDVP (Dichlorvos)	1.69	ppm	1.90	< LOQ	89.2	65-138	6.05	30
Diazinon	1.69	ppm	1.90	< LOQ	89.0	70-130	9.29	30
Dimethoate	1.72	ppm	1.90	< LOQ	90.6	70-130	5.73	30
Ethoprophos	1.69	ppm	1.90	< LOQ	89.2	62-125	10.3	30
Etofenprox	0.76	ppm	1.90	< LOQ	40.0	15-96	4.00	30
Etoxazole	1.71	ppm	1.90	< LOQ	90.2	43-129	8.58	30

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.




## Quality Control

### Pesticide Analysis (Continued)

**Batch: B220473 - Pesticide Prep (Continued)**

Matrix Spike Dup(B220473-MSD1)			Extracted - 03/02/22 15:30 Analyzed - 03/02/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.71	ppm	1.90	< LOQ	90.2	60-133	7.94	30
Fenpyroximate	2.12	ppm	1.90	< LOQ	112	43-199	12.1	30
Fipronil	1.65	ppm	1.90	< LOQ	86.8	54-140	8.92	30
Flonicamid	1.41	ppm	1.90	< LOQ	74.3	60-143	8.63	30
Fludioxonil	1.71	ppm	1.90	< LOQ	90.4	14-166	7.10	50
Hexythiazox	1.97	ppm	1.90	< LOQ	104	28-200	8.43	30
Imazalil	1.96	ppm	1.90	< LOQ	104	28-129	1.56	30
Imidacloprid	1.62	ppm	1.90	< LOQ	85.4	65-155	3.83	30
Kresoxim-methyl	1.65	ppm	1.90	< LOQ	86.9	68-131	6.45	30
Malathion	1.70	ppm	1.90	< LOQ	89.5	61-127	10.6	30
Metalaxyl	1.79	ppm	1.90	< LOQ	94.4	71-131	3.44	30
Methiocarb	1.81	ppm	1.90	< LOQ	95.5	71-121	7.47	30
Methomyl	1.66	ppm	1.90	< LOQ	87.7	55-133	4.90	30
Methyl parathion	1.65	ppm	1.90	< LOQ	87.2	42-126	10.8	30
MGK-264	1.45	ppm	1.90	< LOQ	76.6	37-129	9.56	30
Myclobutanil	1.52	ppm	1.90	< LOQ	80.0	51-138	3.59	30
Naled	1.63	ppm	1.90	< LOQ	86.2	48-150	7.80	30
Oxamyl	1.80	ppm	1.90	< LOQ	94.8	68-125	3.19	30
Paclobutrazol	1.66	ppm	1.90	< LOQ	87.8	55-130	3.54	30
Permethrins (total)	1.80	ppm	1.90	< LOQ	94.8	18-144	13.4	30
Phosmet	1.71	ppm	1.90	< LOQ	90.1	65-129	8.47	30
Piperonyl butoxide	1.47	ppm	1.90	< LOQ	77.7	33-111	11.5	30
Prallethrin	1.50	ppm	1.90	< LOQ	79.0	47-146	12.3	30
Propiconazole	1.71	ppm	1.90	< LOQ	90.4	47-155	8.24	30
Propoxur	1.79	ppm	1.90	< LOQ	94.5	68-124	4.09	30
Pyrethrins (total)	1.27	ppm	1.10	< LOQ	115	19-200	13.2	30
Pyridaben	1.14	ppm	1.90	< LOQ	60.1	15-130	1.15	30
Spinosad	1.79	ppm	1.90	< LOQ	94.4	36-149	3.15	35
Spiromesifen	1.59	ppm	1.90	< LOQ	83.9	28-139	11.8	30
Spirotetramat	1.83	ppm	1.90	< LOQ	96.7	50-170	7.14	30
Spiroxamine	1.70	ppm	1.90	< LOQ	89.8	32-148	12.0	30
Tebuconazole	1.61	ppm	1.90	< LOQ	85.1	65-144	4.48	30
Thiacloprid	1.68	ppm	1.90	< LOQ	88.8	69-136	1.28	30
Thiamethoxam	1.60	ppm	1.90	< LOQ	84.4	65-133	5.35	30
Trifloxystrobin	1.66	ppm	1.90	< LOQ	87.6	61-134	6.23	30

  
Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis

Batch: B220470 - Residual Solvent Prep

Blank(B220470-BLK1)			Extracted - 03/01/22 17:44 Analyzed - 03/01/22 19:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B220470-BS1)			Extracted - 03/01/22 17:44 Analyzed - 03/01/22 18:47					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	299	ug/g	285		105	74-137		
2,2-Dimethylbutane	241	ug/g	218		111	75-139		
2,2-Dimethylpropane (neopentane)	1870	ug/g	1560		120	71-176		
2-Butanol	1960	ug/g	1750		112	74-138		
2-Ethoxyethanol	131	ug/g	120		109	72-134		
2-Methylbutane (isopentane)	2130	ug/g	1750		122	76-147		
2-Methylpentane/2,3-Dimethylbutane	474	ug/g	435		109	76-140		

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Solvent Analysis (Continued)

**Batch: B220470 - Residual Solvent Prep (Continued)**

<b>LCS(B220470-BS1)</b>		<b>Extracted - 03/01/22 17:44 Analyzed - 03/01/22 18:47</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
2-Methylpropane (isobutane)	1750	ug/g	1560		112	39-190		
2-Propanol (IPA)	2010	ug/g	1750		115	78-146		
3-Methylpentane	233	ug/g	218		107	74-137		
Acetone	2040	ug/g	1750		117	81-151		
Acetonitrile	352	ug/g	308		115	76-142		
Benzene	1.53	ug/g	1.50		102	67-129		
Cyclohexane	3500	ug/g	2910		120	79-147		
Dichloromethane (methylene chloride)	496	ug/g	450		110	74-138		
Ethyl acetate	1960	ug/g	1750		112	79-147		
Ethyl ether	2230	ug/g	1750		127	83-155		
Ethylbenzene	1680	ug/g	1620		104	71-133		
Ethylene glycol	509	ug/g	465		110	46-115		
Ethylene oxide	212	ug/g	188		113	80-150		
Heptane	1970	ug/g	1750		113	77-143		
Isopropyl acetate	1970	ug/g	1750		112	80-148		
Isopropylbenzene (cumene)	55.6	ug/g	52.5		106	68-126		
m,p-Xylene	3420	ug/g	3250		105	72-134		
Methanol	1610	ug/g	1250		128	78-146		
n-Butane	1580	ug/g	1560		101	40-182		
n-Hexane	232	ug/g	218		107	73-135		
n-Pentane	2160	ug/g	1750		124	78-146		
Propane	536	ug/g	625		85.8	41-163		
Tetrahydrofuran	572	ug/g	540		106	78-144		
Toluene	709	ug/g	669		106	71-131		
o-Xylene	1670	ug/g	1620		103	70-130		

<b>Matrix Spike(B220470-MS1)</b>		<b>Extracted - 03/01/22 17:44 Analyzed - 03/01/22 19:08</b>						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Spike Level</b>	<b>Source Result</b>	<b>%REC</b>	<b>%REC Limits</b>	<b>RPD</b>	<b>RPD Limit</b>
1,4-Dioxane	277	ug/g	279	< LOQ	99.5	71-131		
2,2-Dimethylbutane	274	ug/g	213	< LOQ	129	70-130		
2,2-Dimethylpropane (neopentane)	2320	ug/g	1530	< LOQ	152	65-168		
2-Butanol	1710	ug/g	1710	< LOQ	99.8	71-133		
2-Ethoxyethanol	106	ug/g	117	< LOQ	90.6	68-126		
2-Methylbutane (isopentane)	2550	ug/g	1710	< LOQ	149	68-141		
2-Methylpentane/2,3-Dimethylbutane	530	ug/g	425	< LOQ	124	71-133		


  
 Shea Hamilton For Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.


## Quality Control

### Solvent Analysis (Continued)

**Batch: B220470 - Residual Solvent Prep (Continued)**

Matrix Spike(B220470-MS1)			Extracted - 03/01/22 17:44 Analyzed - 03/01/22 19:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2210	ug/g	1530	< LOQ	144	46-179		
2-Propanol (IPA)	1890	ug/g	1710	98.6	105	74-138		
3-Methylpentane	257	ug/g	213	< LOQ	121	69-129		
Acetone	2120	ug/g	1710	69.5	120	76-142		
Acetonitrile	305	ug/g	301	< LOQ	101	72-134		
Benzene	1.57	ug/g	1.47	< LOQ	107	64-130		
Cyclohexane	4030	ug/g	2850	< LOQ	141	78-144		
Dichloromethane (methylene chloride)	460	ug/g	440	< LOQ	105	71-131		
Ethyl acetate	1960	ug/g	1710	< LOQ	115	75-139		
Ethyl ether	2570	ug/g	1710	< LOQ	150	81-141		
Ethylbenzene	1660	ug/g	1590	< LOQ	105	73-135		
Ethylene glycol	371	ug/g	455	< LOQ	81.5	44-113		
Ethylene oxide	220	ug/g	183	< LOQ	120	63-142		
Heptane	2230	ug/g	1710	< LOQ	130	76-140		
Isopropyl acetate	1970	ug/g	1710	< LOQ	115	76-140		
Isopropylbenzene (cumene)	63.9	ug/g	51.3	< LOQ	124	61-200		
m,p-Xylene	3340	ug/g	3180	< LOQ	105	74-138		
Methanol	1460	ug/g	1220	< LOQ	119	73-135		
n-Butane	1930	ug/g	1530	< LOQ	126	32-176		
n-Hexane	254	ug/g	213	< LOQ	119	69-127		
n-Pentane	2570	ug/g	1710	< LOQ	150	71-140		
Propane	640	ug/g	611	< LOQ	105	45-152		
Tetrahydrofuran	581	ug/g	528	< LOQ	110	74-137		
Toluene	684	ug/g	654	< LOQ	105	71-131		
o-Xylene	1640	ug/g	1590	< LOQ	103	72-134		

Matrix Spike Dup(B220470-MSD1)			Extracted - 03/01/22 17:44 Analyzed - 03/01/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	280	ug/g	274	< LOQ	102	71-131	0.872	25
2,2-Dimethylbutane	271	ug/g	209	< LOQ	129	70-130	1.21	25
2,2-Dimethylpropane (neopentane)	2260	ug/g	1500	< LOQ	150	65-168	2.49	25
2-Butanol	1720	ug/g	1680	< LOQ	102	71-133	0.857	25
2-Ethoxyethanol	106	ug/g	115	< LOQ	92.1	68-126	0.154	25
2-Methylbutane (isopentane)	2560	ug/g	1680	< LOQ	152	68-141	0.467	25
2-Methylpentane/2,3-Dimethylbutane	533	ug/g	418	< LOQ	127	71-133	0.631	25

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Solvent Analysis (Continued)

**Batch: B220470 - Residual Solvent Prep (Continued)**

Matrix Spike Dup(B220470-MSD1)			Extracted - 03/01/22 17:44 Analyzed - 03/01/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2160	ug/g	1500	< LOQ	144	46-179	1.93	25
2-Propanol (IPA)	1900	ug/g	1680	98.6	107	74-138	0.654	25
3-Methylpentane	258	ug/g	209	< LOQ	123	69-129	0.553	25
Acetone	2160	ug/g	1680	69.5	124	76-142	1.78	25
Acetonitrile	306	ug/g	296	< LOQ	104	72-134	0.469	25
Benzene	1.57	ug/g	1.44	< LOQ	109	64-130	0.116	50
Cyclohexane	4040	ug/g	2800	< LOQ	144	78-144	0.214	25
Dichloromethane (methylene chloride)	463	ug/g	433	< LOQ	107	71-131	0.614	25
Ethyl acetate	1980	ug/g	1680	< LOQ	118	75-139	0.977	25
Ethyl ether	2540	ug/g	1680	< LOQ	151	81-141	1.00	25
Ethylbenzene	1680	ug/g	1560	< LOQ	108	73-135	0.944	25
Ethylene glycol	380	ug/g	447	< LOQ	85.0	44-113	2.52	50
Ethylene oxide	216	ug/g	180	< LOQ	120	63-142	1.97	25
Heptane	2240	ug/g	1680	< LOQ	133	76-140	0.384	25
Isopropyl acetate	1980	ug/g	1680	< LOQ	118	76-140	0.396	25
Isopropylbenzene (cumene)	64.4	ug/g	50.5	< LOQ	128	61-200	0.807	25
m,p-Xylene	3410	ug/g	3120	< LOQ	109	74-138	2.00	25
Methanol	1470	ug/g	1200	< LOQ	122	73-135	0.695	25
n-Butane	1900	ug/g	1500	< LOQ	127	32-176	1.45	25
n-Hexane	254	ug/g	209	< LOQ	121	69-127	0.0726	25
n-Pentane	2610	ug/g	1680	< LOQ	155	71-140	1.70	25
Propane	629	ug/g	601	< LOQ	105	45-152	1.79	50
Tetrahydrofuran	591	ug/g	519	< LOQ	114	74-137	1.72	25
Toluene	697	ug/g	643	< LOQ	108	71-131	1.82	25
o-Xylene	1620	ug/g	1560	< LOQ	104	72-134	0.975	25




Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

Batch: B220472 - Potency/Terpenes

Blank(B220472-BLK1)			Extracted - 03/02/22 13:30 Analyzed - 03/02/22 17:14					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						



Shea Hamilton For Brian Weigel  
Lab Director


These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B220472 - Potency/Terpenes (Continued)**

Duplicate(B220472-DUP1)		Extracted - 03/02/22 13:30 Analyzed - 03/02/22 17:41						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	< LOQ	%		< LOQ				30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.105	%		0.108			2.88	30
beta Myrcene	< LOQ	%		< LOQ				30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	0.885	%		0.907			2.47	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.906	%		0.933			2.96	30
Fenchol	0.185	%		0.190			2.83	30
Borneol	< LOQ	%		< LOQ				30
Terpineol	0.318	%		0.330			3.54	30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.458	%		0.469			2.43	30
beta Caryophyllene	1.477	%		1.524			3.10	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.230	%		0.236			2.65	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.145	%		0.149			2.84	30
Ocimene	< LOQ	%		< LOQ				30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
Nerolidol	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30

  
Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis (Continued)

**Batch: B220472 - Potency/Terpenes (Continued)**

Duplicate(B220472-DUP1)		Extracted - 03/02/22 13:30 Analyzed - 03/02/22 17:41						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Valencene	< LOQ	%		< LOQ				30
Phytol	0.106	%		0.101			4.52	30
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30



Shea Hamilton For Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Client: Nogero LLC Client License: 1017129044E Date Sampled: 2/28/2022 Thermometer ID: T020  
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR Requestor: Nathaniel Bruce Event ID: 22B00140 Balance ID: SAMP\_BAL\_03  
 Sampling SOP & Rev. #: SC-OR-SAMP-002 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer\_09

*Scott Forster*  
 Sampler Signature

Lab ORELAP ID: 4133  
 Lab OLCC ID: 1018619A26E

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.5	P
200		±2.5%	199.95		199.95	



Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
glass bowl	1A4010300040B29000000060				Concentrate	ropicanna Cherry Full Spectrum Ex	021822-NOG 2/28/22	802.4
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	6	0.583333333	Tropicanna Cherry Full Spectrum Extract Primar
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22B0140-01	Tropicanna Cherry Full Spectrum Extract-1		A1	0	0.59	0.59	.61	
22B0140-01	Tropicanna Cherry Full Spectrum Extract-1		A1	0.59	1.18	0.59	.61	
22B0140-01	Tropicanna Cherry Full Spectrum Extract-1		A2	1.18	1.77	0.59	.61	
22B0140-01	Tropicanna Cherry Full Spectrum Extract-1		A2	1.77	2.36	0.59	.61	
22B0140-01	Tropicanna Cherry Full Spectrum Extract-1		A3	2.36	2.95	0.59	.61	
22B0140-01	Tropicanna Cherry Full Spectrum Extract-1		A4	2.95	3.57	0.62	.61	
<b>Totals:</b>								
			6	6	Total Primary Mass = 3.57		Primary + Duplicate Mass = 7.11 g	

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample (g)	Sample Name
	17.7	57.7	1	vial	4	6	0.583333333	ropicanna Cherry Full Spectrum Extract Duplicat
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22B0140-02	Tropicanna Cherry Full Spectrum Extract-1		A1	0	0.59	0.59	.61	
22B0140-02	Tropicanna Cherry Full Spectrum Extract-1		A1	0.59	1.18	0.59	.61	
22B0140-02	Tropicanna Cherry Full Spectrum Extract-1		A1	1.18	1.77	0.59	.61	
22B0140-02	Tropicanna Cherry Full Spectrum Extract-1		A3	1.77	2.36	0.59	.61	
22B0140-02	Tropicanna Cherry Full Spectrum Extract-1		A4	2.36	2.95	0.59	.61	
22B0140-02	Tropicanna Cherry Full Spectrum Extract-1		A4	2.95	3.54	0.59	.61	

<b>Totals:</b>		6	6		Total Duplicate Mass = 3.54		Primary + Duplicate Mass = 7.11 g
Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date



**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.</b>	<b>0003998519</b>	<b>Date Created</b>	2/28/2022 2:25 PM
<b>Originating Entity</b>	Nogero	<b>For OLCC Use Only</b>	
<b>Originating License Number</b>	030-1017129044E		
<b>Address of Originating Entity</b>	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
<b>Phone No. of Originating Entity</b>	971-712-3026		
<b>Contact Phone No. for Inquiries: 707-331-0560</b>			
<b>1. Destination</b>	SC Laboratories	<b>Destination Phone No.</b>	503-272-8838
<b>Destination License Number</b>	010-1004748743D	<b>Date and Approx. Time of Departure</b>	2/28/2022 2:30 PM
<b>Address of Destination</b> 15865 SW 74th Avenue Ste 110 Tigard, OR 97224 County: Washington	<b>Date and Approx. Time of Arrival</b>		2/28/2022 2:45 PM
	<b>Date/Time Received</b>		2/28/22 15:56 pm
	<b>Notes:</b> details for extenuating circumstances (e.g., road closure, flat tire, etc.)		
<b>Route to be Traveled</b> Get on I-5 S from SW Barbur Blvd/Pacific Hwy W 5 min (1.8 mi)  Follow I-5 S to SW Upper Boones Ferry Rd in Tigard. Take exit 291 from I-5 S 4 min (3.6 mi)  Continue on SW Upper Boones Ferry Rd to your destination 4 min (0.9 mi) SC Labs   Oregon 15865 SW 74th Ave #110, Tigard, OR 97224			
<b>Name of Person Transporting</b>	Scott Forster	<b>Handler Permit No. of Driver</b>	SF1983
<b>State Driver's License No.</b>	A625521	<b>Signature of Person Transporting</b>	<i>SFA</i>
<b>Make, Model, License Plate No.</b>	Nissan Kicks 249MGD		
<b>1. Package I Shipped</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A4010300040B29000000061 Lab Test: SubmittedForTesting		Tropicanna Cherry (Extracts)	Shp: 7.1100 g
<b>Item Details</b>			
<b>Source Harvest(s)</b>	2021-11-29_F3		
<b>Source Package(s)</b>	1A4010300040B29000000060		
<b>PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)</b>			
<b>Name of Person Receiving or Rejecting Product</b>	<i>Luisa Romero</i>		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature</b>	<i>Luisa Romero</i>	<b>Date</b>	2/28/22
<b>Signature of individual taking receipt of rejected portion of this shipment</b>			

