

Sample Name: **VVS Chem Full Spectrum Extract Primary**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22F0138-01

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000347

Lot # 061322-NOG

Batch RFID: 1A4010300040B29000000328

Batch Size: 681.6 (G)

Process Date: 6/17/2022

License: 030-1017129044E

Date Sampled: 06/27/22 09:26

Date Accepted: 06/27/22



Potency Analysis

Date Extracted: 06/28/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 06/29/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	74.17	741.7	0.09	
Total CBD ((CBDA*0.877)+CBD)	0.17	1.7	0.09	
d9-THC (d9-Tetrahydrocannabinol)*	67.54	675.4	0.09	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.09	
THCA (d9-Tetrahydrocannabinolic Acid)*	7.55	75.5	0.09	
CBD (Cannabidiol)*	0.17	1.7	0.09	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.09	
CBN (Cannabinol)	0.34	3.4	0.09	
CBG (Cannabigerol)	1.67	16.7	0.09	
CBGA (Cannabigerolic Acid)	0.36	3.6	0.09	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.09	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.09	
CBC (Cannabichromene)	0.45	4.5	0.09	
THCV (Tetrahydrocannabivarin)	0.46	4.6	0.09	
Total Cannabinoids	78.54	785.4	0.09	

<LOQ - Results below the Limit of Quantitation


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **VVS Chem Full Spectrum Extract Duplicate**
 Tested for: **Nogero, LLC.**
Compliance Extract

Laboratory ID: 22F0138-02

Matrix: Extracts and Concentrates

Sample Metrc ID: 1A4010300040B29000000347

Process Date: 6/17/2022

Lot # 061322-NOG

License: 030-1017129044E

Batch RFID: 1A4010300040B29000000328

Date Sampled: 06/27/22 09:31

Batch Size: 681.6 (G)

Date Accepted: 06/27/22


Potency Analysis

Date Extracted: 06/28/22

Analysis Method: UNODC 5.4.8

Date Analyzed: 06/29/22

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	71.67	716.7	0.08	
Total CBD ((CBDA*0.877)+CBD)	0.24	2.4	0.08	
d9-THC (d9-Tetrahydrocannabinol)*	65.22	652.2	0.08	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	0.08	
THCA (d9-Tetrahydrocannabinolic Acid)*	7.35	73.5	0.08	
CBD (Cannabidiol)*	0.16	1.6	0.08	
CBDA (Cannabidiolic Acid)*	0.09	0.9	0.08	
CBN (Cannabinol)	0.30	3	0.08	
CBG (Cannabigerol)	1.63	16.3	0.08	
CBGA (Cannabigerolic Acid)	0.35	3.5	0.08	
CBDV (Cannabidivarin)	< LOQ	< LOQ	0.08	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.08	
CBC (Cannabichromene)	0.43	4.3	0.08	
THCV (Tetrahydrocannabivarin)	0.44	4.4	0.08	
Total Cannabinoids	75.97	759.7	0.08	

<LOQ - Results below the Limit of Quantitation

Sample Name: **VVS Chem Full Spectrum Extract**

Sample Metrc ID: 1A4010300040B29000000347

	Primary Result %	Duplicate Result %	Average %	% RPD	Pass/Fail (<10%RPD)
Total THC ((THCA*0.877)+d9)	74.17	71.67	72.92	3.43	PASS
Total CBD ((CBDA*0.877)+CBD)	0.17	0.24	0.205	34.1	NA
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	< LOQ	< LOQ	NA	NA


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: VVS Chem Full Spectrum Extract Pr	License: 030-1017129044E
Tested for: Nogero, LLC. Compliance Extract	Date Sampled: 06/27/22 09:26
Laboratory ID: 22F0138-01	Date Accepted: 06/27/22
Matrix: Extracts and Concentrates	Sample Metrc ID: 1A4010300040B29000000347
Lot # 061322-NOG	Batch RFID: 1A4010300040B29000000328
	Batch Size: 681.6 (G)

Terpene Analysis

Date Extracted: 06/28/22

Analysis Method: Terpenes by GCFID

Date Analyzed: 06/28/22

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	< LOQ	0.099	beta Myrcene	1.408	0.099
alpha Phellandrene	< LOQ	0.099	3-Carene	< LOQ	0.099
alpha Terpinene	< LOQ	0.099	Limonene	0.258	0.099
Terpinolene	< LOQ	0.099	Linalool	0.603	0.099
Fenchol	< LOQ	0.099	Borneol	< LOQ	0.099
Terpineol	< LOQ	0.099	Geraniol	< LOQ	0.099
alpha Humulene	0.586	0.099	beta Caryophyllene	1.791	0.099
(-)-Caryophyllene Oxide	< LOQ	0.099	(-)-alpha Bisabolol	0.277	0.099
Camphene	< LOQ	0.099	beta Pinene	< LOQ	0.099
Ocimene	0.138	0.099	Sabinene	< LOQ	0.099
Camphor	< LOQ	0.099	Isoborneol	< LOQ	0.099
Menthol	< LOQ	0.099	alpha Cedrene	< LOQ	0.099
Nerolidol	0.176	0.099	(+)-Pulegone	< LOQ	0.099
Eucalyptol	< LOQ	0.099	p-Cymene	< LOQ	0.099
(-)-Isopulegol	< LOQ	0.099	Geranyl Acetate	< LOQ	0.099
Guaiol	< LOQ	0.099	Valencene	< LOQ	0.099
Phytol	< LOQ	0.099	Citronellol	< LOQ	0.099
gamma Terpinene	< LOQ	0.099			
			Total Terpenes	5.238 %	

<LOQ - Results below the Limit of Quantitation
 Terpene Analysis is not ORELAP Accredited.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **VVS Chem Full Spectrum Extract Primary**

License: **030-1017129044E**

Tested for: **Nogero, LLC.**

Date Sampled: **06/27/22 09:26**

Compliance Extract


Date Accepted: **06/27/22 10:09**

Laboratory ID: **22F0138-01**

Matrix: **Extracts and**

Client/Metric ID: **1A4010300040B29000000347**

Terpene Profile




 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: VVS Chem Full Spectrum Extract Primary
Tested for: *Nogero, LLC.*
Compliance Extract

License: 030-1017129044E
Date Sampled: 06/27/22 09:26
Date Accepted: 06/27/22

Laboratory ID: 22F0138-01
Matrix: Extracts and Concentrates
Lot # 061322-NOG

Sample Metrc ID: 1A4010300040B29000000347
Batch RFID: 1A4010300040B29000000328
Batch Size: 681.6 (G)

Pesticide Analysis in ppm

Date Extracted: 06/28/22
Date Analyzed: 06/29/22

Analysis Method: AOAC 2007.01 & EN 15662
 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.247	Acephate	< LOQ	0.4	0.198
Acequinocyl	< LOQ	2	0.990	Acetamiprid	< LOQ	0.2	0.099
Aldicarb	< LOQ	0.4	0.198	Azoxystrobin	< LOQ	0.2	0.099
Bifenazate	< LOQ	0.2	0.099	Bifenthrin	< LOQ	0.2	0.099
Boscalid	< LOQ	0.4	0.198	Carbaryl	< LOQ	0.2	0.099
Carbofuran	< LOQ	0.2	0.099	Chlorantraniliprole	< LOQ	0.2	0.099
Chlorfenapyr	< LOQ	1	0.495	Chlorpyrifos	< LOQ	0.2	0.099
Clofentezine	< LOQ	0.2	0.099	Cyfluthrin	< LOQ	1	0.495
Cypermethrin	< LOQ	1	0.495	Daminozide	< LOQ	1	0.495
DDVP (Dichlorvos)	< LOQ	1	0.495	Diazinon	< LOQ	0.2	0.099
Dimethoate	< LOQ	0.2	0.099	Ethoprophos	< LOQ	0.2	0.099
Etofenprox	< LOQ	0.4	0.198	Etoxazole	< LOQ	0.2	0.099
Fenoxycarb	< LOQ	0.2	0.099	Fenpyroximate	< LOQ	0.4	0.198
Fipronil	< LOQ	0.4	0.198	Fonicamid	< LOQ	1	0.495
Fludioxonil	< LOQ	0.4	0.198	Hexythiazox	< LOQ	1	0.495
Imazalil	< LOQ	0.2	0.099	Imidacloprid	< LOQ	0.4	0.198
Kresoxim-methyl	< LOQ	0.4	0.198	Malathion	< LOQ	0.2	0.099
Metalaxyl	< LOQ	0.2	0.099	Methiocarb	< LOQ	0.2	0.099
Methomyl	< LOQ	0.4	0.198	Methyl parathion	< LOQ	0.2	0.099
MGK-264	< LOQ	0.2	0.099	Myclobutanil	< LOQ	0.2	0.099
Naled	< LOQ	0.5	0.247	Oxamyl	< LOQ	1	0.495
Paclobutrazol	< LOQ	0.4	0.198	Permethrins (total)	< LOQ	0.2	0.099
Phosmet	< LOQ	0.2	0.099	Piperonyl butoxide	< LOQ	2	0.495
Prallethrin	< LOQ	0.2	0.099	Propiconazole	< LOQ	0.4	0.198
Propoxur	< LOQ	0.2	0.099	Pyrethrins (total)	< LOQ	1	0.495
Pyridaben	< LOQ	0.2	0.099	Spinosad	< LOQ	0.2	0.099
Spiromesifen	< LOQ	0.2	0.099	Spirotetramat	< LOQ	0.2	0.099
Spiroxamine	< LOQ	0.4	0.198	Tebuconazole	< LOQ	0.4	0.198
Thiacloprid	< LOQ	0.2	0.099	Thiamethoxam	< LOQ	0.2	0.099
Trifloxystrobin	< LOQ	0.2	0.099				

<LOQ - Results below the Limit of Quantitation


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: VVS Chem Full Spectrum Extract Duplicate **License: 030-1017129044E**
Tested for: Nogero, LLC. **Date Sampled: 06/27/22 09:31**
Compliance Extract **Date Accepted: 06/27/22**

Laboratory ID: 22F0138-02 **Sample Metrc ID: 1A4010300040B29000000347**
Matrix: Extracts and Concentrates **Batch RFID: 1A4010300040B29000000328**
Lot # 061322-NOG **Batch Size: 681.6 (G)**

Pesticide Analysis in ppm

Date Extracted: 06/28/22 Analysis Method: AOAC 2007.01 & EN 15662
 Date Analyzed: 06/29/22 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.227	Acephate	< LOQ	0.4	0.181
Acequinocyl	< LOQ	2	0.907	Acetamiprid	< LOQ	0.2	0.091
Aldicarb	< LOQ	0.4	0.181	Azoxystrobin	< LOQ	0.2	0.091
Bifenazate	< LOQ	0.2	0.091	Bifenthrin	< LOQ	0.2	0.091
Boscalid	< LOQ	0.4	0.181	Carbaryl	< LOQ	0.2	0.091
Carbofuran	< LOQ	0.2	0.091	Chlorantraniliprole	< LOQ	0.2	0.091
Chlorfenapyr	< LOQ	1	0.454	Chlorpyrifos	< LOQ	0.2	0.091
Clofentezine	< LOQ	0.2	0.091	Cyfluthrin	< LOQ	1	0.454
Cypermethrin	< LOQ	1	0.454	Daminozide	< LOQ	1	0.454
DDVP (Dichlorvos)	< LOQ	1	0.454	Diazinon	< LOQ	0.2	0.091
Dimethoate	< LOQ	0.2	0.091	Ethoprophos	< LOQ	0.2	0.091
Etofenprox	< LOQ	0.4	0.181	Etoxazole	< LOQ	0.2	0.091
Fenoxycarb	< LOQ	0.2	0.091	Fenpyroximate	< LOQ	0.4	0.181
Fipronil	< LOQ	0.4	0.181	Fonicamid	< LOQ	1	0.454
Fludioxonil	< LOQ	0.4	0.181	Hexythiazox	< LOQ	1	0.454
Imazalil	< LOQ	0.2	0.091	Imidacloprid	< LOQ	0.4	0.181
Kresoxim-methyl	< LOQ	0.4	0.181	Malathion	< LOQ	0.2	0.091
Metalaxyl	< LOQ	0.2	0.091	Methiocarb	< LOQ	0.2	0.091
Methomyl	< LOQ	0.4	0.181	Methyl parathion	< LOQ	0.2	0.091
MGK-264	< LOQ	0.2	0.091	Myclobutanil	< LOQ	0.2	0.091
Naled	< LOQ	0.5	0.227	Oxamyl	< LOQ	1	0.454
Paclobutrazol	< LOQ	0.4	0.181	Permethrins (total)	< LOQ	0.2	0.091
Phosmet	< LOQ	0.2	0.091	Piperonyl butoxide	< LOQ	2	0.454
Prallethrin	< LOQ	0.2	0.091	Propiconazole	< LOQ	0.4	0.181
Propoxur	< LOQ	0.2	0.091	Pyrethrins (total)	< LOQ	1	0.454
Pyridaben	< LOQ	0.2	0.091	Spinosad	< LOQ	0.2	0.091
Spiromesifen	< LOQ	0.2	0.091	Spirotetramat	< LOQ	0.2	0.091
Spiroxamine	< LOQ	0.4	0.181	Tebuconazole	< LOQ	0.4	0.181
Thiacloprid	< LOQ	0.2	0.091	Thiamethoxam	< LOQ	0.2	0.091
Trifloxystrobin	< LOQ	0.2	0.091				

<LOQ - Results below the Limit of Quantitation


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
 ORELAP# 4133/OLCC# 1018619A26E
 15865 SW 74th Ave Suite 110, Tigard, OR
 503-272-8830
 www.sclabs.com

Sample Name: VVS Chem Full Spectrum Extract Primary	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 06/27/22 09:26
Compliance Extract	Date Accepted: 06/27/22
Laboratory ID: 22F0138-01	Sample Metric ID: 1A4010300040B29000000347
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000328
Lot # 061322-NOG	Batch Size: 681.6 (G)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 06/28/22
1,4-Dioxane	< LOQ	380	171	Date Analyzed: 06/29/22
2-Butanol	< LOQ	5000	2250	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	72.2	
2-Propanol (IPA)	< LOQ	5000	2250	
Acetone	< LOQ	5000	2250	
Acetonitrile	< LOQ	410	185	
Benzene	< LOQ	2	0.902	
Butanes	< LOQ	5000	2250	
Cyclohexane	< LOQ	3880	1750	
Dichloromethane (methylene chloride)	< LOQ	600	271	
Ethyl acetate	< LOQ	5000	2250	
Ethyl ether	< LOQ	5000	2250	
Ethylbenzene	< LOQ	2170	979	
Ethylene glycol	< LOQ	620	280	
Ethylene oxide	< LOQ	50	22.5	
Heptane	< LOQ	5000	2250	
Hexanes	< LOQ	290	131	
Isopropyl acetate	< LOQ	5000	2250	
Isopropylbenzene (cumene)	< LOQ	70	31.6	
Methanol	< LOQ	3000	1350	
Pentanes	< LOQ	5000	2250	
Propane	< LOQ	5000	2250	
Tetrahydrofuran	< LOQ	720	325	
Toluene	< LOQ	890	401	
Xylenes	< LOQ	2170	979	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red #**.

Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
 ORELAP# 4133/OLCC# 1018619A26E
 15865 SW 74th Ave Suite 110, Tigard, OR
 503-272-8830
 www.sclabs.com

Sample Name: VVS Chem Full Spectrum Extract Duplicate	License: 030-1017129044E
Tested for: Nogero, LLC.	Date Sampled: 06/27/22 09:31
Compliance Extract	Date Accepted: 06/27/22
Laboratory ID: 22F0138-02	Sample Metric ID: 1A4010300040B29000000347
Matrix: Extracts and Concentrates	Batch RFID: 1A4010300040B29000000328
Lot # 061322-NOG	Batch Size: 681.6 (G)

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 06/28/22
1,4-Dioxane	< LOQ	380	184	Date Analyzed: 06/29/22
2-Butanol	< LOQ	5000	2420	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	77.6	
2-Propanol (IPA)	< LOQ	5000	2420	
Acetone	< LOQ	5000	2420	
Acetonitrile	< LOQ	410	199	
Benzene	< LOQ	2	0.970	
Butanes	< LOQ	5000	2420	
Cyclohexane	< LOQ	3880	1880	
Dichloromethane (methylene chloride)	< LOQ	600	291	
Ethyl acetate	< LOQ	5000	2420	
Ethyl ether	< LOQ	5000	2420	
Ethylbenzene	< LOQ	2170	1050	
Ethylene glycol	< LOQ	620	301	
Ethylene oxide	< LOQ	50	24.2	
Heptane	< LOQ	5000	2420	
Hexanes	< LOQ	290	141	
Isopropyl acetate	< LOQ	5000	2420	
Isopropylbenzene (cumene)	< LOQ	70	33.9	
Methanol	< LOQ	3000	1450	
Pentanes	< LOQ	5000	2420	
Propane	< LOQ	5000	2420	
Tetrahydrofuran	< LOQ	720	349	
Toluene	< LOQ	890	432	
Xylenes	< LOQ	2170	1050	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Residual Solvent - 2-Ethoxyethanol and Ethylene Glycol were above normally accepted recovery criteria in the Blank Spike and/or Matrix Spike. Analytes were below the reporting limit in all client samples.

Norflurane was detected as a tentatively identified compound in samples 22F0138-01/02.

Quality Control Potency

Batch: B221417 - Potency/Terpenes

Blank(B221417-BLK1)			Extracted - 06/28/22 10:30 Analyzed - 06/28/22 21:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B221417-DUP1)			Extracted - 06/28/22 10:30 Analyzed - 06/28/22 22:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	1.51	%		1.54			2.03	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	82.13	%		83.13			1.21	20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	0.17	%		0.18			2.12	20
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.30	%		0.30			0.127	20
CBGA (Cannabigerolic Acid)	1.01	%		1.02			1.30	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20



 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B221417 - Potency/Terpenes (Continued)

LCS(B221417-BS1)		Extracted - 06/28/22 10:30 Analyzed - 06/28/22 21:48						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.20	%	0.200		97.5	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.20	%	0.200		98.0	80-120		
THCA (d9-Tetrahydrocannabinolic Acid)	0.20	%	0.200		98.8	90-110		
CBD (Cannabidiol)	0.19	%	0.200		96.3	90-110		
CBDA (Cannabidiolic Acid)	0.20	%	0.200		102	90-110		
CBN (Cannabinol)	0.20	%	0.200		98.2	80-120		
CBG (Cannabigerol)	0.20	%	0.200		97.7	80-120		
CBGA (Cannabigerolic Acid)	0.20	%	0.200		100	80-120		
CBDV (Cannabidivarin)	0.20	%	0.200		101	80-120		
CBDVA (Cannabidivarinic Acid)	0.20	%	0.200		99.5	80-120		
CBC (Cannabichromene)	0.19	%	0.200		94.5	80-120		
THCV (Tetrahydrocannabivarin)	0.20	%	0.200		99.4	80-120		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
 ORELAP# 4133/OLCC# 1018619A26E
 15865 SW 74th Ave Suite 110, Tigard, OR
 503-272-8830
 www.sclabs.com

Quality Control Pesticide Analysis

Batch: B221419 - Pesticide Prep

Blank(B221419-BLK1)		Extracted - 06/28/22 10:40 Analyzed - 06/28/22 18:35						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						

Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221419 - Pesticide Prep (Continued)

Blank(B221419-BLK1)		Extracted - 06/28/22 10:40 Analyzed - 06/28/22 18:35						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B221419-BS1)		Extracted - 06/28/22 10:40 Analyzed - 06/28/22 18:51						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.79	ppm	1.94		92.1	50-150		
Acephate	2.05	ppm	2.00		102	60-120		
Acequinocyl	1.16	ppm	2.00		57.8	40-160		
Acetamiprid	1.92	ppm	2.00		95.9	60-120		
Aldicarb	2.10	ppm	2.00		105	60-120		
Azoxystrobin	1.90	ppm	2.00		94.9	60-120		
Bifenazate	1.71	ppm	2.00		85.7	60-120		
Bifenthrin	1.66	ppm	2.00		82.9	50-150		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221419 - Pesticide Prep (Continued)

LCS(B221419-BS1)		Extracted - 06/28/22 10:40 Analyzed - 06/28/22 18:51						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.64	ppm	2.00		81.9	60-120		
Carbaryl	1.97	ppm	2.00		98.3	60-120		
Carbofuran	1.98	ppm	2.00		99.2	60-120		
Chlorantraniliprole	1.91	ppm	2.00		95.4	60-120		
Chlorfenapyr	1.21	ppm	2.00		60.4	60-120		
Chlorpyrifos	1.96	ppm	2.00		97.8	60-120		
Clofentezine	1.58	ppm	2.00		78.8	60-120		
Cyfluthrin	1.83	ppm	2.00		91.5	50-150		
Cypermethrin	1.77	ppm	2.00		88.3	50-150		
Daminozide	1.87	ppm	2.00		93.6	60-120		
DDVP (Dichlorvos)	1.95	ppm	2.00		97.7	60-120		
Diazinon	1.89	ppm	2.00		94.5	60-120		
Dimethoate	1.94	ppm	2.00		96.8	60-120		
Ethoprophos	1.94	ppm	2.00		97.0	60-120		
Etofenprox	1.87	ppm	2.00		93.7	50-150		
Etoxazole	2.11	ppm	2.00		106	60-120		
Fenoxycarb	1.62	ppm	2.00		81.0	60-120		
Fenpyroximate	1.54	ppm	2.00		76.9	60-120		
Fipronil	1.66	ppm	2.00		83.2	60-120		
Flonicamid	1.78	ppm	2.00		89.2	60-120		
Fludioxonil	1.71	ppm	2.00		85.6	50-150		
Hexythiazox	1.56	ppm	2.00		77.8	60-120		
Imazalil	2.05	ppm	2.00		102	60-120		
Imidacloprid	1.86	ppm	2.00		92.9	60-120		
Kresoxim-methyl	1.86	ppm	2.00		92.9	60-120		
Malathion	1.87	ppm	2.00		93.4	60-120		
Metalaxyl	1.93	ppm	2.00		96.4	60-120		
Methiocarb	1.86	ppm	2.00		92.9	60-120		
Methomyl	2.04	ppm	2.00		102	60-120		
Methyl parathion	1.58	ppm	2.00		79.2	50-150		
MGK-264	1.41	ppm	2.00		70.3	50-150		
Myclobutanil	1.52	ppm	2.00		76.1	60-120		
Naled	1.82	ppm	2.00		90.9	50-150		
Oxamyl	2.05	ppm	2.00		102	60-120		
Paclobutrazol	1.48	ppm	2.00		74.0	60-120		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221419 - Pesticide Prep (Continued)

LCS(B221419-BS1)		Extracted - 06/28/22 10:40 Analyzed - 06/28/22 18:51						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.60	ppm	2.00		80.1	50-150		
Phosmet	1.84	ppm	2.00		91.9	50-150		
Piperonyl butoxide	2.10	ppm	2.00		105	60-120		
Prallethrin	1.50	ppm	2.00		75.0	60-120		
Propiconazole	1.42	ppm	2.00		71.1	60-120		
Propoxur	2.03	ppm	2.00		102	60-120		
Pyrethrins (total)	0.89	ppm	1.16		76.3	60-120		
Pyridaben	1.94	ppm	2.00		96.8	50-150		
Spinosad	2.03	ppm	2.00		101	50-150		
Spiromesifen	2.06	ppm	2.00		103	60-120		
Spirotetramat	1.80	ppm	2.00		90.2	60-120		
Spiroxamine	2.05	ppm	2.00		102	60-120		
Tebuconazole	1.57	ppm	2.00		78.7	60-120		
Thiacloprid	1.90	ppm	2.00		95.2	60-120		
Thiamethoxam	1.86	ppm	2.00		93.2	60-120		
Trifloxystrobin	1.94	ppm	2.00		97.0	60-120		

Matrix Spike(B221419-MS1)		Extracted - 06/28/22 10:40 Analyzed - 06/28/22 19:07						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.77	ppm	1.76	< LOQ	100	30-200		
Acephate	1.84	ppm	1.81	< LOQ	101	30-200		
Acequinocyl	1.17	ppm	1.81	< LOQ	64.3	30-200		
Acetamiprid	1.69	ppm	1.81	< LOQ	92.9	30-200		
Aldicarb	1.84	ppm	1.81	< LOQ	101	30-200		
Azoxystrobin	1.67	ppm	1.81	< LOQ	92.0	30-200		
Bifenazate	1.66	ppm	1.81	< LOQ	91.6	30-200		
Bifenthrin	0.79	ppm	1.81	< LOQ	43.5	30-200		
Boscalid	1.43	ppm	1.81	< LOQ	78.6	30-200		
Carbaryl	1.73	ppm	1.81	< LOQ	95.6	30-200		
Carbofuran	1.73	ppm	1.81	< LOQ	95.4	30-200		
Chlorantraniliprole	1.67	ppm	1.81	< LOQ	91.8	30-200		
Chlorfenapyr	1.38	ppm	1.81	< LOQ	76.3	30-200		
Chlorpyrifos	1.77	ppm	1.81	< LOQ	97.7	30-200		
Clofentezine	1.49	ppm	1.81	< LOQ	81.9	30-200		
Cyfluthrin	2.97	ppm	1.81	< LOQ	164	30-200		

Breeanna Hamilton
 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221419 - Pesticide Prep (Continued)

Matrix Spike(B221419-MS1)			Extracted - 06/28/22 10:40 Analyzed - 06/28/22 19:07					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	1.41	ppm	1.81	< LOQ	77.7	30-200		
Daminozide	1.56	ppm	1.81	< LOQ	85.9	30-200		
DDVP (Dichlorvos)	1.69	ppm	1.81	< LOQ	93.1	30-200		
Diazinon	1.69	ppm	1.81	< LOQ	93.1	30-200		
Dimethoate	1.74	ppm	1.81	< LOQ	96.1	30-200		
Ethoprophos	1.72	ppm	1.81	< LOQ	94.7	30-200		
Etofenprox	0.86	ppm	1.81	< LOQ	47.4	30-200		
Etoxazole	1.76	ppm	1.81	< LOQ	97.2	30-200		
Fenoxycarb	1.47	ppm	1.81	< LOQ	80.9	30-200		
Fenpyroximate	1.48	ppm	1.81	< LOQ	81.8	30-200		
Fipronil	1.57	ppm	1.81	< LOQ	86.4	30-200		
Flonicamid	1.59	ppm	1.81	< LOQ	87.8	30-200		
Fludioxonil	1.49	ppm	1.81	< LOQ	82.2	30-200		
Hexythiazox	1.82	ppm	1.81	< LOQ	100	30-200		
Imazalil	1.74	ppm	1.81	< LOQ	95.7	30-200		
Imidacloprid	1.51	ppm	1.81	< LOQ	83.4	30-200		
Kresoxim-methyl	1.64	ppm	1.81	< LOQ	90.2	30-200		
Malathion	1.69	ppm	1.81	< LOQ	93.3	30-200		
Metalaxyl	1.73	ppm	1.81	< LOQ	95.5	30-200		
Methiocarb	1.65	ppm	1.81	< LOQ	91.0	30-200		
Methomyl	1.78	ppm	1.81	< LOQ	98.2	30-200		
Methyl parathion	1.62	ppm	1.81	< LOQ	89.4	30-200		
MGK-264	1.25	ppm	1.81	< LOQ	68.9	30-200		
Myclobutanil	1.35	ppm	1.81	< LOQ	74.3	30-200		
Naled	1.62	ppm	1.81	< LOQ	89.3	30-200		
Oxamyl	1.76	ppm	1.81	< LOQ	97.0	30-200		
Paclobutrazol	1.28	ppm	1.81	< LOQ	70.5	30-200		
Permethrins (total)	1.19	ppm	1.81	< LOQ	65.4	30-200		
Phosmet	1.64	ppm	1.81	< LOQ	90.4	30-200		
Piperonyl butoxide	1.66	ppm	1.81	< LOQ	91.5	30-200		
Prallethrin	1.41	ppm	1.81	< LOQ	77.7	30-200		
Propiconazole	1.21	ppm	1.81	< LOQ	66.7	30-200		
Propoxur	1.75	ppm	1.81	< LOQ	96.6	30-200		
Pyrethrins (total)	0.87	ppm	1.05	< LOQ	82.4	30-200		
Pyridaben	1.43	ppm	1.81	< LOQ	78.9	30-200		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221419 - Pesticide Prep (Continued)

Matrix Spike(B221419-MS1)			Extracted - 06/28/22 10:40 Analyzed - 06/28/22 19:07					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.68	ppm	1.81	< LOQ	92.9	30-200		
Spiromesifen	1.37	ppm	1.81	< LOQ	75.5	30-200		
Spirotetramat	1.65	ppm	1.81	< LOQ	90.7	30-200		
Spiroxamine	1.66	ppm	1.81	< LOQ	91.5	30-200		
Tebuconazole	1.42	ppm	1.81	< LOQ	78.4	30-200		
Thiacloprid	1.65	ppm	1.81	< LOQ	91.0	30-200		
Thiamethoxam	1.66	ppm	1.81	< LOQ	91.7	30-200		
Trifloxystrobin	1.78	ppm	1.81	< LOQ	98.4	30-200		

Matrix Spike Dup(B221419-MSD1)			Extracted - 06/28/22 10:40 Analyzed - 06/28/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.86	ppm	1.88	< LOQ	98.7	30-200	1.75	50
Acephate	1.95	ppm	1.94	< LOQ	100	30-200	0.883	30
Acequinocyl	1.33	ppm	1.94	< LOQ	68.7	30-200	6.54	50
Acetamiprid	1.79	ppm	1.94	< LOQ	92.3	30-200	0.682	30
Aldicarb	1.98	ppm	1.94	< LOQ	102	30-200	0.527	30
Azoxystrobin	1.87	ppm	1.94	< LOQ	96.2	30-200	4.47	30
Bifenazate	1.78	ppm	1.94	< LOQ	91.5	30-200	0.0706	30
Bifenthrin	0.89	ppm	1.94	< LOQ	46.0	30-200	5.64	30
Boscalid	1.61	ppm	1.94	< LOQ	82.7	30-200	5.12	30
Carbaryl	1.93	ppm	1.94	< LOQ	99.5	30-200	3.94	30
Carbofuran	1.94	ppm	1.94	< LOQ	99.8	30-200	4.57	30
Chlorantraniliprole	1.88	ppm	1.94	< LOQ	96.7	30-200	5.21	30
Chlorfenapyr	1.22	ppm	1.94	< LOQ	63.1	30-200	18.9	50
Chlorpyrifos	1.97	ppm	1.94	< LOQ	101	30-200	3.82	30
Clofentezine	1.65	ppm	1.94	< LOQ	85.2	30-200	4.00	30
Cyfluthrin	2.19	ppm	1.94	< LOQ	113	30-200	36.7	50
Cypermethrin	1.72	ppm	1.94	< LOQ	88.8	30-200	13.3	30
Daminozide	1.77	ppm	1.94	< LOQ	91.2	30-200	5.98	50
DDVP (Dichlorvos)	1.93	ppm	1.94	< LOQ	99.2	30-200	6.32	30
Diazinon	1.87	ppm	1.94	< LOQ	96.4	30-200	3.43	30
Dimethoate	1.78	ppm	1.94	< LOQ	91.7	30-200	4.75	30
Ethoprophos	1.90	ppm	1.94	< LOQ	97.8	30-200	3.19	30
Etofenprox	0.96	ppm	1.94	< LOQ	49.6	30-200	4.63	30
Etoxazole	1.95	ppm	1.94	< LOQ	100	30-200	3.25	30


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B221419 - Pesticide Prep (Continued)

Matrix Spike Dup(B221419-MSD1)			Extracted - 06/28/22 10:40 Analyzed - 06/28/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.60	ppm	1.94	< LOQ	82.5	30-200	2.02	30
Fenpyroximate	1.63	ppm	1.94	< LOQ	83.9	30-200	2.47	30
Fipronil	1.56	ppm	1.94	< LOQ	80.5	30-200	7.10	30
Flonicamid	1.57	ppm	1.94	< LOQ	81.0	30-200	8.09	30
Fludioxonil	1.65	ppm	1.94	< LOQ	84.9	30-200	3.13	50
Hexythiazox	2.04	ppm	1.94	< LOQ	105	30-200	4.34	30
Imazalil	1.95	ppm	1.94	< LOQ	101	30-200	4.89	30
Imidacloprid	1.72	ppm	1.94	< LOQ	88.4	30-200	5.85	30
Kresoxim-methyl	1.91	ppm	1.94	< LOQ	98.4	30-200	8.68	30
Malathion	1.87	ppm	1.94	< LOQ	96.4	30-200	3.22	30
Metalaxyl	1.96	ppm	1.94	< LOQ	101	30-200	5.48	30
Methiocarb	1.81	ppm	1.94	< LOQ	93.3	30-200	2.45	30
Methomyl	1.86	ppm	1.94	< LOQ	95.7	30-200	2.55	30
Methyl parathion	1.39	ppm	1.94	< LOQ	71.7	30-200	22.0	30
MGK-264	1.34	ppm	1.94	< LOQ	69.1	30-200	0.284	30
Myclobutanil	1.50	ppm	1.94	< LOQ	77.5	30-200	4.22	30
Naled	1.73	ppm	1.94	< LOQ	89.3	30-200	0.0529	30
Oxamyl	1.83	ppm	1.94	< LOQ	94.4	30-200	2.73	30
Paclobutrazol	1.40	ppm	1.94	< LOQ	71.9	30-200	1.94	30
Permethrins (total)	1.34	ppm	1.94	< LOQ	68.8	30-200	5.01	30
Phosmet	1.79	ppm	1.94	< LOQ	92.1	30-200	1.85	30
Piperonyl butoxide	1.83	ppm	1.94	< LOQ	94.5	30-200	3.19	30
Prallethrin	1.45	ppm	1.94	< LOQ	74.9	30-200	3.62	30
Propiconazole	1.38	ppm	1.94	< LOQ	71.2	30-200	6.64	30
Propoxur	1.95	ppm	1.94	< LOQ	100	30-200	3.71	30
Pyrethrins (total)	0.96	ppm	1.13	< LOQ	85.5	30-200	3.76	30
Pyridaben	1.58	ppm	1.94	< LOQ	81.4	30-200	3.11	30
Spinosad	1.95	ppm	1.94	< LOQ	100	30-200	7.76	35
Spiromesifen	1.53	ppm	1.94	< LOQ	78.7	30-200	4.18	30
Spirotetramat	1.85	ppm	1.94	< LOQ	95.4	30-200	5.02	30
Spiroxamine	1.90	ppm	1.94	< LOQ	97.7	30-200	6.52	30
Tebuconazole	1.56	ppm	1.94	< LOQ	80.6	30-200	2.72	30
Thiacloprid	1.74	ppm	1.94	< LOQ	89.5	30-200	1.65	30
Thiamethoxam	1.77	ppm	1.94	< LOQ	91.4	30-200	0.391	30
Trifloxystrobin	1.95	ppm	1.94	< LOQ	101	30-200	2.34	30


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Solvent Analysis

Batch: B221416 - Residual Solvent Prep

Blank(B221416-BLK1)		Extracted - 06/28/22 12:18 Analyzed - 06/28/22 20:21						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B221416-BS1)		Extracted - 06/28/22 12:18 Analyzed - 06/28/22 19:25						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	549	ug/g	570		96.2	60-120		
2,2-Dimethylbutane	416	ug/g	435		95.6	60-120		
2,2-Dimethylpropane (neopentane)	3020	ug/g	3120		96.8	60-120		
2-Butanol	3300	ug/g	3500		94.3	60-120		
2-Ethoxyethanol	304	ug/g	240		127	60-120		
2-Methylbutane (isopentane)	3510	ug/g	3500		100	60-120		
2-Methylpentane/2,3-Dimethylbutane	713	ug/g	870		81.9	60-120		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B221416 - Residual Solvent Prep (Continued)

LCS(B221416-BS1)		Extracted - 06/28/22 12:18 Analyzed - 06/28/22 19:25						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3130	ug/g	3120		100	60-120		
2-Propanol (IPA)	3290	ug/g	3500		94.1	60-120		
3-Methylpentane	410	ug/g	435		94.2	60-120		
Acetone	3430	ug/g	3500		98.0	60-120		
Acetonitrile	595	ug/g	615		96.7	60-120		
Benzene	2.51	ug/g	3.00		83.7	60-120		
Cyclohexane	5110	ug/g	5820		87.7	60-120		
Dichloromethane (methylene chloride)	847	ug/g	900		94.1	60-120		
Ethyl acetate	3280	ug/g	3500		93.6	60-120		
Ethyl ether	3400	ug/g	3500		97.0	60-120		
Ethylbenzene	2830	ug/g	3250		87.1	60-120		
Ethylene glycol	1240	ug/g	930		134	60-120		
Ethylene oxide	351	ug/g	375		93.7	60-120		
Heptane	3150	ug/g	3500		89.9	60-120		
Isopropyl acetate	3200	ug/g	3500		91.5	60-120		
Isopropylbenzene (cumene)	88.9	ug/g	105		84.6	60-120		
m,p-Xylene	5640	ug/g	6510		86.5	60-120		
Methanol	2410	ug/g	2500		96.2	60-120		
n-Butane	2570	ug/g	3120		82.4	60-120		
n-Hexane	407	ug/g	435		93.5	60-120		
n-Pentane	3500	ug/g	3500		99.9	60-120		
Propane	1340	ug/g	1250		107	60-120		
Tetrahydrofuran	1080	ug/g	1080		99.9	60-120		
Toluene	1180	ug/g	1340		88.4	60-120		
o-Xylene	2800	ug/g	3250		86.0	60-120		

Matrix Spike(B221416-MS1)		Extracted - 06/28/22 12:18 Analyzed - 06/28/22 19:46						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	532	ug/g	566	< LOQ	94.0	71-131		
2,2-Dimethylbutane	360	ug/g	432	< LOQ	83.4	70-130		
2,2-Dimethylpropane (neopentane)	2670	ug/g	3100	< LOQ	86.2	65-168		
2-Butanol	3120	ug/g	3470	< LOQ	89.8	71-133		
2-Ethoxyethanol	296	ug/g	238	< LOQ	124	68-126		
2-Methylbutane (isopentane)	3010	ug/g	3470	< LOQ	86.6	68-141		
2-Methylpentane/2,3-Dimethylbutane	623	ug/g	864	< LOQ	72.1	71-133		

Breeanna Hamilton
 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B221416 - Residual Solvent Prep (Continued)

Matrix Spike(B221416-MS1)			Extracted - 06/28/22 12:18 Analyzed - 06/28/22 19:46					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2710	ug/g	3100	< LOQ	87.4	46-179		
2-Propanol (IPA)	3070	ug/g	3470	< LOQ	88.3	74-138		
3-Methylpentane	360	ug/g	432	< LOQ	83.3	69-129		
Acetone	3100	ug/g	3470	< LOQ	89.2	76-142		
Acetonitrile	554	ug/g	610	< LOQ	90.8	72-134		
Benzene	2.49	ug/g	2.98	< LOQ	83.5	64-130		
Cyclohexane	4800	ug/g	5780	< LOQ	83.1	78-144		
Dichloromethane (methylene chloride)	787	ug/g	893	< LOQ	88.1	71-131		
Ethyl acetate	3010	ug/g	3470	< LOQ	86.8	75-139		
Ethyl ether	2990	ug/g	3470	< LOQ	86.0	81-141		
Ethylbenzene	2790	ug/g	3230	< LOQ	86.5	73-135		
Ethylene glycol	1080	ug/g	923	< LOQ	116	44-113		
Ethylene oxide	284	ug/g	372	< LOQ	76.2	63-142		
Heptane	2930	ug/g	3470	< LOQ	84.2	76-140		
Isopropyl acetate	2960	ug/g	3470	< LOQ	85.3	76-140		
Isopropylbenzene (cumene)	133	ug/g	104	< LOQ	128	61-200		
m,p-Xylene	5610	ug/g	6460	< LOQ	86.8	74-138		
Methanol	2130	ug/g	2480	< LOQ	85.7	73-135		
n-Butane	2250	ug/g	3100	< LOQ	72.6	32-176		
n-Hexane	360	ug/g	432	< LOQ	83.4	69-127		
n-Pentane	3070	ug/g	3470	< LOQ	88.4	71-140		
Propane	1140	ug/g	1240	< LOQ	91.8	45-152		
Tetrahydrofuran	993	ug/g	1070	< LOQ	92.7	74-137		
Toluene	1150	ug/g	1330	< LOQ	86.3	71-131		
o-Xylene	2740	ug/g	3230	< LOQ	85.1	72-134		

Matrix Spike Dup(B221416-MSD1)			Extracted - 06/28/22 12:18 Analyzed - 06/28/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	507	ug/g	527	< LOQ	96.2	71-131	4.73	25
2,2-Dimethylbutane	328	ug/g	402	< LOQ	81.6	70-130	9.20	25
2,2-Dimethylpropane (neopentane)	2280	ug/g	2890	< LOQ	78.8	65-168	16.0	25
2-Butanol	3050	ug/g	3240	< LOQ	94.2	71-133	2.35	25
2-Ethoxyethanol	267	ug/g	222	< LOQ	120	68-126	10.4	25
2-Methylbutane (isopentane)	2640	ug/g	3240	< LOQ	81.6	68-141	13.0	25
2-Methylpentane/2,3-Dimethylbutane	578	ug/g	805	< LOQ	71.8	71-133	7.54	25


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B221416 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B221416-MSD1)			Extracted - 06/28/22 12:18 Analyzed - 06/28/22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2250	ug/g	2890	2.93	77.9	46-179	18.3	25
2-Propanol (IPA)	2930	ug/g	3240	< LOQ	90.6	74-138	4.42	25
3-Methylpentane	334	ug/g	402	< LOQ	83.0	69-129	7.48	25
Acetone	2910	ug/g	3240	< LOQ	89.9	76-142	6.28	25
Acetonitrile	516	ug/g	569	< LOQ	90.8	72-134	7.07	25
Benzene	2.34	ug/g	2.77	< LOQ	84.4	64-130	6.05	50
Cyclohexane	4640	ug/g	5390	< LOQ	86.1	78-144	3.48	25
Dichloromethane (methylene chloride)	736	ug/g	832	< LOQ	88.5	71-131	6.60	25
Ethyl acetate	2870	ug/g	3240	< LOQ	88.6	75-139	5.00	25
Ethyl ether	2710	ug/g	3240	< LOQ	83.6	81-141	9.88	25
Ethylbenzene	2680	ug/g	3010	< LOQ	89.1	73-135	4.12	25
Ethylene glycol	960	ug/g	860	< LOQ	112	44-113	11.3	50
Ethylene oxide	238	ug/g	347	< LOQ	68.7	63-142	17.4	25
Heptane	2830	ug/g	3240	< LOQ	87.4	76-140	3.37	25
Isopropyl acetate	2880	ug/g	3240	< LOQ	89.0	76-140	2.76	25
Isopropylbenzene (cumene)	128	ug/g	97.1	< LOQ	132	61-200	3.84	25
m,p-Xylene	5430	ug/g	6020	< LOQ	90.2	74-138	3.32	25
Methanol	1960	ug/g	2310	< LOQ	84.7	73-135	8.19	25
n-Butane	1890	ug/g	2890	< LOQ	65.5	32-176	17.3	25
n-Hexane	335	ug/g	402	< LOQ	83.3	69-127	7.24	25
n-Pentane	2730	ug/g	3240	< LOQ	84.4	71-140	11.6	25
Propane	900	ug/g	1160	< LOQ	77.9	45-152	23.4	50
Tetrahydrofuran	953	ug/g	999	< LOQ	95.4	74-137	4.18	25
Toluene	1090	ug/g	1240	< LOQ	88.5	71-131	4.65	25
o-Xylene	2680	ug/g	3010	< LOQ	89.1	72-134	2.43	25


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



Analytical Results

SC Laboratories Oregon LLC
 ORELAP# 4133/OLCC# 1018619A26E
 15865 SW 74th Ave Suite 110, Tigard, OR
 503-272-8830
 www.sclabs.com

Quality Control Terpene Analysis

Batch: B221418 - Potency/Terpenes

Blank(B221418-BLK1)			Extracted - 06/28/22 10:30 Analyzed - 06/28/22 19:05					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
beta Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
(-)-Caryophyllene Oxide	< LOQ	%						
(-)-alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	< LOQ	%						
Citronellol	< LOQ	%						
gamma Terpinene	< LOQ	%						

Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221418 - Potency/Terpenes (Continued)

Duplicate(B221418-DUP1)		Extracted - 06/28/22 10:30 Analyzed - 06/28/22 19:59						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				30
beta Ocimene	0.140	%		0.136			2.38	30
cis-Nerolidol	< LOQ	%		< LOQ				30
trans-Nerolidol	< LOQ	%		< LOQ				30
alpha Pinene	0.457	%		0.449			1.61	30
beta Myrcene	0.105	%		0.106			0.623	30
alpha Phellandrene	< LOQ	%		< LOQ				30
3-Carene	< LOQ	%		< LOQ				30
alpha Terpinene	< LOQ	%		< LOQ				30
Limonene	1.194	%		1.183			0.957	30
Terpinolene	< LOQ	%		< LOQ				30
Linalool	0.426	%		0.437			2.58	30
Fenchol	0.195	%		0.197			1.24	30
Borneol	< LOQ	%		< LOQ				30
Terpineol	0.235	%		0.237			0.890	30
Geraniol	< LOQ	%		< LOQ				30
alpha Humulene	0.919	%		0.928			1.01	30
beta Caryophyllene	3.425	%		3.437			0.339	30
(-)-Caryophyllene Oxide	< LOQ	%		< LOQ				30
(-)-alpha Bisabolol	0.190	%		0.195			2.62	30
Camphene	< LOQ	%		< LOQ				30
beta Pinene	0.434	%		0.432			0.467	30
Sabinene	< LOQ	%		< LOQ				30
Camphor	< LOQ	%		< LOQ				30
Isoborneol	< LOQ	%		< LOQ				30
Menthol	< LOQ	%		< LOQ				30
alpha Cedrene	< LOQ	%		< LOQ				30
(+)-Pulegone	< LOQ	%		< LOQ				30
Eucalyptol	< LOQ	%		< LOQ				30
p-Cymene	< LOQ	%		< LOQ				30
(-)-Isopulegol	< LOQ	%		< LOQ				30
Geranyl Acetate	< LOQ	%		< LOQ				30
Guaiol	< LOQ	%		< LOQ				30
Valencene	< LOQ	%		< LOQ				30
Phytol	< LOQ	%		< LOQ				30


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221418 - Potency/Terpenes (Continued)

Duplicate(B221418-DUP1)		Extracted - 06/28/22 10:30 Analyzed - 06/28/22 19:59						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Citronellol	< LOQ	%		< LOQ				30
gamma Terpinene	< LOQ	%		< LOQ				30

LCS(B221418-BS1)		Extracted - 06/28/22 10:30 Analyzed - 06/28/22 19:32						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	0.104	%	0.120		86.4	70-130		
beta Ocimene	0.245	%	0.280		87.3	70-130		
cis-Nerolidol	0.398	%	0.400		99.5	70-130		
trans-Nerolidol	0.434	%	0.400		109	70-130		
alpha Pinene	0.362	%	0.400		90.4	70-130		
beta Myrcene	0.349	%	0.400		87.3	70-130		
alpha Phellandrene	0.358	%	0.400		89.4	70-130		
3-Carene	0.357	%	0.400		89.2	70-130		
alpha Terpinene	0.365	%	0.400		91.3	70-130		
Limonene	0.354	%	0.400		88.5	70-130		
Terpinolene	0.347	%	0.400		86.9	70-130		
Linalool	0.365	%	0.400		91.3	70-130		
Fenchol	0.380	%	0.400		95.1	70-130		
Borneol	0.385	%	0.400		96.2	70-130		
Terpineol	0.390	%	0.400		97.5	70-130		
Geraniol	0.375	%	0.400		93.9	70-130		
alpha Humulene	0.376	%	0.400		94.0	70-130		
beta Caryophyllene	0.385	%	0.400		96.4	70-130		
(-)-Caryophyllene Oxide	0.390	%	0.400		97.5	70-130		
(-)-alpha Bisabolol	0.401	%	0.400		100	70-130		
Camphene	0.354	%	0.400		88.6	70-130		
beta Pinene	0.358	%	0.400		89.5	70-130		
Sabinene	0.344	%	0.400		85.9	70-130		
Camphor	0.359	%	0.400		89.7	70-130		
Isoborneol	0.390	%	0.400		97.5	70-130		
Menthol	0.369	%	0.400		92.4	70-130		
alpha Cedrene	0.364	%	0.400		91.1	70-130		
(+)-Pulegone	0.373	%	0.400		93.1	70-130		
Eucalyptol	0.363	%	0.400		90.7	70-130		
(-)-Isopulegol	0.373	%	0.400		93.1	70-130		


 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Terpene Analysis (Continued)

Batch: B221418 - Potency/Terpenes (Continued)

LCS(B221418-BS1)		Extracted - 06/28/22 10:30 Analyzed - 06/28/22 19:32						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Geranyl Acetate	0.356	%	0.400		89.0	70-130		
Guaiol	0.436	%	0.400		109	70-130		
Valencene	0.363	%	0.400		90.8	70-130		
gamma Terpinene	0.347	%	0.400		86.9	70-130		



 Breeanna Hamilton For Brian Weigel
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Client: Nogero LLC
 Address Where Sampled: 8700 sw Barbur Suite X Portland OR
 Client License: 1017129044E

Sampler: Scott Forster
 Transporter: Scott Forster
 Date Sampled: 6/27/2022
 Time Sampled:

Thermometer ID: T020
 Balance ID: SAMP_BAL_03
 Anemometer ID: Anemometer_09
 Sampling SOP & Revision #: SC-OR-SAMP-002 rev. 1.03

Scott Forster
 Sampler Signature

Requestor: Nathaniel
 Lab ORELAP ID: 4133
 Lab OLCC ID: 010-1018619A26E

Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_05	±2.5%	0.5	P	0.5	P
200		±2.5%	199.96		199.96	



Container Type	Harvest or Process Lot:			Sample Type	Client Sample Name	Harvest or Process Date	Batch Size (g)	
mason jars	061322-NOG			Concentrate	VVS Chem Full Spectrum Extract	6/17/2022	681.6	
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1A4010300040B29000000328	16.3	57.8	1	vial/mylar	4	2	1.7	VVS Chem Full Spectrum Extract Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22F0138-01	VVS Chem Full Spectrum Extract		A4	0	1.8	1.8	328	
22F0138-01	VVS Chem Full Spectrum Extract		A3	1.8	3.58	1.78	328	
Totals:		2		2		Total Primary Mass = 3.58		Primary + Duplicate Mass = 7.19 g

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date

METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1" Sample (g)	Sample Name
1A4010300040B29000000328	16.3	57.8	1	vial/mylar	4	2	1.7	VVS Chem Full Spectrum Extract Duplicate
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
22F0138-02	VVS Chem Full Spectrum Extract		A2	0	1.8	1.8	328	
22F0138-02	VVS Chem Full Spectrum Extract		A3	1.8	3.61	1.81	328	
Totals:		2		2		Total Duplicate Mass = 3.61		Primary + Duplicate Mass = 7.19 g

Observations and Abnormalities:	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date



**OREGON LIQUOR CONTROL COMMISSION
CANNABIS TRANSPORTATION MANIFEST**



22F0138

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.	0004314787	Date Created	6/27/2022 9:37 AM
Originating Entity	Nogero	For OLCC Use Only	
Originating License Number	030-1017129044E		
Address of Originating Entity	8700 SW Barbur Court Suite X Portland, OR 97219 County: Multnomah		
Phone No. of Originating Entity	971-712-3026		
Contact Phone No. for Inquiries: 7073310560			
1. Destination	SC Labs	Destination Phone No.	503-272-8830
Destination License Number	010-1018619A26E	Date and Approx. Time of Departure	6/27/2022 9:34 AM
Address of Destination	15865 SW 74th Ave., #110 Tigard, OR 97224 County: Washington	Date and Approx. Time of Arrival	6/27/2022 9:34 AM
		Date/Time Received	6/27/2022 10:09
		Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)	
Route to be Traveled			
Get on I-5 S from SW Barbur Blvd/Pacific Hwy W 5 min (1.7 mi)			
Follow I-5 S to SW Upper Boones Ferry Rd in Tigard. Take exit 291 from I-5 S 4 min (3.6 mi)			
Continue on SW Upper Boones Ferry Rd to your destination 3 min (0.9 mi) SC Labs I Oregon 15865 SW 74th Ave #110, Tigard, OR 97224			
Name of Person Transporting	Scott Forster	Handler Permit No. of Driver	SF1983
State Driver's License No.	A625521	Signature of Person Transporting	
Make, Model, License Plate No.	Nissan Kicks 249MGD		
1. Package I Shipped	Production Batch No.	Item Name	Quantity
1A4010300040B29000000347 Lab Test: SubmittedForTesting		VVS Chem Full Spectrum Extract (Extracts)	Shp: 7.1900 g
Item Details			
Source Harvest(s)	(multi-harvest)		
Source Package(s)	1A4010300040B29000000328		

PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)

Name of Person Receiving or Rejecting Product			
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
Signature		Date	6/27/2022
Signature of individual taking receipt of rejected portion of this shipment			

