



PRODUCT DATA SHEET

MOTION-PLUS™ DIESEL TREATMENT

For Diesel Engines

General Information

- Cleans, lubricates & protects
- Recommended for gasoline & diesel engines
- Blends with all grades of leaded & unleaded gasoline
- Lubrication technology based on tribologic methods that improve lubricity & load-carrying capacity.
- Contains **MOTION-PLUS™ ENGINE TREATMENT** technology for improved lubrication of valves & upper cylinders
- Hassle-free application - add to your fuel tank prior to fill up

Typical Applications

- Diesel engines

Key Features & Benefits

- Cleans injectors, carburetor, valves & upper cylinders.
- Lubricates valves & upper cylinders.
- Improves engine performance.
- Completely disperses water.
- Protects injectors from water damage.
- Protects from scoring, wear & carbon build up.
- Will not harm injector armatures & pintles.
- Increases fuel mileage.

Availability

- 9.5 oz. bottle (281 ml)
- 32-oz. bottle (948 ml)
- 1 & 5 U.S. gallon containers (3.8 & 18.9 L)
- 55 U.S. gallon drum (208 L)

Directions for Use

For best results, add **MOTION-PLUS™ DIESEL TREATMENT** to the fuel tank prior to refueling.

MOTION-PLUS™ DIESEL TREATMENT will easily blending with the fuel during fill up.

Add 9.5-oz. to the fuel tank for 25 - 50 gallon tanks. For fuel tanks larger than 50 gallons, add 1 oz. of **MOTION-PLUS™ DIESEL TREATMENT** for every 5 gallon of fuel.

Your fuel tank is cleaned while you drive. Maintain your fuel system continuously by using **MOTION-PLUS™ DIESEL TREATMENT**. A clean fuel system provides better fuel flow to the ignition system, resulting in increased mileage and improved engine performance.



Typical Properties

Boiling Point 180°F (82°C)
Flash Point 55°F (12.8°C) closed cup
Specific Gravity @ 60°F, g/cm³ 0.7985
Evaporation Rate (nBuAc = 1) ~ 0.7
Vapor Pressure < 0.125 PSI
Vapor Density (Air = 1) ~ 3.9
Viscosity @ 40°C, cSt 1.87
Odor Mild petroleum/alcohol
Color & Appearance Clear red liquid
Solubility in Water Partial

Health & Safety

Flammable liquid. Please refer to Safety Data Sheet for health and safety information prior to use.

M & J Sunshine, Corp

7391 NW 78 Street Medley FL 33166

Tel:(305) 888 1155 Fax: (305) 888 1157 www.motion-plus.com

