

QUAIRIE

REF 160.1.152 A

BI MATERIAL SAFETY KNIFE WITH A RETRACTABLE BLADE


Ideal for all handling works and for opening cardboard boxes and packaging.

SAFETY • The blade retracts with the release of the trigger.

* Safety lock..



DELIVERED WITH A ROUNDED
EDGE BLADE



MAXIMAL
SAFETY



LIGHT



ERGONOMIC



FOR RIGHT AND LEFT
HANDED USERS



AVOIDS MSDs

TECHNICAL SHEET

INNOVATION: BI-MATERIAL KNIFE

ERGONOMIC: AVOIDS MSD'S SOFT TOUCH.



THE PROS



DELIVERED WITH A ROUNDED EDGE BLADE REF 152A.6



BI-MATERIAL BODY FOR MORE CONFORT



ERGONOMIC AND LIGHT FOR RIGHT AND LEFT HANDED USERS



STRONG STRETCHING SPRING TESTED FOR MORE THAN 100 000 TIMES

PHA BELOW THRESHOLD LEVEL

FUNCTIONS



To cut single-wall carton



To cut double-wall carton




To cut packaging adhesives




To cut plastic films


SAFETY KNIFE WITH 3 POSSIBLE CUTTING DEPTHS



Rung 1



Rung 2



Rung 3

	A	B
Rung 1	5 mm	14 mm
Rung 2	8 mm	21 mm
Rung 3	12 mm	27 mm

OTHER CHARACTERISTICS

- Reversible, retractable and lockable blade.
- Resistant to Acetone and other detergents.
- High cutting precision.

BLADE CHANGE


01/Unlock the trigger and pull it backwards to release it from the plastic fitting.



02/Pull the trigger towards oneself to release the blade slider from the handle.



03/Press as indicated in the picture to release the blade.




04/Cautiously pull out the blade.




BLADES

DELIVERED WITH




REF 152A.6 Thk 0,6 mm
Blade made of premium quality steel.


OTHER COMPATIBLE BLADES




REF 152.6 Thk 0,6 mm
Blade made of premium quality steel.




REF 652.6.2 Thk 0,6 mm
Blade made of premium quality steel.



REF 652A.6.2 Thk 0,6 mm
Blade made of premium quality steel.




REF 153.6 Thk 0,6 mm
Blade made of premium quality steel.



REF 653.6.1 Thk 0,6 mm
Blade made of premium quality steel.

Blade reference	Description	Type	Dimensions (in mm) Length • Width • Thickness	Sharpening angle	Hardness
152A.6	Straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	18° - 27°	64,0 Hrc
152.6	Straight blade	Premium quality steel	54 x 19 x 0,6	18° - 27°	64,0 Hrc
652.6.2	Serrated straight blade	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64,0 Hrc
652A.6.2	Serrated straight blade with a rounded edge	Premium quality steel	54 x 19 x 0,6	15° - 28,5°	64,0 Hrc
153.6	Straight blade	Premium quality steel	60 x 19 x 0,6	18° - 28°	64,0 Hrc
653.6.1	Serrated straight blade	Premium quality steel	60 x 19 x 0,6	18° - 32°	64,0 Hrc

TECHNICAL SHEET (in mm)



Packaging	Weight PKG	Dimensions (in mm) Length • Width • Thick.	Quantity PKG	Units	Accessories	Material	Colors
SKIN PACK	78 g	161 x 78 x 26	10	5 units	Handle	PA6 + TPE	Black
					Trigger	PA6 + TPE	Orange + black
					Safety lock	POM	Orange
					Plastic fitting	POM	Orange
					Stretching Spring	Stainless Steel	Metal grey
					Blade 152A.6	Premium quality steel	Metal grey

Registered design.

MP
MURE & PEYROT

MURE & PEYROT
25, rue Roger Touton • BP 50120
Parc d'Activités Bordeaux Nord
33041 BORDEAUX CEDEX - FRANCE

Tel.: +33 (0)556 693 200 / Fax: +33 (0)556 693 202 / E-mail: mail@mure-peyrot.com

FOR MORE INFORMATION
MURE-PEYROT.COM