

Page 1/6

Safety data sheet according to 1907/2006/EC, Article 31

nting date 25.03.2021	Version 24	Revision: 25.03.20
SECTION 1: Identification of the se	ubstance/mixture and of the company/unde	ertaking
1.1 Product identifier		
> Trade name: Trance		
 Article number: P0270004 Registration number - 1.2 Relevant identified uses of the sub Application of the substance / the mixture 	bstance or mixture and uses advised against No e Flavour/Fragrance	further relevant information available
• 1.3 Details of the supplier of the safet Manufacturer/Supplier: SS Oils Ltd	ty data sheet	
3 Bridgegate Way, Eccleshill, radford, Bl Tel:+447398494822	D10 8BD, UK.	
Further information obtainable from: SS Oils Ltd		
<pre>ssoilsItd@outlook.com >1.4 Emergency telephone number: +4</pre>	47308494822	
SECTION 2: Hazards identification	n	
Hazard pictograms	allergic skin reaction.	according to the CLP regulation.
GHS07		
Signal word Warning		
2.3 Other hazards Results of PBT and vPvB assessment	anol ate n. sting effects. gas/mist/vapours/spray. nment. nment.	tional regulations.
▷ PBT: Not applicable. ▷ vPvB: Not applicable.		

◇ 3.2 Chemical characterisation: Mixtures

◦ Description: Mixture of substances listed below with nonhazardous additions.

[–] GB –



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2021

Version 24

Revision: 25.03.2021

Trade name: Trance

	(Contd. of page 1)
◇Dangerous components:	
CAS: 120-57-0 Piperonal	>2.5-5%
EINECS: 204-409-7 Skin Sens. 1B, H317	
CAS: 121-32-4 3-Ethoxy-4-hydroxybenzaldehyd, Ethylvanillin, 4-Hydroxy-3-ethylbenzaldehyd	>2.5-5%
EINECS: 204-464-7 Eye Irrit. 2, H319	
CAS: 121-33-5 4-Hydroxy-3-Methoxybenzaldehyde	>2.5-5%
EINECS: 204-465-2 Eye Irrit. 2, H319	
CAS: 28219-61-6 2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ole	<i>≥</i> 1-<2.5%
EINECS: 248-908-8 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	
CAS: 123-11-5 4-Methoxybenzaldehyde	<i>≥</i> 1-<2.5%
EINECS: 204-602-6 Aquatic Chronic 3, H412	
CAS: 140-11-4 Benzyl acetate	<i>≥</i> 1-<2.5%
EINECS: 205-399-7 Aquatic Chronic 3, H412	
CAS: 4180-23-8 trans-Anethole	<i>≥</i> 0.1-<1%
EINECS: 224-052-0 Skin Sens. 1B, H317	
CAS: 13828-37-0 cis-4-(1-methylethyl)-Cyclohexanemethanol	<i>≥</i> 0.1-<1%
EINECS: 237-539-8 Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 4707-47-5 Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	<i>≥</i> 0.1-<1%
EINECS: 225-193-0 Skin Sens. 1B, H317	
\circ Additional information: For the wording of the listed hazard phrases refer to section 16.	

. SECTION 4: First aid measures

° 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- ◊ After skin contact: Immediately wash with water and soap and rinse thoroughly.
- ◊ After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

◦ 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

- ° 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.03.2021

Version 24

Revision: 25.03.2021

Trade name: Trance

	(Contd. of page 2)
◦ 6.3 Methods and material	for containment and cleaning up:
	naterial (sand, diatomite, acid binders, universal binders, sawdust).
	erial as waste according to item 13.
Treat with 2 % sodium hydr	
Ensure adequate ventilation	n.
◊ 6.4 Reference to other set	
See Section 7 for informatio	
	on on personal protection equipment.
See Section 13 for disposa	l information.
. SECTION 7: Handling a	and storage
• 7.1 Precautions for safe h	nandling Prevent formation of aerosols.
Information about fire - and	l explosion protection: No special measures required.
• 7.2 Conditions for safe st	orage, including any incompatibilities
Storage:	
	storerooms and receptacles: No special requirements.
	n one common storage facility: Not required.
 Further information about s 	torage conditions: None.
Storage class: 10	-
	o further relevant information available.
. SECTION 8: Exposure	controls/personal protection
8.1 Control parameters	
Additional information about	it design of technical facilities: No further data; see item 7.
	s that require monitoring at the workplace:
	ain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: The	lists valid during the making were used as basis.
0 2 Experies controls	
 Personal protective equipm 	
 General protective and hyg 	ienic measures:
Keep away from foodstuffs,	
	led and contaminated clothing
wash hands before breaks	and at the end of work.
	and at the end of work.
 Respiratory protection: Use 	
 Respiratory protection: Use Protection of hands: 	and at the end of work.
 Respiratory protection: Use Protection of hands: Protective gloves 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation.
 Respiratory protection: Use Protection of hands: Protective gloves 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. ne impermeable and resistant to the product/ the substance/ the preparation.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. Appendix on consideration of the penetration times, rates of diffusion and the degradation
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The instance of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove mate 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The internation of the penetration times, rates of diffusion and the degradation the tichemical-resistant glove Barrier 02-100 is recommended.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove mate 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The internation of the penetration times, rates of diffusion and the degradation the tichemical-resistant glove Barrier 02-100 is recommended.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. A consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove mate 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. A consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed.
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The indical consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed. Commended during refilling
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The indical consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed. Commended during refilling
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the penetration times, rates of diffusion and the degradation the degradation of the penetration times, rates of diffusion and the degradation the hemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed. Commended during refilling
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic point	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The indical consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed. Commended during refilling
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic p General Information 	and at the end of work. e suitable respiratory protective device in case of insufficient ventilation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the product/ the substance/ the preparation. The impermeable and resistant to the penetration times, rates of diffusion and the degradation the degradation of the penetration times, rates of diffusion and the degradation the hemical-resistant glove Barrier 02-100 is recommended. The has to be found out by the manufacturer of the protective gloves and has to be observed. Commended during refilling
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic p General Information Appearance: 	and at the end of work. a suitable respiratory protective device in case of insufficient ventilation. the impermeable and resistant to the product/ the substance/ the preparation. the indext of the penetration times, rates of diffusion and the degradation the degradation of the penetration times, rates of diffusion and the degradation the degradation of the penetration times, rates of diffusion and the degradation the degradation of the penetration times, rates of diffusion and the degradation the has to be found out by the manufacturer of the protective gloves and has to be observed. commended during refilling and chemical properties physical and chemical properties
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic p General Information 	and at the end of work. a suitable respiratory protective device in case of insufficient ventilation. the impermeable and resistant to the product/ the substance/ the preparation. trial on consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. the has to be found out by the manufacturer of the protective gloves and has to be observed. commended during refilling and chemical properties physical and chemical properties Fluid
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic p General Information Appearance: 	and at the end of work. a suitable respiratory protective device in case of insufficient ventilation. the impermeable and resistant to the product/ the substance/ the preparation. trial on consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. the has to be found out by the manufacturer of the protective gloves and has to be observed. commended during refilling and chemical properties physical and chemical properties Fluid
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic p General Information Appearance: Form: Colour: 	and at the end of work. a suitable respiratory protective device in case of insufficient ventilation. the impermeable and resistant to the product/ the substance/ the preparation. trial on consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. the has to be found out by the manufacturer of the protective gloves and has to be observed. commended during refilling md chemical properties physical and chemical properties Fluid Colourless to yellow tint
 Respiratory protection: Use Protection of hands: Protective gloves The glove material has to b Selection of the glove mate Material of gloves The mult Penetration time of glove m The exact break trough time Eye protection: Goggles red . SECTION 9: Physical a 9.1 Information on basic p General Information Appearance: Form: 	and at the end of work. a suitable respiratory protective device in case of insufficient ventilation. the impermeable and resistant to the product/ the substance/ the preparation. trial on consideration of the penetration times, rates of diffusion and the degradation tichemical-resistant glove Barrier 02-100 is recommended. the has to be found out by the manufacturer of the protective gloves and has to be observed. commended during refilling and chemical properties physical and chemical properties Fluid



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2021

Version 24

Revision: 25.03.2021

Trade name: Trance

		(Contd. of page 3)
∘pH-value: ∘ Melting point/freezing point:	Not determined. Undetermined.	
∘ Flash point:	>100 °C	
◊ Flammability (solid, gas):	Not applicable.	
◇ Decomposition temperature:	Not determined.	
◇ Auto-ignition temperature:	Not determined.	
◇ Explosive properties:	Not determined.	
∘ Explosion limits: Lower: Upper:	Not determined. Not determined.	
 ▷ Density at 20 °C: ○ Relative density ○ Vapour density > Evaporation rate 	0.985 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
◇ Partition coefficient: n-octanol/wa	ter: Not determined.	
 Solvent separation test: VOC (EC) 	74.77 %	
◦ 9.2 Other information	No further relevant information available.	

. SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- ° 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.03.2021

Version 24

Revision: 25.03.2021

(Contd. of page 4)

Trade name: Trance

. SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:
- ◊ Remark: Harmful to fish
- Additional ecological information:
- ◊ General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms
- ◊ 12.5 Results of PBT and vPvB assessment
- ◊ PBT: Not applicable.
- ◊ vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

. SECTION 13: Disposal considerations

° 13.1 Waste treatment methods

◦ Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Our Our Our Out Of Comparison Of Comparis

Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information		
∘14.1 UN-Number		
◇ADR, IMDG, IATA	Void	
◇ 14.2 UN proper shipping name◇ ADR, IMDG, IATA	Void	
• 14.3 Transport hazard class(es)		
◇ADR, ADN, IMDG, IATA		
◊ Class	Void	
• 14.4 Packing group		
◇ADR, IMDG, IATA ◇14.5 Environmental hazards:	Void Not applicable.	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Annex II of Marpol and 		
the IBC Code	Not applicable.	
◊ UN "Model Regulation":	Void	

. SECTION 15: Regulatory information

◦ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
 Hazard pictograms

(I) GHS07

(Contd. on page 6)

— GB -



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.03.2021

Version 24

Revision: 25.03.2021

Trade name: Trance

- Cinnel word Moreine	(Contd. of page 5)
∘ Signal word Warning	
Piperonal trans-Anethole	
cis-4-(1-methylethyl)-Cyclohexanemethanol	
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	
 Hazard statements 	
H317 May cause an allergic skin reaction.	
H412 Harmful to aquatic life with long lasting effects.	
◊ Precautionary statements	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
P273 Avoid release to the environment.	
P280 Wear protective gloves. P362+P364 Take off contaminated clothing and wash it before reuse.	
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.	
P501 Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
	5
◇ Directive 2012/18/EU ◇ Named dangerous substances - ANNEX I None of the ingredients is listed.	
• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
. SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee f and shall not establish a legally valid contractual relationship.	for any specific product features
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H319 Causes serious eye irritation.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
H412 Harmful to aquatic life with long lasting effects.	
◊ Department issuing SDS: Regulatory Affairs	
 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning t 	he International Carriage of Dangerous
Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1B: Skin sensitisation – Category 1B	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	



DECLARATION REGARDING IFRA CONFORMITY

Product Description: Trance

Article-No.: P0270004

As evidenced to us by the available information from our suppliers and made calculations based on this information corresponding to the above article the safety standard of the International Fragrance Association (IFRA) 48th Amendment to the Code of Practice (June 2015) and is subject to the following restrictions for certain applications. The corresponding product allocation is included in the appendix.

Application	Max. level of use [% w/w]	Application	Max. level of use [% w/w]
Class 1	0,000	Class 6	0,000
Class 2	20,000	Class 7.A	20,000
Class 3.A	20,000	Class 7.B	20,000
Class 3.B	20,000	Class 8.A	20,000
Class 3.C	20,000	Class 8.B	20,000
Class 3.D	20,000	Class 9.A	20,000
Class 4.A	20,000	Class 9.B	20,000
Class 4.B	20,000	Class 9.C	20,000
Class 4.C	20,000	Class 10.A	20,000
Class 4.D	20,000	Class 10.B	20,000
Class 5	20,000	Class 11	100,000

For sensitizing substances according to (EC) No. 1223/2009, please refer to our separate statement. The IFRA Standards for restrictions are based on safety assessments of the expert committee of the RESEARCH INSTITUTE FOR FRAGRANCE MATERIALS (RIFM) and are set in force by the IFRA Scientific Committee.



The statements regarding the IFRA safety standard are based on the information provided to us by our suppliers and calculations carried out on the basis of this information. Please note that we have not conducted any analyses with regard to these substances. Therefore, we assume no liability for the information above with regard to use of this information or use of the product by the customer. Rather, the customer is responsible for ensuring the suitability of the product for the intended useas well as its marketability and especially also the legally compliant labeling of the product and/or processed products made from it, if necessary, by carrying out analyses of its own.

The manufacturer of the end product that contains the aforementioned product bears sole responsibility for the safety of the end product and compliance with permissible concentrations in keeping with the respectively applicable laws and other regulations. Safety must be verified through appropriate tests. The information conveyed herewith does not release the manufacturer of the end product from sole responsibility for its product and/or the obligation to carry out its own quality assurance.

This is a computer printout and has therefore not been signed by hand.



ANNEX: DEFINITION OF IFRA-CLASSES

Class	Application
Class 1	Lip products of all types (solid and liquid lipsticks, balms, clear or colored, etc.); Children's toys
Class 2	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne and body spray, etc.); Nose pore strips; Fragrance bracelets
Class 3.A	Hydroalcoholic products applied to recently shaved skin (includes after shave) (EDT range)
Class 3.B	Hydroalcoholic products applied to recently shaved skin (fine fragrance range)
Class 3.C	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, etc.) including eye care; Men's facial creams and balms; Baby creams, lotions, oils; Body paint for children
Class 3.D	Tampons
Class 4.A	Hydroalcoholic products applied to unshaved skin (includes aqueous based, alcoholic based and hydroalcoholic) like cologne, eau de cologne, eau de parfum or parfum; Ingredients of perfume kits; Scent pads, foil packs; Scent strips for hydroalcoholic products (EdT range)
Class 4.B	Hydroalcoholic products applied to unshaved skin (includes aqueous based, alcoholic based and hydroalcoholic) like cologne, eau de cologne, eau de parfum or parfum (fine fragrance range)
Class 4.C	Hair styling aids sprays of all types (pumps, aerosol sprays, etc.); Body creams, oils, lotions of all types (except baby creams, lotions, oils); Body sprays (including body mist) with no intended or reasonably foreseeable use on the axillae; Fragrance compounds for cosmetic kits; Foot care products; Hair deodorant; Body paint (except those for children)
Class 4.D	Fragrancing cream; Solid perfumes
Class 5	Women's facial creams/facial make-up; Hand cream; Hand sanitizers; Facial masks; Baby powder and talc; Hair permanent and other hair chemical treatments (e.g. relaxers) but not hair dyes; Wipes or refreshing tissues for face, neck, hands, body; Dry shampoo or waterless shampoo
Class 6	Mouthwash, including breath sprays; Toothpaste
Class 7.A	Intimate wipes; Baby wipes
Class 7.B	Insect repellent (intended to be applied to the skin)
Class 8.A	Make-up removers of all types (not including face cleansers); Hair styling aids non-spray of all types (mousse, gels, leave-in conditioners, etc.); Nail care; Powders and talcs (except baby
	powders and talcs)
Class 8.B	Hair dyes
Class 9.A	Conditioner (rinse-off); Liquid soap; Shampoos of all types (including baby shampoos); Face cleansers of all types (washes, gels, scrubs, etc.); Shaving creams of all types (stick, gels, foams, etc.); All depilatories (including waxes for mechanical hair removal); Body washes of all types (including baby washes) and shower gels of all types; Bar soap (toilet soap); Bath gels, foams, mousses, salts, oils and other products added to bathwater
Class 9.B	Feminine hygiene-pads, liners; toilet paper; wheat bags
Class 9.C	Facial tissues; Fragranced face masks (not intended to be used as medical device); Napkins; Paper towels; Other aerosols (including air freshener sprays and air freshener pump sprays, but not deodorant/antiperspirants, hair styling aids spray)
Class 10.A	Handwash laundry detergents of all types including concentrates; Fabric softeners of all types including fabric softener sheets; Household cleaning products, other types (fabric cleaners, soft surface cleaners, carpet cleaners, etc.); Machine wash laundry detergents (liquids, powders, tablets, etc.) including laundry bleach and concentrates; Hand dishwashing detergent including concentrates; Hard surface cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.); Shampoo for pets; Dry cleaning kits; Scented gloves, socks, tights with moisturizers
Class 10.B	Diapers; Toilet seat wipes
Class 11	All non-skin contact, including: Candles; Air-fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-0.5ml/spray), plug-ins, solid substrate, membrane delivery, electrical); Air delivery systems; Cell phone cases; Pot pourri, powders, fragrancing sachets, liquid refills for air fresheners (non-cartridge systems), reed diffusers; Liquid refills for air fresheners (cartridge systems); Shoe polishes; Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders); Insecticides (mosquito coil, paper, electrical, for clothing etc.) excluding aerosols; Scent delivery system using a dry air technology that releases a fragrance without sprays, aerosols or heated oils (technology of nebulization); Air freshening crystals; Toilet blocks; Joss sticks or incense sticks; Machine only laundry detergent (e.g. liquitabs); Plastic articles (excluding toys); Fuels; Fragranced lamp ring; Scent pack; Scratch and sniff (sampling technology); Paints; Cat litter; Animal spray (all types); Treated textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics; Floor wax; Odored distilled water (that can be added to steam irons)



DECLARATION REGARDING SUBSTANCES WITH OBLIGATION TO LABEL LISTED IN ANNEX III OF REGULATION (EC) NO. 1223/2009 ON COSMETIC PRODUCTS

Product Description: Trance

Article-No.: P0270004

Product Description	INCI-Name (engl.)	CAS-No.	Conc. %*
alpha Isomethyl-Ionone	ALPHA-ISOMETHYL-IONONE	127-51-5	n.d.
Amyl Cinnamal	AMYL CINNAMAL	122-40-7	n.d.
Amyl Cinnamyl Alcohol	AMYLCINNAMYL ALCOHOL	101-85-9	n.d.
Anisyl Alcohol	ANISE ALCOHOL	105-13-5	n.d.
Tree Moss Extract	EVERNIA FURFURACEA EXTRACT	90028-67-4	n.d.
Benzyl Alcohol	BENZYL ALCOHOL	100-51-6	0,002
Benzyl Benzoate	BENZYL BENZOATE	120-51-4	n.d.
Benzyl Cinnamate	BENZYL CINNAMATE	103-41-3	n.d.
Benzyl Salicylate	BENZYL SALICYLATE	118-58-1	n.d.
Citral	CITRAL	5392-40-5	n.d.
Citronellol	CITRONELLOL	106-22-9	n.d.
Coumarin	COUMARIN	91-64-5	n.d.
Oak Moss Extract	EVERNIA PRUNASTRI EXTRACT	90028-68-5	n.d.
Eugenol	EUGENOL	97-53-0	n.d.
Farnesol	FARNESOL	4602-84-0	n.d.
Geraniol	GERANIOL	106-24-1	n.d.
Hexyl Cinnamaldehyde	HEXYL CINNAMAL	101-86-0	n.d.
Hydroxycitronellal	HYDROXYCITRONELLAL	107-75-5	n.d.
Isoeugenol	ISOEUGENOL	97-54-1	n.d.
Lilial	BUTYLPHENYL METHYLPROPIONAL	80-54-6	n.d.
Limonene	LIMONENE	5989-27-5	n.d.
Linalool	LINALOOL	78-70-6	n.d.
Methyl Heptin Carbonate	METHYL 2-OCTYNOATE	111-12-6	n.d.
Cinnamal	CINNAMAL	104-55-2	n.d.
Cinnamyl alcohol	CINNAMYL ALCOHOL	104-54-1	n.d.

n.d. = not detectable, calculated level is < 10 ppm.; *approximate values

The foregoing statement regarding the substances that are subject to mandatory labeling and are listed in Annex III of Regulation (EC) No. 1223/2009 on cosmetic products are based on the information provided to us by our suppliers and calculations carried out on the basis of this information. Please note that we have not conducted any analyses with regard to these substances. Therefore, we assume no liability for this information with regard to use of this information or use of the product by the customer. Rather, the customer is responsible for ensuring the suitability of the product for the intended use as well as its marketability and especially also the legally compliant labeling of the product and/or processed products made from it, if necessary, by carrying out analyses of its own.

This is a computer printout and has therefore not been signed by hand.

TRANCE - 10% in NON-HAZARDOUS BASE - (CLP in wax up to 10%)

Contains: Piperonal. May produce an allergic reaction.



Your business Name And Address, Town/City, Postcode

Tel: 01234 567890