

SILLIKER, Inc. Illinois Laboratory

3600 Eagle Nest Drive, North Building, Crete, IL 60417 Tel. 877-777-6375 Fax. 312-729-1320

COA No: CHG-40918766-0 Supersedes: None COA Date 2/15/18 Page 1 of 1

CERTIFICATE OF ANALYSIS

TO:

Director
Huel Limited
Unit 5, Midshires Business Park
Aylesbury HP19 8HL

Received From:	
Received Date:	2/9/18
P.O.# / ID:	1001
Location of Test: (except where noted)	
Crete, IL	

Laboratory ID: 375085859

Analytical Results

Desc. 1: Lot 93326, BBE 10/2018
Desc. 2: Huel NA Vanilla v1.0

Condition Rec'd: NORMAL
Temp Rec'd (°C): 18

AnalyteResultUnitsMethod ReferenceTest DateLoc.ICP MS Heavy Metals (4 analytes)EPA 3050/6020 USP7302/15/18

ICPMS Prep Acid Digest -

 Arsenic
 0.02 ppm (w/w)

 Cadmium
 0.081 ppm (w/w)

 Lead
 0.02 ppm (w/w)

 Mercury
 <0.005 ppm (w/w)</td>

Jeff Wilson Vice President